

# Hortonworks Data Platform

## Apache Ambari Release Notes

(August 31, 2017)

## Hortonworks Data Platform: Apache Ambari Release Notes

Copyright © 2012-2017 Hortonworks, Inc. All rights reserved.

The Hortonworks Data Platform, powered by Apache Hadoop, is a massively scalable and 100% open source platform for storing, processing and analyzing large volumes of data. It is designed to deal with data from many sources and formats in a very quick, easy and cost-effective manner. The Hortonworks Data Platform consists of the essential set of Apache Hadoop projects including MapReduce, Hadoop Distributed File System (HDFS), HCatalog, Pig, Hive, HBase, ZooKeeper and Ambari. Hortonworks is the major contributor of code and patches to many of these projects. These projects have been integrated and tested as part of the Hortonworks Data Platform release process and installation and configuration tools have also been included.

Unlike other providers of platforms built using Apache Hadoop, Hortonworks contributes 100% of our code back to the Apache Software Foundation. The Hortonworks Data Platform is Apache-licensed and completely open source. We sell only expert technical support, [training](#) and partner-enablement services. All of our technology is, and will remain free and open source. Please visit the [Hortonworks Data Platform](#) page for more information on Hortonworks technology. For more information on Hortonworks services, please visit either the [Support](#) or [Training](#) page. Feel free to [Contact Us](#) directly to discuss your specific needs.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# Table of Contents

- 1. Release Notes Ambari - 2.5.2 ..... 1
  - 1.1. New Features ..... 1
  - 1.2. Behavioral Changes ..... 2
  - 1.3. Deprecation Notices ..... 3
  - 1.4. Patch Information ..... 3
  - 1.5. Known Issues ..... 4
  - 1.6. Fixed Issues ..... 9

## List of Tables

1.1. Core Ambari .....	1
1.2. Ambari 2.5 Behavioral Changes .....	3
1.3. Ambari 2.5 Deprecated Items .....	3
1.4. Apache Ambari 2.5.2.0 Patches .....	3
1.5. Apache Ambari 2.5.1.0 Patches .....	4
1.6. Ambari 2.5.2 Known Issues .....	4
1.7. Ambari 2.5 Fixed Issues .....	9

# 1. Release Notes Ambari - 2.5.2

## RELEASE NOTES: Apache Ambari 2.5.2

The Ambari 2.5.2 Release Notes summarize and describe the following information related to Ambari 2.5.2:

- [New Features \[1\]](#)
- [Behavioral Changes \[2\]](#)
- [Deprecation Notices \[3\]](#)
- [Patch Information \[3\]](#)
- [Known Issues \[4\]](#)
- [Fixed Issues \[9\]](#)



### Note

For information related to migrating from IOP-4.2.0 or -4.2.5 to HDP-2.6.2, refer to [Migrating from IOP to HDP](#).

## 1.1. New Features

The Ambari 2.5.2 release is a maintenance release that includes no new features.

Ambari 2.5 contains the following features and improvements:

**Table 1.1. Core Ambari**

Feature	Description
Use DNS Aliases Instead of Host Names <a href="#">AMBARI-21370</a>	Configure DNS aliases for specific hosts, so that configuration files mentioning those hosts do not need to be changed when the services on that host are moved to another physical machine.
Manage Host Include/Exclude Files <a href="#">AMBARI-21345</a>	Configure include/exclude file management for HDFS and YARN. When enabled, Ambari will manage the associated include/exclude files and update their contents based on the state of hosts within Ambari.
Purge Ambari Server Database History <a href="#">AMBARI-20687</a>	Automate the removal of historical records in the Ambari Server using the `db-purge-history` command.
Add/Remove Journal Nodes <a href="#">AMBARI-7748</a>	Easily add additional JournalNodes, or remove and move existing JournalNodes for installations where NameNode HA is enabled.
Service Auto-Start <a href="#">AMBARI-2330</a>	Configure specific components to start automatically if the host they are on reboots, or if the process exits abnormally.
Configuration Change Communication <a href="#">AMBARI-19572</a>	A new pop-up has been added to more clearly communicate the impact on configuration for common administrative operations such as changing individual configurations, adding components, remove components, moving master services, and enabling HA.

Feature	Description
HDFS TopN User & Operation Visualization <a href="#">AMBARI-19320</a>	Quickly understand the most frequent operations being performed on the NameNode, and more importantly who's performing those operations.
Download All Client Configurations <a href="#">AMBARI-19275</a>	Download client configurations for all components installed in the cluster with a single-click.
Built-In SNMP MIB <a href="#">AMBARI-19257</a>	The default SNMP Alert Notification now sends SNMP traps using an Ambari-specific MIB.
DB Inconsistency Self-Healing <a href="#">AAMBARI-18990</a>	Common database inconsistencies are now automatically fixed when issues are detected on Ambari Server startup.
Log Search TP Update <a href="#">AMBARI-18821</a>	Updates to the Log Search component to improve security, stability, and performance. This capability is currently <b>Tech Preview</b> .
Ignore Host Pre-Check when Adding a Host <a href="#">AMBARI-18817</a>	Added the ability to disable host pre-checks when adding hosts after the cluster has been installed.
Post User-creation Script Hook <a href="#">AMBARI-18722</a>	Create user home directories in HDFS when users are created in the Ambari DB, or sync'd with LDAP. This feature is disabled by default and can easily be enabled after installation of the Ambari Server.
Password Credential Store Management <a href="#">AMBARI-18650</a>	For those components that support storing passwords in credential stores, such as Ranger, Hive, and Oozie, passwords are now stored in credential stores by default for fresh installs.
Port Preserving HS2 Rolling Upgrade <a href="#">AMBARI-18591</a>	During the Rolling Upgrade, the Hive Server 2 port will not be changed. Hive downtime is still incurred during the upgrade.
Ambari SPNEGO Support <a href="#">AMBARI-18365</a>	Ambari now supports API authentication using SPNEGO.
SmartSense Mandatory Installation <a href="#">AMBARI-18346</a>	For new installs, SmartSense will be installed by default. Entering your Hortonworks SmartSense ID is still required to activate SmartSense. No bundles will be captured and sent until the a valid SmartSense ID is entered.
Grafana Dashboard for Ambari <a href="#">AMBARI-17589</a>	New Grafana dashboards for visualizing the performance metrics of the Ambari Server itself are now available.
ZK ACL and SASL Configuration <a href="#">AMBARI-17324</a>	ZooKeeper ACL's are now optimally configured for tighter security control and SASL is configured for fresh cluster installs.
Simplified Log Rotation Configuration <a href="#">AMBARI-16880</a>	It's now easy to configure the number and size of backup files for each component using Log4j. For customers that are upgrading from previous versions of Ambari, there is a post-upgrade step required to fully enable this capability.
AMS Collector High Availability <a href="#">AMBARI-15901</a>	The Ambari Metrics System now supports multiple Metrics Collector instances, providing High Availability and better scalability. This capability is currently <b>Tech Preview</b> .

### More Information

[SmartSense User Guide](#)

## 1.2. Behavioral Changes

The Ambari 2.5.2 release introduces no new behavioral changes.

Ambari 2.5 introduces the following changes in behavior as compared to previous Ambari versions:

**Table 1.2. Ambari 2.5 Behavioral Changes**

Title	Description
HDP 2.2 Support Removed	Ambari support for HDP 2.2 is <b>removed</b> with Ambari 2.5.
SmartSense Mandatory Installation	For new installs, SmartSense will be installed by default. Entering your Hortonworks SmartSense ID is still required to activate SmartSense. No bundles will be captured and sent until the a valid SmartSense ID is entered.

## 1.3. Deprecation Notices

The following items will be removed from the listed or a future Ambari version.

**Table 1.3. Ambari 2.5 Deprecated Items**

Item	Deprecated	Removed
Falcon View	Ambari 2.5.0	
Slider View	Ambari 2.5.0	
Storm View		Ambari 2.5.0
Zeppelin View		Ambari 2.5.0

### More Information

[HDP 2.6.0 Deprecation Notices](#)

## 1.4. Patch Information

Ambari 2.5.2.0 is based on Apache Ambari 2.5.2 and the following patches:.

**Table 1.4. Apache Ambari 2.5.2.0 Patches**

Apache Jira	Description
<a href="https://issues.apache.org/jira/browse/AMBARI-21782">https://issues.apache.org/jira/browse/AMBARI-21782</a>	Service Accounts page shows no data for stack services after Ambari is upgraded on IOP cluster
AMBARI-21788	Ensure topology_mappings.data has 0644 permissions
<a href="https://issues.apache.org/jira/browse/AMBARI-21793">https://issues.apache.org/jira/browse/AMBARI-21793</a>	Add support for variables used by Knox topology template
<a href="https://issues.apache.org/jira/browse/AMBARI-21794">https://issues.apache.org/jira/browse/AMBARI-21794</a>	Post Ambari upgrade on a migration cluster Oozie failed to restart when LZO compression is enabled
<a href="https://issues.apache.org/jira/browse/AMBARI-21800">https://issues.apache.org/jira/browse/AMBARI-21800</a>	Some services had issue coming up after express upgrade on IOP clusters
<a href="https://issues.apache.org/jira/browse/AMBARI-21800">https://issues.apache.org/jira/browse/AMBARI-21800</a>	Some services had issue coming up after express upgrade on IOP clusters
<a href="https://issues.apache.org/jira/browse/AMBARI-21807">https://issues.apache.org/jira/browse/AMBARI-21807</a>	Move Hive Metastore' wizard is stuck while configuring MYSQL_SERVER
<a href="https://issues.apache.org/jira/browse/AMBARI-21823">https://issues.apache.org/jira/browse/AMBARI-21823</a>	Spark2 Shuffle Configuration Property Not Configure After Upgrade From BigInsights
<a href="https://issues.apache.org/jira/browse/AMBARI-21829">https://issues.apache.org/jira/browse/AMBARI-21829</a>	Sqoop: hive import fails with exception 'java.io.IOException:java.lang.RuntimeException: native-lzo library not available' for LZO compression codec
<a href="https://issues.apache.org/jira/browse/AMBARI-21830">https://issues.apache.org/jira/browse/AMBARI-21830</a>	PowerPC - IOP/HDP migration, service restart fails post Ambari upgrade

**Table 1.5. Apache Ambari 2.5.1.0 Patches**

Apache Jira	Description
<a href="#">AMBARI-21045</a>	Enable Storm's AutoTGT configs in secure mode
<a href="#">AMBARI-21092</a>	HSI start failed due to Unrecognized VM option 'UseParallelGC-Xss512k' during EU (missing space)
<a href="#">AMBARI-21109</a>	After decommission of a Nodemanager, the state of the Nodemanager shows Decommissioning instead of decommissioned
<a href="#">AMBARI-21110</a>	ambari-server setup fails with default postgres
<a href="#">AMBARI-21116</a>	Setting yarn.node-labels.fs-store.root-dir to a "path" changes the permission of the "root path"
<a href="#">AMBARI-21117</a>	Existing hosts state didn't save after host was added
<a href="#">AMBARI-21118</a>	HDP + HDF cluster cannot save configs for Storm when Streamline is installed due to missing configs
<a href="#">AMBARI-21121</a>	Missing storm-site.xml in HDP-2.6 stack
<a href="#">AMBARI-21125</a>	Ambari STS2 checker should use principal in secure cluster
<a href="#">AMBARI-21129</a>	Nimbus fails to start when Ambari is upgraded to 2.5.1, EU to HDP 2.6.1, and cluster is then Kerberized
<a href="#">AMBARI-21131</a>	Add NIFI JAAS Config StackFeatures to HDP StackFeatures
<a href="#">AMBARI-21135</a>	Kafka service fails to start during EU from HDF 202 to 30 while resolving /etc/kafka/conf
<a href="#">AMBARI-21136</a>	Upgrading Ambari to 2.5.1 stops Storm's nimbus in secure moded

## 1.5. Known Issues

Ambari 2.5.2 has the following known issues, scheduled for resolution in a future release. Also, refer to the [Ambari Troubleshooting Guide](#) for additional information.

**Table 1.6. Ambari 2.5.2 Known Issues**

Apache Jira	HWX Jira	Problem	Solution
<a href="#">AMBARI-22469</a>	BUG- 91993	<p>Ambari Sever 2.5.x set up as an Ambari Views Server (standalone server with a second Ambari Server registered as a remote server) fails when upgraded to version 2.6.0.</p> <pre> ERROR: Error executing schema upgrade, please check the server logs. ERROR: Error output from schema upgrade command: ERROR: Exception in thread "main" org.apache.ambari.server. AmbariException: Unable to find any CURRENT repositories.     at org.apache.ambari.server. upgrade.SchemaUpgradeHelper. executeUpgrade(SchemaUpgradeHelper. java:203)     at org.apache.ambari.server. upgrade.SchemaUpgradeHelper. main(SchemaUpgradeHelper.java:418) Caused by: org.apache.ambari. server.AmbariException: Unable to find any CURRENT repositories.     at org.apache.ambari.server. upgrade.UpgradeCatalog260. getCurrentVersionID(UpgradeCatalog260. java:510)     at org.apache.ambari.server. upgrade.UpgradeCatalog260. </pre>	No known workaround. Please contact Hortonworks Customer Support for assistance.



Apache Jira	HWX Jira	Problem	Solution
		<pre>executeDDLUpdates(UpgradeCatalog260. java:194)   at org.apache.ambari.server. upgrade.AbstractUpgradeCatalog. upgradeSchema(AbstractUpgradeCatalog. java:923)   at org.apache.ambari.server. upgrade.SchemaUpgradeHelper. executeUpgrade(SchemaUpgradeHelper. java:200)   ... 1 more  ERROR: Ambari server upgrade failed. Please look at /var/log/ ambari-server/ambari-server.log, for more details. ERROR: Exiting with exit code 11. REASON: Schema upgrade failed.</pre>	
N/A	BUG-86948	<p>Oozie Hive job failed with NoClassDefFoundError</p> <p>If Oozie HA is enabled and the Oozie Hive job fails with the following error in the yarn application log:</p> <pre>&lt;pre&gt; &lt;&lt;&lt; Invocation of Main class completed&lt;&lt;&lt; Failing Oozie Launcher, Main class[org.apache.oozie.action. hadoop.HiveMain], main() threw exception,   org/apache/hadoop/hive/ shims/ShimLoader.java.lang. NoClassDefFoundError: org/apache/ hadoop/hive/shims/ShimLoader   at org.apache.hadoop. hive.conf.HiveConf\$ConfVars. &lt;clinit&gt;(HiveConf.java:400)   at org.apache.hadoop.hive. conf.HiveConf.&lt;clinit&gt;(HiveConf. java:109)   at sun.misc.Unsafe. ensureClassInitialized(Native Method) &lt;/pre&gt;</pre>	<p>Use the following workaround:</p> <ul style="list-style-type: none"> <li>- Run the following command as the oozie user:</li> </ul> <pre>&lt;pre&gt; oozie admin -oozie http://&lt;oozie- server-host&gt;: 11000/oozie -sharelibupdate &lt;/pre&gt;</pre> <ul style="list-style-type: none"> <li>- Rerun the oozie hive job to verify</li> </ul>
N/A	BUG-86788	<p>Ranger KMS start fails upon regenerate keytabs (on IOP upgraded cluster) with the following error:</p> <pre>Traceback (most recent call last):   File "/var/lib/ambari-agent/ cache/common-services/RANGER_KMS/0. 5.0.2.3/package/scripts/kms_server. py", line 125, in &lt;module&gt;     KmsServer().execute()   File "/usr/lib/python2.6/site- packages/resource_management/ libraries/script/script.py", line 329, in execute     method(env)   File "/usr/lib/python2.6/site- packages/resource_management/ libraries/script/script.py", line 865, in restart     self.start(env, upgrade_type= upgrade_type)   File "/var/lib/ambari-agent/ cache/common-services/RANGER_KMS/0. 5.0.2.3/package/scripts/kms_server. py", line 70, in start     enable_kms_plugin()   File "/var/lib/ambari-agent/ cache/common-services/RANGER_KMS/</pre>	<p>Restart the Ambari server after Express Upgrade is completed..</p>

Apache Jira	HWX Jira	Problem	Solution
		<pre> 0.5.0.2.3/package/scripts/kms.py", line 517, in enable_kms_plugin recursive_chmod=True File "/usr/lib/python2.6/site- packages/resource_management/core/ base.py", line 166, in __init__ self.env.run() File "/usr/lib/python2.6/site- packages/resource_management/core/ environment.py", line 160, in run self.run_action(resource, action) File "/usr/lib/python2.6/site- packages/resource_management/ core/environment.py", line 124, in run_action provider_action() File "/usr/lib/python2.6/site- packages/resource_management/ libraries/providers/ hdfs_resource.py", line 604, in action_create_on_execute self.action_delayed("create") File "/usr/lib/python2.6/site- packages/resource_management/ libraries/providers/hdfs_resource. py", line 601, in action_delayed self. get_hdfs_resource_executor(). action_delayed(action_name, self) File "/usr/lib/python2.6/site- packages/resource_management/ libraries/providers/hdfs_resource. py", line 328, in action_delayed self._assert_valid() File "/usr/lib/python2.6/site- packages/resource_management/ libraries/providers/hdfs_resource. py", line 287, in _assert_valid self.target_status = self. _get_file_status(target) File "/usr/lib/python2.6/site- packages/resource_management/ libraries/providers/hdfs_resource. py", line 430, in _get_file_status list_status = self. util.run_command(target, 'GETFILESTATUS', method='GET', ignore_status_codes=['404'], assertable_result=False) File "/usr/lib/python2.6/site- packages/resource_management/ libraries/providers/hdfs_resource. py", line 177, in run_command return self._run_command(*args, **kwargs) File "/usr/lib/python2.6/site- packages/resource_management/ libraries/providers/hdfs_resource. py", line 235, in _run_command _, out, err = get_user_call_output(cmd, user= self.run_user, logoutput=self. logoutput, quiet=False) File "/usr/lib/python2.6/site- packages/resource_management/ libraries/functions/ get_user_call_output.py", line 61, in get_user_call_output raise ExecutionFailed(err_msg, code, files_output[0], files_output[1]) resource_management.core. exceptions.ExecutionFailed: Execution of 'curl -sS -L -w '#{http_code}' -X GET --negotiate -u :</pre>	

Apache Jira	HWX Jira	Problem	Solution
		'http://natr66-kods-iop420tofnsec-r6-6.openstacklocal:50070/webhdfs/v1/ranger/audit?op=GETFILESTATUS' 1>/tmp/tmpPy60os 2>/tmp/tmpYjY6SZ' returned 7. curl: (7) couldn't connect to host401	
N/A	BUG-86606	After upgrading a cluster from Ambari 2.4.2 and HDP 2.5.2, Zeppelin proxy user settings are not configured in core-site.xml.	Manually configure <code>hadoop.proxyuser.zeppelin.hosts</code> and <code>hadoop.proxyuser.zeppelin.groups</code> in <code>core-site.xml</code> .
N/A	BUG-82900	If hosts are in maintenance mode during the Enable Kerberos wizard, the kerberos client is not installed, and keytabs and principals are not created for these hosts.	For those hosts that were in maintenance mode while Kerberos was being enabled, the kerberos client needs to be installed. This is possible using the REST API, or using the Ambari Web UI by going to the affected host and choosing to <b>Install clients</b> . This will install the Kerberos client and allow you to successfully generate keytabs. To generate keytabs go to <b>Admin &gt; Kerberos &gt; Regenerate Keytabs</b> and choose the <b>Only regenerate keytabs for missing hosts and components</b> option.
N/A	BUG-81933	NiFi service fails to start on a HDP + HDF integration cluster  with the following exception:  Traceback (most recent call last): File "/var/lib/ambari-agent/cache/common-services/NIFI/1.0.0/package/scripts/nifi_ca.py", line 114, in <module> CertificateAuthority().execute() File "/usr/lib/python2.6/site-packages/resource_management/libraries/script/script.py", line 329, in execute method(env) File "/var/lib/ambari-agent/cache/common-services/NIFI/1.0.0/package/scripts/nifi_ca.py", line 92, in start Execute((run_ca_script, params.jdk64_home, ca_server_script, params.nifi_config_dir + '/nifi-certificate-authority.json', params.nifi_ca_log_file_stdout, params.nifi_ca_log_file_stderr, status_params.nifi_ca_pid_file), user=params.nifi_user) File "/usr/lib/python2.6/site-packages/resource_management/core/base.py", line 155, in __init__ self.env.run() File "/usr/lib/python2.6/site-packages/resource_management/core/environment.py", line 160, in run self.run_action(resource, action) File "/usr/lib/python2.6/site-packages/resource_management/core/environment.py", line 124, in run_action provider_action() File "/usr/lib/python2.6/site-packages/resource_management/core/providers/system.py", line 262, in action_run tries=self.resource.tries, try_sleep=self.resource.try_sleep)	Use the following workaround:  - Take the host out of Maintenance Mode  - Use Install Clients on Host detail page of the host to install all of the clients which will include the Kerberos client.  - Regenerate keytabs using <b>Admin &gt; Kerberos &gt; Regenerate Keytabs</b>

Apache Jira	HWX Jira	Problem	Solution
		<pre> File "/usr/lib/python2.6/site- packages/resource_management/core/ shell.py", line 72, in inner result = function(command, **kwargs) File "/usr/lib/python2.6/site- packages/resource_management/core/ shell.py", line 102, in checked_call tries=tries, try_sleep= try_sleep, timeout_kill_strategy= timeout_kill_strategy) File "/usr/lib/python2.6/site- packages/resource_management/core/ shell.py", line 150, in _call_wrapper result = _call(command, **kwargs_copy) File "/usr/lib/python2.6/site- packages/resource_management/core/ shell.py", line 303, in _call raise ExecutionFailed(err_msg, code, out, err) resource_management.core. exceptions.ExecutionFailed: Execution of '/var/lib/ambari- agent/cache/common-services/NIFI/1. 0.0/package/scripts/run_ca.sh /usr/ jdk64/jdk1.8.0_112 /var/lib/ambari-agent/cache/ common-services/NIFI/1.0.0/package/ files/nifi-toolkit-1.2.0.3.0.0. 0-406/bin/tls-toolkit.sh /usr/hdf/current/nifi/conf/nifi- certificate-authority.json /grid/ 0/log/nifi/nifi-ca.stdout /grid/0/ log/nifi/nifi-ca.stderr /var/run/nifi/nifi-ca.pid' returned 126. -bash: /var/lib/ambari-agent/cache/ common-services/NIFI/1.0.0/package/ scripts/run_ca.sh: Permission denied </pre>	
N/A	BUG-81818	<p>No log information displays in Ambari Host Details &gt; Log tab.</p> <p>Host Environment: RHEL6 / MySql 5.6</p>	Restart the Ambari Server host.
N/A	BUG-79562	Hive client fails to start on a blueprint-deployed cluster with only Hive Metastore and ZooKeeper deployed.	No known workaround. Please contact Hortonworks Customer Support for assistance.
N/A	BUG-77837	Hive Visual Explain Plan not working in the Internet Explorer or Edge browsers.	Use the Chrome or Firefox browser to work with the Hive Visual Explain Plan feature.
N/A	BUG-63623	After restarting Hive Server Interactive (HSI); old, calculated values based on earlier YARN configs are applied for HSI restart. This happens because RESTART HSI does not automatically recalculate the HSI configs.	<p>User will have to manually trigger the HSI/LLAP re-calculation, using any one of the following actions:</p> <p>(try each workaround in the following order)</p> <ul style="list-style-type: none"> <li>• Turn off HSI, then turn on HSI manually, OR,</li> <li>• Re-select a queue from the drop-down menu. OR,</li> <li>• Adjust the number of LLAP nodes.(this slider is only editable if the selected queue is named "llap" and the queue is at root-level), OR</li> </ul>

Apache Jira	HWX Jira	Problem	Solution
			<ul style="list-style-type: none"> <li>Adjust the Maximum Total Concurrent Queries value, if necessary.</li> </ul>

## 1.6. Fixed Issues

The following table lists selected issues resolved in Ambari 2.5:

**Table 1.7. Ambari 2.5 Fixed Issues**

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.2.0	Other	<a href="#">AMBARI-20569</a>	BUG-82431	Ambari UI to update KMS/ZooKeeper settings automatically when multiple KMS are involved	Ambari
2.5.2.0	Other	<a href="#">AMBARI-20872</a>	BUG-79801	Validation of required configuration properties deferred till all the configuration is available (blueprint deployments)	Ambari
2.5.2.0	Other	<a href="#">AMBARI-20875</a>	BUG-79320	Removing a service causes DB verification to produce warnings	Ambari
2.5.2.0	Other	<a href="#">AMBARI-20918</a>	BUG-80117	AmbariServer Metrics service cannot be disabled	Ambari
2.5.2.0	Other	<a href="#">AMBARI-20950</a>	BUG-83870	HdfsResource can not handle S3 URL when hbase.rootdir is set to S3 URL	Ambari
2.5.2.0	Other	<a href="#">AMBARI-20952</a>	BUG-80327	Collection added to itself	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21017</a>	BUG-80732	Misc tab at Customize Services Page has 2 'Livy User';No helper popup to identify if its Livy/Livy2	Ambari, Spark
2.5.2.0	Other	<a href="#">AMBARI-21053</a>	BUG-81070	Reverting Beacon stack advisor recommendation	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21054</a>	BUG-79571	Add ppc as a new OS for User.	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21066</a>	BUG-81168	validatePropertySchemaOfServiceXMLs UT fails	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21067</a>	BUG-80910	Atlas config values not getting populated on BP cluster install with strategy : "NEVER_APPLY"	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21070</a>	BUG-81082	Race condition: webhdfs call mkdir /tmp/ druid-indexing before /tmp making tmp not writable.	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21092</a>	BUG-81324	HSI start failed due to Unrecognized VM option 'UseParallelGC-Xss512k' during EU (missing space)	Ambari, Hive2
2.5.2.0	Other	<a href="#">AMBARI-21133</a>	BUG-81796	Configure Ambari Identity fails with "Cannot run program: ambari-sudo.sh" on Ubuntu	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21138</a>	BUG-81834	Java home setup is not taking place due to order	Ambari, Druid
2.5.2.0	Other	<a href="#">AMBARI-21153</a>	BUG-81939	Hdfs directory viewer should be changed from tree view to list view	Ambari View
2.5.2.0	Other	<a href="#">AMBARI-21163</a>	BUG-81995	Hive view not exporting/downloading the worksheet with entire number of rows to csv	Hive View
2.5.2.0	Other	<a href="#">AMBARI-21182</a>	BUG-81325	Agent host disk usage alert hardcodes the stack directory	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.2.0	Other	<a href="#">AMBARI-21184</a>	BUG-81922	When trying to Add Hiveserver2 service on a node, we just get a pop-up dialog box, and then a spinning wheel. Unable to click "Confirm Add"	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21190</a>	BUG-81653	Populate ranger.plugin.hive.urlauth.filesystem.schemes default value to hdfs:,file:,wasb:,adl:	Ambari, Ranger
2.5.2.0	Other	<a href="#">AMBARI-21204</a>	BUG-81557	Yarn stopped by itself after start. HA run	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21209</a>	BUG-82434	Incorrect ambari DDL script for Oracle DB	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21226</a>	BUG-82413	STS: enhance default config's	Ambari, Spark
2.5.2.0	Other	<a href="#">AMBARI-21227</a>	BUG-82350	Updating Ranger install.properties file	Ambari, Ranger
2.5.2.0	Other	<a href="#">AMBARI-21229</a>	BUG-82517	[Cloudbreak] Cluster fails with CloudbreakOrchestratorFailedException	Ambari, Cloudbreak
2.5.2.0	Other	<a href="#">AMBARI-21236</a>	BUG-82532	Resource Manager failed to start	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21237</a>	BUG-81182	Add validation and recommendation if Hive user value is different than Hive	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21238</a>	BUG-81805	Kafka userprincipal to shortname is not using AUTH_TO_LOCAL rules for authorization	Ambari, Kafka
2.5.2.0	Other	<a href="#">AMBARI-21691</a>	BUG-82027	Ambari leaves a lot of processes from Hive alert on the machine	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21240</a>	BUG-84152	Host historic data does not get removed if removed when in heartbeat lost	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21240</a>	BUG-82242	Host historic data does not get removed if removed when in heartbeat lost	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21246</a>	BUG-82758	Build creates tarball twice	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21248</a>	BUG-82457	Exception needs to be handled properly for mail alert	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21252</a>	BUG-82214	Namenode variable should be auto populated for FS action node	Ambari View
2.5.2.0	Other	<a href="#">AMBARI-21255</a>	BUG-80011	Remove YARN client mode option from WFM	Ambari View, Workflow Designer
2.5.2.0	Other	<a href="#">AMBARI-21691</a>	BUG-21261	NiFi metrics are not displaying in Ambari	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21266</a>	BUG-82216	Workflow submission fails when action node names contain white space	Ambari View
2.5.2.0	Other	<a href="#">AMBARI-21271</a>	BUG-82412	Both Ambari and Zeppelin has the same port 8443 as a default when enabling SSL	Ambari, Zeppelin
2.5.2.0	Other	<a href="#">AMBARI-21277</a>	BUG-82798	LogSearch service check failure during dev deploy on centos7	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21286</a>	BUG-82859	WebHDF request doesn't require user.name argument on secured clusters	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21292</a>	BUG-81236	Convert Slider View to use yarn package manager	Ambari, Ambari View
2.5.2.0	Other	<a href="#">AMBARI-21294</a>	BUG-82950	Setup should keep existing connection-pool setting in ambari.properties	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21326</a>	BUG-85338	Implement CodeCache related configuration change for HBase daemons	Ambari, HBase
2.5.2.0	Other	<a href="#">AMBARI-21328</a>	BUG-82794	NameNode alerts in unknown state after Ambari upgrade	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21329</a>	BUG-82982	No data on templated Grafana dashboards on HDF cluster	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.2.0	Other	<a href="#">AMBARI-21334</a>	BUG-82995	Add ability to skip container metrics on AMS collector side	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21339</a>	BUG-83081	Logviewer is not being started in the node where nimbus is hosted	Ambari, Storm
2.5.2.0	Other	<a href="#">AMBARI-21340</a>	BUG-83128	Pending status commands during long running execution commands are not removed	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21345</a>	BUG-81237	Add host doesn't fully add a node when include/exclude files are used	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21346</a>	BUG-83105	Unable to begin an upgrade between stack versions due to assumed stack names	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21351</a>	BUG-83159	Add support for MariaDB to Python scripts	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21352</a>	BUG-82884	WF Manager View failing during build	Ambari, Ambari View
2.5.2.0	Other	<a href="#">AMBARI-21361</a>	BUG-83274	Finalization can fail when host versions changed on stack distribution	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21370</a>	BUG-83719	HDFS download client config fails: "Configuration parameter 'public_hostname' was not found in configurations dictionary"	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21371</a>	BUG-82944	Adding Ranger failed when user has custom properties	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21374</a>	BUG-83418	Replication factor should be configurable in Atlas to create solr collections	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21376</a>	BUG-83253	Using URI naming format in dfs.datanode.data.dir causing datanodes startup failure	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21409</a>	BUG-83579	Ambari agent not starting in latest PPC build	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21416</a>	BUG-83563	Unable to click on stack installation details during installation	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21419</a>	BUG-83778	Oozie start fails due to incompat Tomcat version	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21427</a>	BUG-83706	"Ambari Agent Distro/Conf Select Versions" alert after deployment	Ambari, HDC-AWS
2.5.2.0	Other	<a href="#">AMBARI-21430</a>	BUG-83590	Allow multiple versions of stack tools to coexist	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21437</a>	BUG-83849	Allow user to execute force_remove_packages custom action from UI	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21441</a>	BUG-83885	Discrepancy in the OS name in ambari for PPC	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21445</a>	BUG-83874	hive-env.xml in 4.3 stack has leading while spaces for the hive-env template	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21446</a>	BUG-84073	Force-remove package does not work on CentOS 6 and SuSE 11	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21448</a>	BUG-84078	atlas_hbase_setup.rb scripts is executed only in secure or Ranger enabled cluster. It is not executed on unsecure/simple cluster	Atlas
2.5.2.0	Other	<a href="#">AMBARI-21455</a>	BUG-84104	Remove unnecessary services from BigInsights stack	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.2.0	Other	<a href="#">AMBARI-21470</a>	BUG-83927	Kafka: (IOP) QA: Kafka Metrics show no data	Ambari, Kafka
2.5.2.0	Other	<a href="#">AMBARI-21471</a>	BUG-84052	ATS going down due to missing org.apache.spark.deploy.history.yarn.plugin.SparkATSPugin	Ambari, Spark
2.5.2.0	Other	<a href="#">AMBARI-21482</a>	BUG-74910	Update HDC to work with the new LLAP deployment model	HDC-AWS
2.5.2.0	Other	<a href="#">AMBARI-21486</a>	BUG-84226	Remove IOP Select button declares success even if command fails	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21487</a>	BUG-84358	Add SOLR to IOP 4.2.5 stack	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21488</a>	BUG-83905	Default Base URL should be there for OS_TYPE=redhat-ppc7 in IBM Power	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21504</a>	BUG-84328	Restart of MR2 History Server failed due to null in immutable_paths	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21510</a>	BUG-84427	Ambari is reporting "Connection Failed" alerts for HSI	Cloudbreak, HDC-AWS
2.5.2.0	Other	<a href="#">AMBARI-21512</a>	BUG-84431	Stack Advisor reported an error: KeyError: 'stack_name' while issued INSTALLED as new state for NODEMANAGER	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21520</a>	BUG-84332	Ambari server logs NPE with no additional stack trace on any host component start/stop command	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21522</a>	BUG-84505	Installation commands on new clusters don't send down correct versions	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21527</a>	BUG-84403	Restart of MR2 History Server failed due to wrong NameNode RPC address	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21533</a>	BUG-84521	Text change for bypassing prechecks	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21535</a>	BUG-84547	ACTIVITY_ANALYZER Install failed: Error: Unable to run the custom hook script	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21544</a>	BUG-84399	HiveServer2 fails to start with webhdfs call to create / hdp/apps/.jar files fails with org.apache.hadoop.hdfs.server.namenode.LeaseExpiredException	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21548</a>	BUG-84520	HBaseRestServer not visible in HBase summary page	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21551</a>	BUG-84326	Restart due to stale configurations leads to an internal system exception	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21556</a>	BUG-84501	Critical alert about Metrics Collector ZooKeeper server process due to unsubstituted variable	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21559</a>	BUG-84429	Alert Definitions paths should change on upgrade from BI to HDP	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21560</a>	BUG-84638	Auto populate zookeeper.connect in ranger-kafka-plugin-properties with zookeeper.connect in Kafka Broker config	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21561</a>	BUG-84734	NameNode Last Checkpoint alert: global name 'PERCENT_WARNING' is not defined	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21563</a>	BUG-84559	Copy Hadoop core-site.xml to Atlas conf	Ambari, Atlas
2.5.2.0	Other	<a href="#">AMBARI-21564</a>	BUG-84415	Select version page load failed on cluster installation	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21570</a>	BUG-84582	Migrate custom extension support	Ambari



Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.2.0	Other	<a href="#">AMBARI-21576</a>	BUG-84940	Livy2 server startup failure if no webhdfs enabled	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21578</a>	BUG-84534	testBadCredential UT fails	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21583</a>	BUG-84958	Hive server configurations not applied to all the nodes for HS2 HA deployment	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21588</a>	BUG-84838	Access to "/usr/./webapp/atlas" is root:root , when Atlas user is custom	Ambari, Atlas
2.5.2.0	Other	<a href="#">AMBARI-21589</a>	BUG-84952	DLM repo URL are not updated based on Beacon mpack's urlinfo.json	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21600</a>	BUG-85230	Grafana Kafka-Topic dashboard is forming incorrect url 'NaNundefined' appended	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21605</a>	BUG-84956	Spark Thrift Server configs missing	Ambari, Spark
2.5.2.0	Other	<a href="#">AMBARI-21607</a>	BUG-85568	HIVE_AUX_JARS_PATH points to wrong location	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21614</a>	BUG-84914	Restart NFSGateway fails after ResourceManager move to another host	Ambari, HDFS
2.5.2.0	Other	<a href="#">AMBARI-21625</a>	BUG-85308	Failed to update custom repos defined via service extension after such a service is installed to cluster	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21629</a>	BUG-85342	Update include and exclude files for [HDFS]/Refreshnodes is called even if manage.include.files is set to false	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21632</a>	BUG-84865	Alerts list not sorted by status even though header displayed as sorted	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21635</a>	BUG-85370	Show audit to DB removal pre-check message during cross stack upgrade	Ambari, Ranger
2.5.2.0	Other	<a href="#">AMBARI-21636</a>	BUG-85086	Fix atlas.rest.address property when Atlas is in HA for Atlas-hive hook	Ambari, Atlas
2.5.2.0	Other	<a href="#">AMBARI-21664</a>	BUG-85938	Installing Flume without HDFS Fails as ZK, AMS and SmartSense cannot start: Configuration parameter 'hdfs-site' was not found in configurations dictionary	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21664</a>	BUG-85669	HDFS namenode rpc and connection load metrics are not showing	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21692</a>	BUG-85761	dfs.include file is created on all datanode hosts when Ambari manages include/exclude files	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21696</a>	BUG-85905	Spark thrift service was alerting for connectivity for all newly created clusters	Ambari, Spark
2.5.2.0	Other	<a href="#">AMBARI-21705</a>	BUG-85909	Metrics Collector start failed due to "Unable to initialize HA controller"	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21711</a>	BUG-85829	Seeing SQL errors in ambari server log when installing HDF 3.1	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21724</a>	BUG-85977	Hosts filters work incorrectly	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21729</a>	BUG-86160	Owner of yarn.include stays to be root:root where as dfs.include gets changed to the correct one upon restart services	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21749</a>	BUG-86299	Autofix or provide steps to fix topology request hierarchy consistency issue	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21751</a>	BUG-86356	Beacon server not started	Ambari, Data Lifecycle Manager

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.2.0	Other	<a href="#">AMBARI-21762</a>	BUG-86464	Sometimes alert order is not correctly arranged if ordering by status	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21767</a>	BUG-86661	Kerberos cluster - Hive service check failed post migration	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21771</a>	BUG-86614	Remove jars from Ambari Metrics and Ambari Log Search	Ambari
2.5.2.0	Other	<a href="#">AMBARI-21781</a>	BUG-86711	Error: Repositories for os type redhat-ppc7 are not defined during package installation	Ambari
2.5.2.0	Other	<a href="#">RANGER-1648</a>	BUG-82500	Change RangerKafkaAuthorizer logic to get short user name	Ambari, Kafka
2.5.2.0	Performance	<a href="#">AMBARI-20687</a>	BUG-79007	Ambari data purging	Ambari
2.5.2.0	Performance	<a href="#">AMBARI-20687</a>	BUG-74462	Perf: Refactor ambari db-cleanup to include all big tables	Ambari
2.5.2.0	Security	<a href="#">AMBARI-20877</a>	BUG-80171	Principal names and secure ACLs in kerberos.json can go out of sync	Ambari
2.5.2.0	Security	<a href="#">AMBARI-20938</a>	BUG-80228	LDAPs connections to an Active Directory when enabling Kerberos should validate the server's SSL certificate	Ambari
2.5.2.0	Security	<a href="#">AMBARI-21146</a>	BUG-81797	Knox JAAS configuration file should not allow the Kerberos ticket cache to be used when establishing its identity on startup	Ambari, Knox
2.5.2.0	Security	<a href="#">AMBARI-21379</a>	BUG-83470	Ambari Agent doesn't start as non-root user with "ambari-agent start" logged in as root	Ambari
2.5.2.0	Security	<a href="#">AMBARI-21444</a>	BUG-84107	Allow users to override the default permission of 777 on `/apps/hive/warehouse`	Ambari, Hive
2.5.2.0	Security	<a href="#">AMBARI-21445</a>	BUG-83873	HiveServer2 authentication via LDAP is not working as expected	Ambari
2.5.2.0	Security	<a href="#">AMBARI-21557</a>	BUG-84408	Password logged in ambari-server.log	Ambari
2.5.2.0	Stability	<a href="#">AMBARI-20876</a>	BUG-78031	Host precheck running too long. Intermittent	Ambari
2.5.2.0	Stability	<a href="#">AMBARI-21044</a>	BUG-79590	Add service wizard unresponsive while adding HST via Ambari	Ambari
2.5.2.0	Stability	<a href="#">AMBARI-21113</a>	BUG-81337	hdfs_user_nofile_limit is not picking as expected for datanode process in a secure cluster	Ambari
2.5.2.0	Stability	<a href="#">AMBARI-21168</a>	BUG-82063	Deleting host from cluster leaves Ambari in inconsistent state (intermittently)	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-19038</a>	BUG-83713	Add PAM related enhancements to branch-2.5/trunk	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21164</a>	BUG-81349	Upgrades (RU/EU) : "stack.upgrade.bypass.prechecks" config is not honored while doing upgrades with bad entries in "execution_command" table.	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21224</a>	BUG-81910	RU: Oozie LR job failed	Ambari, Oozie
2.5.2.0	Upgrade	<a href="#">AMBARI-21263</a>	BUG-82311	Ambari 2.5.1 upgrade fails with HDPSearch mpack installed	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21265</a>	BUG-79315	parquet-logging.properties is missing in Hive conf when HDP is upgraded	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.2.0	Upgrade	<a href="#">AMBARI-21291</a>	BUG-82561	Schema error during upgrade related to request table	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21348</a>	BUG-83853	Allow services to be stopped during an EU between stack vendors	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21349</a>	BUG-83086	Create BigInsights stack skeleton in Ambari 2.5	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21350</a>	BUG-83088	Creation of Initial BigInsights to HDP express upgrade pack	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21357</a>	BUG-83090	Stacks and versions page doesn't show stacks from different vendors	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21362</a>	BUG-83271	Ambari Upgrade to 2.5.x not idempotent, fails on moveClusterHostColumnFromStageToRequest	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21363</a>	BUG-83304	ORA-00911 error during Ambari server schema upgrade due to incorrect syntax of update statement	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21364</a>	BUG-83243	DB consistency checker throws errors for missing 'parquet-logging' and 'product-info' configs after Ambari upgrade	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21372</a>	BUG-83100	Allow dependency checks to be skipped during stack package installation	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21375</a>	BUG-83095	Pass down more specific repository when creating an upgrade	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21378</a>	BUG-83474	BigInsights stack changes needed to make Ambari upgrade functional by repointing Flume and Oozie	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21381</a>	BUG-83097	Various places in the web client assume the stack name	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21389</a>	BUG-83522	Cluster and host versions can change to CURRENT on their own during an upgrade	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21390</a>	BUG-83102	Create a custom upgrade config class which will convert /usr/iop to /usr/hdp	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21391</a>	BUG-83571	Use the correct effective stack ID for commands during an express upgrade	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21395</a>	BUG-83517	Provide a way to skip dependency checks when installing a stack	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21396</a>	BUG-83589	/usr/sbin/ambari-agent missing after Ambari upgrade	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21397</a>	BUG-83251	Upgrade catalog changes for 2.5.2 for upgrade repository ID	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21405</a>	BUG-83158	Create custom action to remove iop-select	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21408</a>	BUG-83698	Update custom action during EU to replace all occurrences of iop with hdp	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21411</a>	BUG-83467	Backend: run EU/RU PreChecks during a cross-stack upgrade	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21412</a>	BUG-83731	Cluster effective version can be cached incorrectly during an upgrade	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21414</a>	BUG-83093	After upgrading from BigInsights to HDP the Stacks/Versions page allows upgrade back to BigInsights	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21420</a>	BUG-84157	HBase master crashed during/post EU on an IOP4.2.5/HDP2.6 migrated cluster	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.2.0	Upgrade	<a href="#">AMBARI-21424</a>	BUG-83767	BigInsight stack upgrade XML files should prevent downgrade	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21431</a>	BUG-83878	Update BigInsight configuration files to be compliant with XSD	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21434</a>	BUG-83728	UI - pass in param UpgradeChecks/target_stack to rolling_upgrade_checks endpoint	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21436</a>	BUG-83879	Add a prerequisite check to ensure that the target stack has all existing components	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21440</a>	BUG-83833	Cross-stack migration, package supplemental stack in RPM	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21449</a>	BUG-84081	Stack upgrade with pre-req checks enabled fails due to NPE	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21451</a>	BUG-84089	Expected Values Like original_stack are missing on downgrades	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21463</a>	BUG-83774	Cross-stack upgrade, Oozie restart fails with ext-2.2.zip missing error, stack_tools.py is missing get_stack_name in __all__, disable BigInsights in UI	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21464</a>	BUG-83880	Ranger is missing from BigInsights to HDP upgrade packs	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21466</a>	BUG-83812	KNOX upgrade fails due to wrong stack lookup	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21469</a>	BUG-84192	Stop Spark fails due to missing stack selector	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21474</a>	BUG-84225	HBase REST server is missing after Ambari upgrade	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21480</a>	BUG-84203	NPE during "Update Kerberos Descriptor(IOP to HDP)"	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21481</a>	BUG-83811	Upgrading IOP cluster with Spark2 to Ambari 2.5.2 fails on start because config mapping spark2-javaopts-properties is never selected	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21483</a>	BUG-83716	Add UID/GID related enhancements to branch-2.5/trunk	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21490</a>	BUG-84149	Ambari schema upgrade fails: Unknown column 'from_version' in 'field list'	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21494</a>	BUG-84348	BI 4.2 Ranger needs properties added on Ambari upgrade	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21498</a>	BUG-83854	DB consistency checker throws errors for missing 'product-info' configs after Ambari upgrade	Ambari, SmartSense
2.5.2.0	Upgrade	<a href="#">AMBARI-21499</a>	BUG-84209	Moves stack-specific custom actions under the Stack dropdown	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21502</a>	BUG-84085	Cross-stack migration from BigInsights to HDP, EU needs to set hive-site custom.hive.warehouse.mode to 0770	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21514</a>	BUG-84445	Remove IOP select button not visible after HDP 2.6.2 is registered	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21526</a>	BUG-84500	ZKFC doesn't update its version on some upgrades	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21531</a>	BUG-84514	Client component restart fails after Ambari upgrade while running custom hook script on Suse 11	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.2.0	Upgrade	<a href="#">AMBARI-21539</a>	BUG-84603	Resource Manager fails to restart properly during an IOP to HDP upgrade	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21554</a>	BUG-85038	Cross-stack upgrade, regenerating keytabs after upgrading Ambari fails in Stack Advisor	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-2v</a>	BUG-84687	Regenerating keytabs fails in Stack Advisor after upgrading Ambari	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21566</a>	BUG-84745	RU: Hive service check was failed during RU	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21568</a>	BUG-84710	Pig-Service check failing in post EU validation (IOP-HDP)	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21572</a>	BUG-84849	Spark configuration mismatch post express upgrade	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21573</a>	BUG-84659	Kafka service failed to start during regenerate keytab after upgrade from Biginsights 4.2.5, 4.2.0 to HDP 2.6.2	Ambari, Kafka
2.5.2.0	Upgrade	<a href="#">AMBARI-21577</a>	BUG-84709	Hive-Service check failing in post EU validation (IOP-HDP)	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21590</a>	BUG-84947	Connection refused to Spark Thrift Server in ALERT post EU	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21593</a>	BUG-84666	RU: AMS stopped after RU [AMS distributed mode]	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21598</a>	BUG-85092	Spark Thrift Server stopped after express upgrade due to undefined port	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21604</a>	BUG-85148	HDFS upgrade does not create rollback snapshots	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21624</a>	BUG-85306	HDFS restart failed post Ambari upgrade when izo compression was enabled	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21627</a>	BUG-85248	Cross-stack upgrade from IOP to HDP, Ranger audit properties need to be deleted	Ambari, Ranger
2.5.2.0	Upgrade	<a href="#">AMBARI-21637</a>	BUG-85340	hive.execution.engine set to tez in IOP upgrade runs	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21650</a>	BUG-85500	Ranger usersync process started with older stack script during cross stack upgrade	Ambari, Ranger
2.5.2.0	Upgrade	<a href="#">AMBARI-21662</a>	BUG-85516	DB configs consistency check failing after eu (IOP to HDP)	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21690</a>	BUG-85511	Restart NameNode failed after Ambari upgrade with Ranger enabled	Ambari, Ranger
2.5.2.0	Upgrade	<a href="#">AMBARI-21695</a>	BUG-85810	Problem starting accumulo in upgraded cluster (IOP-HDP)	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21698</a>	BUG-85850	Error installing client components on RedHat7 and BI 4.2.5 after Ambari upgrade	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21743</a>	BUG-86352	Delete ranger-solr-plugin-enabled property during cross stack upgrade	Ambari, Ranger
2.5.2.0	Upgrade	<a href="#">AMBARI-21750</a>	BUG-86413	HDFS restart fails after migration if WebHDFS is disabled	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21753</a>	BUG-86359	Unable to add new host to the upgraded PPC cluster due to exception: Local OS is not compatible with cluster primary OS family	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.2.0	Upgrade	<a href="#">AMBARI-21765</a>	BUG-86608	[iop] URL is wrong in the default topology on IOP upgraded cluster	Ambari, Knox
2.5.2.0	Upgrade	<a href="#">AMBARI-21768</a>	BUG-86582	[IOP->HDP Upgrade] Spark1 historyserver takes incorrect event log dir	Ambari, Spark
2.5.2.0	Upgrade	<a href="#">AMBARI-21769</a>	BUG-86396	Zeppelin principal and livy.superusers property don't match on upgraded cluster from Ambari 2.4.2 and HDP 2.5.5	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21770</a>	BUG-86593	Spark1 shuffle property is removed incorrectly on a stack upgrade	Ambari
2.5.2.0	Upgrade	<a href="#">AMBARI-21772</a>	BUG-86606	Zeppelin proxy user settings are not configured in core-site.xml on upgraded cluster from Ambari 2.4.2 and HDP 2.5.2	Ambari
2.5.2.0	Usability	<a href="#">AMBARI-20291</a>	BUG-83572	Script-based alert dispatchers support passing more parameters to script	Ambari
2.5.2.0	Usability	<a href="#">AMBARI-20702</a>	BUG-77356	User should be prompted for confirmation before closing the browser window	Ambari View, Hive Studio
2.5.2.0	Usability	<a href="#">AMBARI-20812</a>	BUG-79445	Hive View 1.5 does not work in Safari8 and IE11	Ambari View, Hive Studio
2.5.2.0	Usability	<a href="#">AMBARI-21084</a>	BUG-80976	Files View on IE 11- On Concatenating files or downloading, the concatenated or downloaded file occupies the entire UI	Ambari View, File Browser View
2.5.2.0	Usability	<a href="#">AMBARI-21084</a>	BUG-80153	Multiple issues in Ambari File View on IE 11	Ambari View
2.5.2.0	Usability	<a href="#">AMBARI-21086</a>	BUG-81321	Hive View 2.0 does not work on IE 11 browser	Hive View
2.5.2.0	Usability	<a href="#">AMBARI-21096</a>	BUG-79335	Provide additional logging for config audit log	Ambari
2.5.2.0	Usability	<a href="#">AMBARI-21108</a>	BUG-80099	Unable to upload table via Ambari Hive view if user does not have permission on default database	Hive View
2.5.2.0	Usability	<a href="#">AMBARI-21142</a>	BUG-81869	Log more info about heartbeat message/response when server - agent communication gets out of sync	Ambari
2.5.2.0	Usability	<a href="#">AMBARI-21151</a>	BUG-81767	Hiveserver2 authentication mode NOSASL not available in dropdown list but appearing in tooltip description	Ambari
2.5.2.0	Usability	<a href="#">AMBARI-21156</a>	BUG-81870	Yarn service check failure after moving resource manager to a different host - on wire encrypted cluster	Ambari
2.5.2.0	Usability	<a href="#">AMBARI-21167</a>	BUG-81604	mpack install fails when using https links	Ambari
2.5.2.0	Usability	<a href="#">AMBARI-21198</a>	BUG-79789	Hive2. Query result improvements	Hive View
2.5.2.0	Usability	<a href="#">AMBARI-21234</a>	BUG-83591	Ambari rack awareness for Kafka	Ambari, Kafka
2.5.2.0	Usability	<a href="#">AMBARI-21264</a>	BUG-64635	Should be able to create directory using Hdfs-directory-viewer addon	Ambari, File Browser View
2.5.2.0	Usability	<a href="#">AMBARI-21264</a>	BUG-64634	Need a way to preselect a path in Hdfs-directory-viewer addon	Ambari, File Browser View
2.5.2.0	Usability	<a href="#">AMBARI-21272</a>	BUG-78694	LDAP sync requires user to be root	Ambari
2.5.2.0	Usability	<a href="#">AMBARI-21323</a>	BUG-81783	Hive View 2.0-UI issues on IE11 +Win 7	Hive View
2.5.2.0	Usability	<a href="#">AMBARI-21338</a>	BUG-83139	Styling issues with newly implemented workflow manager file browser	Ambari View
2.5.2.0	Usability	<a href="#">AMBARI-21370</a>	BUG-83256	Use of VIP's instead of Host names	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.2.0	Usability	<a href="#">AMBARI-21417</a>	BUG-83773	Not able to stop query execution in Hive View 2.0	Ambari View
2.5.2.0	Usability	<a href="#">AMBARI-21428</a>	BUG-83769	Host Versions page doesn't show stacks from different vendors	Ambari
2.5.2.0	Usability	<a href="#">AMBARI-21443</a>	BUG-83847	Start all services is not getting invoked after regenerate keytabs	Ambari
2.5.2.0	Usability	<a href="#">AMBARI-21497</a>	BUG-83260	Conflicts in the ambari config groups	Ambari
2.5.2.0	Usability	<a href="#">AMBARI-21521</a>	BUG-84499	Include/exclude files update is triggered when master is not started if cluster is deployed via BP	Ambari
2.5.2.0	Usability	<a href="#">AMBARI-21524</a>	BUG-84511	ResourceManager HA status is not reported when using VIPs	Ambari
2.5.2.0	Usability	<a href="#">AMBARI-21534</a>	BUG-84496	Spinner doesn't disappear and hosts are not loading even after 5 minutes	Ambari
2.5.2.0	Usability	<a href="#">AMBARI-21569</a>	BUG-84785	Users randomly getting "HDFS020 Could not write file" exceptions while running queries from Hive View	Ambari View, Hive View
2.5.2.0	Usability	<a href="#">AMBARI-21571</a>	BUG-84764	Making changes to a config group is forcing updates to other values which customer did not intend to change	Ambari
2.5.2.0	Usability	<a href="#">AMBARI-21587</a>	BUG-84978	Don't set restart indicators for NN/RM during DN/NM deletion	Ambari
2.5.2.0	Usability	<a href="#">AMBARI-21621</a>	BUG-85253	Do not call refreshnodes command after deleting a slave	Ambari
2.5.2.0	Usability	<a href="#">AMBARI-21630</a>	BUG-85343	Delete datanode operation shows up as Decommission in bgops	Ambari
2.5.2.0	Usability	<a href="#">AMBARI-21631</a>	BUG-85345	Hostname and operation shown in bgops is incorrect when Ambari manages include/exclude files	Ambari
2.5.2.0	Usability	<a href="#">AMBARI-21640</a>	BUG-85320	Certain templated Grafana dashboards are not showing data	Ambari
2.5.2.0	Usability	<a href="#">AMBARI-21658</a>	BUG-85298	Add Service wizard hits js error and stuck on "Configure Services" page	Ambari
2.5.2.0	Usability	<a href="#">AMBARI-21661</a>	BUG-85471	Services are not started for the correct count of nodes selected in the Hosts list	Ambari
2.5.2.0	Usability	<a href="#">AMBARI-21669</a>	BUG-85574	Provide ability on the UI to parse include/exclude files host task name	Ambari
2.5.2.0	Usability	<a href="#">AMBARI-21678</a>	BUG-85614	Configs page doesn't load when switched to another service while restart is in progress	Ambari
2.5.2.0	Usability	<a href="#">AMBARI-21691</a>	BUG-85753	Config Group filter does not reflect all the config groups in the list	Ambari
2.5.1.0	Other	<a href="#">AMBARI-20331</a>	BUG-76612	testSafeCreateCommandNotExisting UT fails	Ambari
2.5.1.0	Other	<a href="#">AMBARI-20332</a>	BUG-76613	Few ambari agent unit tests are failing	Ambari
2.5.1.0	Other	<a href="#">AMBARI-20519</a>	BUG-76503	Runtime filtering is not rendering properly	Hive View, Hive2
2.5.1.0	Other	<a href="#">AMBARI-20539</a>	BUG-78014	Unit test failure in trunk (likely other branches too)	Ambari, Zeppelin
2.5.1.0	Other	<a href="#">AMBARI-20544</a>	BUG-77815	Prune files contained in jcepolicyinfo.jar to a minimal set	Ambari
2.5.1.0	Other	<a href="#">AMBARI-20551</a>	BUG-76713	Exporting blueprint throws Invalid Request: Specified configuration type is not associated with any service	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.1.0	Other	<a href="#">AMBARI-20579</a>	BUG-77741	Ambari-server failed to stop	Ambari
2.5.1.0	Other	<a href="#">AMBARI-20601</a>	BUG-77817	Prune files contained in zk migrator.jar to a minimal set	Ambari
2.5.1.0	Other	<a href="#">AMBARI-20608</a>	BUG-77782	ambari setup incorrect link on mysql jdbc connector	Ambari
2.5.1.0	Other	<a href="#">AMBARI-20615</a>	BUG-76506	Ensure only HMS can be deployed with an external store on a cluster	Ambari
2.5.1.0	Other	<a href="#">AMBARI-20628</a>	BUG-77624	Ambari doesn't override properties with custom values specified in Blueprint	Ambari
2.5.1.0	Other	<a href="#">AMBARI-20629</a>	BUG-77708	Take Ambari Cluster Name as a property in ranger plugin configs	Ambari, Ranger
2.5.1.0	Other	<a href="#">AMBARI-20636</a>	BUG-77909	Allow users to add custom configs for ranger service in all plugins	Ambari, Ranger
2.5.1.0	Other	<a href="#">AMBARI-20656</a>	BUG-78505	Coordinator and bundle should retain job.properties in submission modal window	Ambari View
2.5.1.0	Other	<a href="#">AMBARI-20659</a>	BUG-78508	Notification widgets position have been fixed and size have been reduced	Hive2
2.5.1.0	Other	<a href="#">AMBARI-20664</a>	BUG-78400	Remove hardcoding of /usr/hdp by AMBARI-20543 needed for IBM Power	Ambari
2.5.1.0	Other	<a href="#">AMBARI-20678</a>	BUG-76143	Complete node name is not shown when node name is larger than 17 characters	Hive View
2.5.1.0	Other	<a href="#">AMBARI-20700</a>	BUG-78636	UI should use the URL as-given by the backend	Ambari
2.5.1.0	Other	<a href="#">AMBARI-20712</a>	BUG-79079	Parallel Requests With Intersecting Hosts Don't Block Correctly	Ambari
2.5.1.0	Other	<a href="#">AMBARI-20716</a>	BUG-78799	Support amazonlinux 2017 in Ambari	Ambari
2.5.1.0	Other	<a href="#">AMBARI-20740</a>	BUG-78972	Coordinator Actions(workflows) are empty even when workflows are executed.	Ambari View
2.5.1.0	Other	<a href="#">AMBARI-20744</a>	BUG-78943	LogSearch: LogSearch Server support for data from multiple clusters	Ambari
2.5.1.0	Other	<a href="#">AMBARI-20755</a>	BUG-77541	Configuration types are validated before the cluster resources are persisted.	Ambari
2.5.1.0	Other	<a href="#">AMBARI-20766</a>	BUG-79100	Log Feeder fill cluster name if it is not set	Ambari
2.5.1.0	Other	<a href="#">AMBARI-20771</a>	BUG-79148	BE: Characters used in usernames should be constrained	Ambari
2.5.1.0	Other	<a href="#">AMBARI-20772</a>	BUG-79149	FE: Characters used in usernames should be constrained	Ambari
2.5.1.0	Other	<a href="#">AMBARI-20776</a>	BUG-79176	test_kill_process_with_children and test_factorMemInfoOutput test fails	Ambari
2.5.1.0	Other	<a href="#">AMBARI-20777</a>	BUG-66867	AMS side changes to use instanceId for cluster based segregation of data	Ambari
2.5.1.0	Other	<a href="#">AMBARI-20795</a>	BUG-79401	MYSQL server install failed with "TypeError: coercing to Unicode: need string or buffer, NoneType found"	Ambari
2.5.1.0	Other	<a href="#">AMBARI-20798</a>	BUG-79241	HDF dev deploys for U14 fails because Ambari fails to WE API LOGSEARCH Service Check	Ambari
2.5.1.0	Other	<a href="#">AMBARI-20801</a>	BUG-79245	Remove Hard Coded Dependency to libtirpc-devel	Ambari
2.5.1.0	Other	<a href="#">AMBARI-20813</a>	BUG-79456	Convert ambari-web build process to use yarn package manager to fix	Ambari



Version	Category	Apache Jira	HWX Jira	Summary	Components
				dependencies and to make the process faster	
2.5.1.0	Other	<a href="#">AMBARI-20816</a>	BUG-79214	Create Ranger Hive Service during HMS restart	Ambari, Ranger
2.5.1.0	Other	<a href="#">AMBARI-20820</a>	BUG-72256	Stack side changes to use instanceId for cluster based segregation of data (AMS)	Ambari
2.5.1.0	Other	<a href="#">AMBARI-20834</a>	BUG-79091	LogSearch: LogSearch UI support for viewing data from multiple clusters	Ambari
2.5.1.0	Other	<a href="#">AMBARI-20842</a>	BUG-79627	HIVE 2 -UX changes- Part1	Hive View
2.5.1.0	Other	<a href="#">AMBARI-20847</a>	BUG-79656	Remove Refresh Query Hint From Upgrade DAO	Ambari
2.5.1.0	Other	<a href="#">AMBARI-20866</a>	BUG-79783	Distcp should take a single command rather than list of arguments to make it easier ot use.	Ambari View
2.5.1.0	Other	<a href="#">AMBARI-20867</a>	BUG-79621	Delete Jsplumb specific code from WFM	Ambari View
2.5.1.0	Other	<a href="#">AMBARI-20868</a>	BUG-79721	BUG-78474 Ranger start fails when Ambari Infra is off	Ambari, Ranger
2.5.1.0	Other	<a href="#">AMBARI-20873</a>	BUG-79798	Atlas gc-worker logs are not generated due to incorrect configuration	Ambari, Atlas
2.5.1.0	Other	<a href="#">AMBARI-20878</a>	BUG-79819	Running "mvn package" on ambari-web should not update the yarn.lock file	Ambari
2.5.1.0	Other	<a href="#">AMBARI-20885</a>	BUG-79516	Convert all Ambari Views to use yarn package manager	Ambari, Ambari View
2.5.1.0	Other	<a href="#">AMBARI-20890</a>	BUG-79880	WFM view build failure with jsplumb reference	Ambari View
2.5.1.0	Other	<a href="#">AMBARI-20895</a>	BUG-79580	Hiveserver2-Interactive's Tez AM's needs to be sized better.	Ambari
2.5.1.0	Other	<a href="#">AMBARI-20902</a>	BUG-79922	Ambari build failure after npm to yarn package manager migration.	Hive View
2.5.1.0	Other	<a href="#">AMBARI-20902</a>	BUG-79919	CI build failing because RAT scan	Ambari
2.5.1.0	Other	<a href="#">AMBARI-20919</a>	BUG-78255	Change Storage of Data on Request/ Stage/Task To Reduce Redundancy	Ambari
2.5.1.0	Other	<a href="#">AMBARI-20920</a>	BUG-79810	Atlas restart failed	Ambari, Atlas
2.5.1.0	Other	<a href="#">AMBARI-20930</a>	BUG-78696	stackadvisor atlas properties in ephemeral clusters need to be disabled	Atlas
2.5.1.0	Other	<a href="#">AMBARI-20975</a>	BUG-80431	Add NIFI Admin Toolkit StackFeatures to HDP StackFeatures	Ambari
2.5.1.0	Other	<a href="#">AMBARI-20981</a>	BUG-80591	Hive 2.0 View Table Statistics overflows Integer Type convert to Long	Hive View
2.5.1.0	Other	<a href="#">AMBARI-20988</a>	BUG-80606	Add missing 'cluster_host_info' column to 'request' table to MSSQL DDL	Ambari
2.5.1.0	Other	<a href="#">AMBARI-21011</a>	BUG-80541	HSI fails to come up due to failing Slider app	Ambari, Hive2, Slider
2.5.1.0	Other	<a href="#">AMBARI-21074</a>	BUG-81206	Storm XML File has Invalid Characters Causing Exceptions on Server Startup	Ambari
2.5.1.0	Other	<a href="#">AMBARI-21080</a>	BUG-81273	Update shuffle timeout settings	Ambari, Hive2
2.5.1.0	Other	<a href="#">AMBARI-21081</a>	BUG-81278	Upgrade to 2.5.1 from 2.5.0 adds cgroups related configs back to YARN and indicates restart required	Ambari
2.5.1.0	Other	<a href="#">AMBARI-21092</a>	BUG-81324	HSI start failed due to Unrecognized VM option 'UseParallelGC-Xss512k' during EU (missing space)	Ambari, Hive2

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.1.0	Other	<a href="#">AMBARI-21116</a>	BUG-81166	Setting yarn.node-labels.fs-store.root-dir to a "path" changes the permission of the "root path"	Ambari, YARN
2.5.1.0	Other	<a href="#">AMBARI-21117</a>	BUG-81415	Existing hosts state didn't save after host was added	Ambari
2.5.1.0	Other	<a href="#">AMBARI-21118</a>	BUG-81607	HDP + HDF cluster cannot save configs for Storm when Streamline is installed due to missing configs	Ambari, Stream Analytics
2.5.1.0	Other	<a href="#">AMBARI-21121</a>	BUG-81786	Storm service fails with AuthorizationException, leads to deploy job failure.	Storm
2.5.1.0	Other	<a href="#">AMBARI-21121</a>	BUG-81592	STORM service check fails	Ambari, Storm
2.5.1.0	Other	<a href="#">AMBARI-21125</a>	BUG-81619	Ambari STS2 checker should use principal in secure cluster	Ambari, Spark
2.5.1.0	Other	<a href="#">AMBARI-21131</a>	BUG-81730	Add NIFI JAAS Config StackFeatures to HDP StackFeatures	Ambari, NiFi
2.5.1.0	Other	<a href="#">AMBARI-21136</a>	BUG-81821	Nimbus fails to start due to AutoHDFS CNF upon regenerate keytabs post Ambari upgrade	Ambari, Storm
2.5.1.0	Other	<a href="#">RANGER-1607</a>	BUG-80977	Ranger service check failed on SLES11.3 cluster after multi-level EU with sslv3 alert handshake failure	Ambari, Ranger
2.5.1.0	Performance	<a href="#">AMBARI-20632</a>	BUG-77318	With multi-process StatusCommandsExecutor, Status commands are taking too long to report back	Ambari
2.5.1.0	Performance	<a href="#">AMBARI-20646</a>	BUG-77215	Large Long Running Requests Can Slow Down the ActionScheduler	Ambari
2.5.1.0	Performance	<a href="#">AMBARI-20670</a>	BUG-78129	Node manager start extremely slow when YARN NM local dirs are very large	Ambari
2.5.1.0	Performance	<a href="#">AMBARI-20672</a>	BUG-78151	Cluster Merge At End Of Upgrade Creation Cascades Unnecessarily	Ambari
2.5.1.0	Performance	<a href="#">AMBARI-20759</a>	BUG-79038	The Web Client Upgrade Wizard Does Not Wait Long Enough When Creating a Large Upgrade	Ambari
2.5.1.0	Performance	<a href="#">AMBARI-20763</a>	BUG-76417	ATS heapsize should be scaled based on node sizes	Ambari, YARN
2.5.1.0	Performance	<a href="#">AMBARI-20999</a>	BUG-79002	Update LLAP settings in Ambari based on perf runs	Ambari, Hive2
2.5.1.0	Performance	<a href="#">AMBARI-21025</a>	BUG-80821	Avoid unnecessary calls to load stage summaries	Ambari
2.5.1.0	Performance	<a href="#">AMBARI-21065</a>	BUG-75966	Update YARN settings to prevent LLAP daemon being killed for exceeding memory	Ambari, Hive2
2.5.1.0	Security	<a href="#">AMBARI-20525</a>	BUG-76824	Unlimited Key JCE policy is enabled or not on each host	Ambari
2.5.1.0	Security	<a href="#">AMBARI-20540</a>	BUG-75896	Referenced Kerberos identity definitions should be created and distributed only if the referenced service or component is installed	Ambari
2.5.1.0	Security	<a href="#">AMBARI-20583</a>	BUG-77729	Allow for larger Ephemeral DH Keys in Ambari server running on JVM versions 1.8 and above	Ambari
2.5.1.0	Security	<a href="#">AMBARI-20586</a>	BUG-77052	Add (optional) master_kdcs to kerberos-env and generated krb5.conf file	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.1.0	Security	<a href="#">AMBARI-20647</a>	BUG-78480	Superset password gets printed in ambari logs	Druid
2.5.1.0	Security	<a href="#">AMBARI-20650</a>	BUG-37039	Disclosing Jetty server version from HTTP response headers and body should be configurable in ambari-server.properties	Ambari
2.5.1.0	Security	<a href="#">AMBARI-20722</a>	BUG-78493	Ranger authorizations tab prompts for Hive Authentication password if admin credentials are incorrect in Hive View 2.0 config	Ambari View, Hive View
2.5.1.0	Security	<a href="#">AMBARI-20725</a>	BUG-78922	Ambari agent should destroy the infra-solr principal's Kerberos ticket when it is no longer required	Ambari
2.5.1.0	Security	<a href="#">AMBARI-20733</a>	BUG-75734	/var/log/krb5kdc.log is growing rapidly on the KDC server	Ambari
2.5.1.0	Security	<a href="#">AMBARI-20823</a>	BUG-79512	Remove user input from invalid renderer error message	Ambari
2.5.1.0	Security	<a href="#">AMBARI-20849</a>	BUG-79668	Upon kerberizing a cluster Knox/ambari sets sun.security.krb5.conf to true	Ambari, Knox
2.5.1.0	Security	<a href="#">AMBARI-20855</a>	BUG-79544	SCA : Password Management: Hardcoded Password	Ambari
2.5.1.0	Security	<a href="#">AMBARI-20857</a>	BUG-79052	After WE is enabled, graphana fails to start with SSL23_GET_SERVER_HELLO:tlsv1 alert protocol version	Ambari
2.5.1.0	Security	<a href="#">AMBARI-20874</a>	BUG-79809	Mask passwords in Request resource responses	Ambari
2.5.1.0	Security	<a href="#">AMBARI-20947</a>	BUG-79958	HSI server start failed with "kinit: Key table file '/etc/security/keytabs/hive.llap.zk.sm.keytab' not found while getting initial credentials"	Ambari
2.5.1.0	Security	<a href="#">AMBARI-20953</a>	BUG-79546	SCA : Insecure SSL: Server Identity Verification Disabled	Ambari
2.5.1.0	Security	<a href="#">AMBARI-21012</a>	BUG-80730	Livy service check fails for wire encrypted set up	Ambari, Spark
2.5.1.0	Security	<a href="#">AMBARI-21015</a>	BUG-80742	AMBARI-21015: Add RegistryClient Jaas section to storm_jaas.conf	Ambari
2.5.1.0	Security	<a href="#">AMBARI-21045</a>	BUG-81078	Enable Storm's AutoTGT configs in secure mode	Ambari, Storm
2.5.1.0	Stability	<a href="#">AMBARI-20690</a>	BUG-76884	Hive view holds the operational logs open and also fills /tmp	Hive View
2.5.1.0	Stability	<a href="#">AMBARI-20736</a>	BUG-77101	Allow Potentially Long Running Restart Commands To Have Their Own Timeout	Ambari
2.5.1.0	Stability	<a href="#">AMBARI-20750</a>	BUG-78999	All status commands were lost for one host	Ambari
2.5.1.0	Stability	<a href="#">AMBARI-20805</a>	BUG-79032	Autofix db leads to dangling entries in ClusterConfigMapping table	Ambari
2.5.1.0	Stability	<a href="#">AMBARI-20808</a>	BUG-78845	ZooKeeper goes down due to incorrect write by ambari infra	Ambari
2.5.1.0	Stability	<a href="#">AMBARI-20888</a>	BUG-77842	Wrong ZK parent node (hbase-unsecure) getting configured as part of the jdbc(phoenix) URL on ubuntu secured cluster	Ambari, Zeppelin
2.5.1.0	Stability	<a href="#">AMBARI-20906</a>	BUG-78356	Sometimes: Command [ambari-server restart] failed after upgrade Smartsense (Upgrade from 2.4.1.0 to 2.5.0.1)	Ambari, Ambari View, SmartSense

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.1.0	Stability	<a href="#">AMBARI-20974</a>	BUG-80330	Ambari fails to start due to NPE after installation of HDF mpack	Ambari
2.5.1.0	Stability	<a href="#">AMBARI-21037</a>	BUG-80557	When adding services, new versions of configs get added for the config types associated with config groups	Ambari
2.5.1.0	Upgrade	<a href="#">AMBARI-20490</a>	BUG-77753	Fixes for Express Upgrade on large-scale clusters: batch execute-stage for hdp-select set all, alert for hdp-select versions, EU from HDP 2.2 to 2.5	Ambari
2.5.1.0	Upgrade	<a href="#">AMBARI-20513</a>	BUG-77616	Storm alerts appear after disabling security [upgrade from 2.2.0.0 .../2.4.0.1 to 2.5.0.1] (storm components become stopped)	Ambari
2.5.1.0	Upgrade	<a href="#">AMBARI-20514</a>	-77615	Start services were aborted when try to disable/enable security after upgrade from 2.4.0.1 to 2.5.0.1	Ambari
2.5.1.0	Upgrade	<a href="#">AMBARI-20571</a>	BUG-78026	Remove property atlas.cluster.name from hive-site during HDP stack upgrades	Ambari
2.5.1.0	Upgrade	<a href="#">AMBARI-20640</a>	BUG-77268	Upgrade server-side actions should be performed only one time per group	Ambari
2.5.1.0	Upgrade	<a href="#">AMBARI-20663</a>	BUG-77019	During finalize of HDP upgrade, Ambari should provide a message regarding HBase snapshots	Ambari
2.5.1.0	Upgrade	<a href="#">AMBARI-20682</a>	BUG-77159	Wait For DataNodes To Shutdown During a Rolling Upgrade	Ambari
2.5.1.0	Upgrade	<a href="#">AMBARI-20685</a>	BUG-77373	Upgrade Progress Dialog Executes Query Which Causes StackOverflow in JPA	Ambari
2.5.1.0	Upgrade	<a href="#">AMBARI-20695</a>	BUG-78715	ambari-server upgrade' command does not change owner for all dirs	Ambari
2.5.1.0	Upgrade	<a href="#">AMBARI-20714</a>	BUG-79078	Upgrade Catalog 2.5.1 Changes For HRC Background Task	Ambari
2.5.1.0	Upgrade	<a href="#">AMBARI-20747</a>	BUG-79000	Upgrade is not taking care of BUG-55309	Ambari
2.5.1.0	Upgrade	<a href="#">AMBARI-20775</a>	BUG-78947	VersionAdvertised should be set to False by default in stack_tool.py	Ambari
2.5.1.0	Upgrade	<a href="#">AMBARI-20782</a>	BUG-79055	llap config issues post ambari/hdp upgrade	Ambari, Hive2
2.5.1.0	Upgrade	<a href="#">AMBARI-20799</a>	BUG-79374	Ambari fails to upgrade from 2.4.2.0 to 2.5.1.0-28 during schema upgrade with NPE	Ambari
2.5.1.0	Upgrade	<a href="#">AMBARI-20806</a>	BUG-79150	Upgrade Pause button should not show when the Upgrade is already Paused	Ambari
2.5.1.0	Upgrade	<a href="#">AMBARI-20811</a>	BUG-78901	Trying to upgrade HDF 2.0.2.0 to HDF 3.0.0.0 fails with NPE	Ambari
2.5.1.0	Upgrade	<a href="#">AMBARI-20824</a>	BUG-79505	Add two new preemption properties to RU/EU upgrade	Ambari
2.5.1.0	Upgrade	<a href="#">AMBARI-20833</a>	BUG-77673	Calculation of Effective Cluster Version During a Large Upgrade is Inefficient	Ambari
2.5.1.0	Upgrade	<a href="#">AMBARI-20835</a>	BUG-79528	Unable to proceed from manual prompt in EU wizard due to IllegalArgumentException	Ambari
2.5.1.0	Upgrade	<a href="#">AMBARI-20841</a>	BUG-79507	Pause Button Appears After Successful Downgrade	Ambari
2.5.1.0	Upgrade	<a href="#">AMBARI-20880</a>	BUG-78365	Storm Log4J Regex Replacement on Upgrade Fails	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.1.0	Upgrade	<a href="#">AMBARI-20880</a>	BUG-67697	Storm Log4J Regex Replacement on Upgrade Fails	Ambari, Storm
2.5.1.0	Upgrade	<a href="#">AMBARI-20886</a>	BUG-79388	Ambari DB Schema SQL script needs to be idempotent	Ambari
2.5.1.0	Upgrade	<a href="#">AMBARI-20924</a>	BUG-80095	Old Status Command Structured Output is Returned on Every Status Command Causing Upgrades to Fail	Ambari
2.5.1.0	Upgrade	<a href="#">AMBARI-20936</a>	BUG-79998	Users are not able to login to ambari UI after Ambari upgrade from 2.4.x to 2.5.0	Ambari, Ambari View
2.5.1.0	Upgrade	<a href="#">AMBARI-20937</a>	BUG-80286	Ambari Upgrade to 2.5 fails due to custom service; rpm upgrade does not preserve the custom service directory	Ambari
2.5.1.0	Upgrade	<a href="#">AMBARI-20980</a>	BUG-80280	RU: RESTART SPARK2/SPARK2_CLIENT failed during Downgrade	Ambari
2.5.1.0	Upgrade	<a href="#">AMBARI-20997</a>	BUG-80514	Ambari upgrade failed	Ambari
2.5.1.0	Upgrade	<a href="#">AMBARI-21002</a>	BUG-80511	RU/EU: Restart ZooKeeper step failed	Ambari
2.5.1.0	Upgrade	<a href="#">AMBARI-21068</a>	BUG-81183	Kafka broker goes down after Ambari upgrade from 2.5.0 to 2.5.1 due to missing 'kafka.timeline.metrics.instanceId' property	Ambari
2.5.1.0	Upgrade	<a href="#">AMBARI-21093</a>	BUG-81323	Nimbus fails to start due to AutoHDFS CNF on a cluster after Ambari is upgraded and RU of HDP	Ambari, Storm
2.5.1.0	Upgrade	<a href="#">AMBARI-21129</a>	BUG-81725	Nimbus fails to start when Ambari is upgraded to 2.5.1, EU to HDP 2.6.1, and cluster is then Kerberized	Ambari, Storm
2.5.1.0	Upgrade	<a href="#">AMBARI-21135</a>	BUG-80316	Kafka service fails to start during EU from HDF 202 to 30 while resolving /etc/kafka/conf	Ambari, RelEng
2.5.1.0	Upgrade	<a href="#">RANGER-1417</a>	BUG-78993	Preparation step before start during EU fails for Ranger	Ambari, Ranger
2.5.1.0	Usability	<a href="#">AMBARI-20022</a>	BUG-74522	Log Search allow installation without portal	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20139</a>	BUG-75675	Need to show data in sorted order in Hive view	Hive View
2.5.1.0	Usability	<a href="#">AMBARI-20146</a>	BUG-75726	HiveView2.0: Visual Explain graph zooms out on scrolling down	Hive View
2.5.1.0	Usability	<a href="#">AMBARI-20260</a>	BUG-76020	Misc errors in Ambari Server log that need to be cleaned up	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20278</a>	BUG-76038	Install Wizard > Select Services: Ambari warns me that "Ambari Infra is not selected" but it is selected	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20300</a>	BUG-75751	LogSearch Portal UI Fails on Last Page selection for larger result sizes	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20378</a>	BUG-75018	Add De-Duplication support for Ambari-Infra Solr instances	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20413</a>	BUG-75128	The Zoom feature in WFM, hides the WF completely either with Maximum and Min	Ambari View
2.5.1.0	Usability	<a href="#">AMBARI-20429</a>	BUG-77104	Warn users about pending requests while trying to enable Interactive Query immediately after disabling it	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20467</a>	BUG-76917	Add alerts for STS and Livy in Spark and Spark 2	Ambari, Spark

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.1.0	Usability	<a href="#">AMBARI-20471</a>	BUG-77314	Enable HDFS Caller Context	Ambari, HDFS
2.5.1.0	Usability	<a href="#">AMBARI-20548</a>	BUG-77687	Grafana dashboard changes for some new llap daemon metrics	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20565</a>	BUG-78003	Ambari Agent Alert to detect when "hdp-select versions" reports an error	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20591</a>	BUG-77893	HBase quick links show two Active Masters	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20594</a>	BUG-50266	Blueprints: Better validation needed for default Hive MYSQL_SERVER requirement	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20596</a>	BUG-78109	Cleanup temporary files needed for downloading client configurations response	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20613</a>	BUG-74033	Host Filtering interaction is confusing and cumbersome to perform simple filtering	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20614</a>	BUG-77585	Auto-Start Services Switch button broken	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20614</a>	BUG-76044	Both Enabled and Disabled option shows up on Service Auto Start page.	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20638</a>	BUG-78392	Edit notifications options are disabled for administrator user	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20639</a>	BUG-78390	Not able to enable Maintenance mode for all the hosts	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20641</a>	BUG-78411	Pig view fails to load when using ambari thru KNOX	Ambari View
2.5.1.0	Usability	<a href="#">AMBARI-20648</a>	BUG-78477	Ambari Agent Distro/Conf Select Versions alert is not functioning correctly since missing format index when using Python 2.6	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20653</a>	BUG-77086	Bad user experience in workflow credential creation	Ambari View
2.5.1.0	Usability	<a href="#">AMBARI-20654</a>	BUG-77085	Workflow should retain job.properties in submission modal window	Ambari View
2.5.1.0	Usability	<a href="#">AMBARI-20655</a>	BUG-77626	Need to improve the grouping of the nodes available in transition section of WFM	Ambari View
2.5.1.0	Usability	<a href="#">AMBARI-20657</a>	BUG-76509	Usability: screen jumps when you scroll down	Hive View
2.5.1.0	Usability	<a href="#">AMBARI-20658</a>	BUG-78506	Click of "NEW JOB" button doesn't create new worksheet tab	Ambari View, Hive View
2.5.1.0	Usability	<a href="#">AMBARI-20660</a>	BUG-75881	HiveView2.0 scrolling in query tab does not work properly for a longer query	Hive View
2.5.1.0	Usability	<a href="#">AMBARI-20662</a>	BUG-77090	Need to auto populate the workflow parameters if its already defined in the global space	Ambari View
2.5.1.0	Usability	<a href="#">AMBARI-20673</a>	BUG-75301	For sort/partition operator, if there is only 1 reducer, display just "sort" rather than "sort/partition"	Hive View
2.5.1.0	Usability	<a href="#">AMBARI-20676</a>	BUG-74197	User should be able to visualize inherited properties while submitting the workflow	Ambari View
2.5.1.0	Usability	<a href="#">AMBARI-20677</a>	BUG-78674	Centering workflows for zoom breaks when multiple tabs exists	Ambari View
2.5.1.0	Usability	<a href="#">AMBARI-20689</a>	BUG-77629	Zooming workflows should happen more smoothly	Ambari View

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.1.0	Usability	<a href="#">AMBARI-20691</a>	BUG-78651	Fix the default service version numbers in HDP-2.6 service metainfo files to be in line with HDP-2.6 release	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20692</a>	BUG-77451	Add Ability to Pause An Upgrade In Progress	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20696</a>	BUG-77911	Skip calling stack selector, conf selector tools for Nifi, Streamline, Registry custom services in HDP cluster	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20703</a>	BUG-77342	Bulk action is not functional in workflow dashboard	Ambari View
2.5.1.0	Usability	<a href="#">AMBARI-20704</a>	BUG-77330	Need a way to indicate the action node type in workflow manager	Ambari View
2.5.1.0	Usability	<a href="#">AMBARI-20705</a>	BUG-77084	Issue while adding custom job.properties	Ambari View
2.5.1.0	Usability	<a href="#">AMBARI-20717</a>	BUG-78858	Need to disable upload file option from file browser window in workflow manager	Ambari View
2.5.1.0	Usability	<a href="#">AMBARI-20719</a>	BUG-78863	Need to show decision conditions for decision node in Flow Graph tab	Ambari View
2.5.1.0	Usability	<a href="#">AMBARI-20728</a>	BUG-78891	Need more appropriate text in project management window	Ambari View
2.5.1.0	Usability	<a href="#">AMBARI-20729</a>	BUG-78895	Need way to explicitly ask for workflow name	Ambari View
2.5.1.0	Usability	<a href="#">AMBARI-20738</a>	BUG-78698	Cannot add repo for additional OS to an existing HDP version	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20748</a>	BUG-79006	Provide Alert For Component OUT_OF_SYNC Issues	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20778</a>	BUG-77913	Add NIFI StackFeatures to HDP StackFeatures	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20779</a>	BUG-78008	Create KMS HDFS audit folder as part of KMS install	Ambari, Ranger
2.5.1.0	Usability	<a href="#">AMBARI-20787</a>	BUG-79284	Ambari agent should log how it determines it's FQDN	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20793</a>	BUG-79386	Project manager window is not opening for the second time	Ambari View
2.5.1.0	Usability	<a href="#">AMBARI-20794</a>	BUG-79387	Need to show appropriate error message while deleting the workflow history in project manager	Ambari View
2.5.1.0	Usability	<a href="#">AMBARI-20796</a>	BUG-79409	Adding services to an existing cluster always mandates oozie to be added	Ambari, SmartSense
2.5.1.0	Usability	<a href="#">AMBARI-20800</a>	BUG-79404	Need to change the arrangement of the action buttons in project manager	Ambari View
2.5.1.0	Usability	<a href="#">AMBARI-20802</a>	BUG-76895	StackAdvisor should not recommend configuration types for services that are not present in the cluster	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20803</a>	BUG-79423	Devdeploy: Logsearch service check fails	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20814</a>	BUG-79497	Hive view 2.0 Error while uploading a table with partitioned columns	Hive View
2.5.1.0	Usability	<a href="#">AMBARI-20815</a>	BUG-77131	Need a confirmation dialog for table / database delete	Hive View
2.5.1.0	Usability	<a href="#">AMBARI-20817</a>	BUG-75517	First node in the visual explain chart is not clickable to view the json dump	Hive View
2.5.1.0	Usability	<a href="#">AMBARI-20818</a>	BUG-76890	Blueprint processor fails when StackAdvisor recommends unnecessary configuration types	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.1.0	Usability	<a href="#">AMBARI-20819</a>	BUG-76000	LogSearch Integration should limit requests to portal for missing components	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20821</a>	BUG-77194	Update default values for YARN preemption in Ambari	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20826</a>	BUG-79517	HIVE "Quick Links" section showing Graphana related quicklinks when Graphana is not installed	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20843</a>	BUG-79266	Client configs downloaded via Ambari are empty with non-root ambari-server	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20845</a>	BUG-75030	Include cluster filter in every Log Search request in Ambari server (Log Search integration)	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20856</a>	BUG-79564	Changing Solr port in Ambari Infra fails	Ambari, Solr
2.5.1.0	Usability	<a href="#">AMBARI-20862</a>	BUG-79064	inconsistent suggestion for llap "Maximum Total Concurrent Queries"	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20882</a>	BUG-77190	Flapping tables in table browser	Hive View
2.5.1.0	Usability	<a href="#">AMBARI-20883</a>	BUG-78890	Issue in connection lines for simple queries in visual-explain in Firefox	Hive View
2.5.1.0	Usability	<a href="#">AMBARI-20883</a>	BUG-75302	Use directed arrows rather than simple lines	Hive View
2.5.1.0	Usability	<a href="#">AMBARI-20887</a>	BUG-72884	UI - Ambari top nav width changes for views applications	Ambari View, Hive Studio
2.5.1.0	Usability	<a href="#">AMBARI-20896</a>	BUG-66869	Provide ability to visualize per cluster data from Grafana dashboards	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20898</a>	BUG-75752	Hive View 2.0 shows Ranger authorizations even if Ranger Hive plugin is disabled	Hive View
2.5.1.0	Usability	<a href="#">AMBARI-20899</a>	BUG-79916	Ambari Header misaligned when transitioned to view route	Ambari, Ambari View
2.5.1.0	Usability	<a href="#">AMBARI-20900</a>	BUG-79918	hive view 2.0 : uploaded table does not contain any data.	Hive View
2.5.1.0	Usability	<a href="#">AMBARI-20901</a>	BUG-77132	Improvement needed for creating ACID tables	Hive View
2.5.1.0	Usability	<a href="#">AMBARI-20912</a>	BUG-79985	Unable to view visual explain details in Firefox browser	Hive View
2.5.1.0	Usability	<a href="#">AMBARI-20932</a>	BUG-77916	Ranger logic in setup_ranger_plugin_xml should handle Nifi service on HDP	Ambari, Ranger
2.5.1.0	Usability	<a href="#">AMBARI-20941</a>	BUG-80064	UI Deploy: On enabling hive interactive query, value of 'Number of nodes used by Hive's LLAP' becomes invalid	Ambari
2.5.1.0	Usability	<a href="#">AMBARI-20959</a>	BUG-80377	Quick Links for Spark/Spark2 component is missing	Ambari, Spark
2.5.1.0	Usability	<a href="#">AMBARI-20962</a>	BUG-80416	Hive View 2.0 and 1.5 : The downloaded file name will be shown as _____.csv when we download the query result with the unicode name	Hive View
2.5.1.0	Usability	<a href="#">AMBARI-20990</a>	BUG-80628	Hive view 1.5 : Saved query garbles the unicode characters in query.	Hive View
2.5.1.0	Usability	<a href="#">AMBARI-21028</a>	BUG-80056	Applications are getting launched as 'ambari-qa' instead of actual kinitd user for proxy user scenarios	Ambari, Spark
2.5.1.0	Usability	<a href="#">AMBARI-21041</a>	BUG-80877	Pause Upgrade button is present in the wizard even after Upgrade is finalized	Ambari



Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.1.0	Usability	<a href="#">AMBARI-21109</a>	BUG-81319	After decommission of a Nodemanager, the state of the Nodemanager shows "Decommissioning" instead of decommissioned	Ambari
2.5.0.3	Other	<a href="#">AMBARI-15754</a>	BUG-75635	Fix AMBARI-15754 in Ambari 2.5, potentially modifying configs.sh or configs.py	Ambari
2.5.0.3	Other	<a href="#">AMBARI-15901</a>	BUG-50129	Provide ability to horizontally scale the AMS Metrics Collector	Ambari
2.5.0.3	Other	<a href="#">AMBARI-16229</a>	BUG-57149	Generalize the backend code for supporting cluster inherited permission for view instances	Ambari
2.5.0.3	Other	<a href="#">AMBARI-16991</a>	BUG-59074	Fix metric sink	Ambari
2.5.0.3	Other	<a href="#">AMBARI-17228</a>	BUG-65023	Blueprint deployments should support a "START_ONLY" provision_action for clusters	Ambari
2.5.0.3	Other	<a href="#">AMBARI-17285</a>	BUG-65400	Use customized Repos when registering new versions	Ambari
2.5.0.3	Other	<a href="#">AMBARI-17470</a>	BUG-61209	Zeppelin log4j.properties and other files are missing from ambari config page	Ambari, Zeppelin
2.5.0.3	Other	<a href="#">AMBARI-17529</a>	BUG-61373	Ambari LogSearch REST Layer should not queue up requests that have already been made	Ambari
2.5.0.3	Other	<a href="#">AMBARI-17663</a>	BUG-61965	Hosts page: JS error when sorting	Ambari
2.5.0.3	Other	<a href="#">AMBARI-17666</a>	BUG-57554	Ambari agents can only connect to the server using TLSv1	Ambari
2.5.0.3	Other	<a href="#">AMBARI-17831</a>	BUG-62733	Service alerts label is updating with delay	Ambari
2.5.0.3	Other	<a href="#">AMBARI-17978</a>	BUG-63042	Install page shows in progress tasks in "Waiting" state	Ambari
2.5.0.3	Other	<a href="#">AMBARI-17990</a>	BUG-62053	Confusing message on alert	Ambari
2.5.0.3	Other	<a href="#">AMBARI-17999</a>	BUG-69506	Ambari Yarn property name incorrect	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18007</a>	BUG-63652	JournalNodes filter doesn't work	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18012</a>	BUG-62356	Metrics Sink unable to connect to zookeeper	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18029</a>	BUG-63745	Duplicate panels are being shown in Kerberos settings page	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18065</a>	BUG-69939	Change Ranger Admin start script to setup db for ranger	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18067</a>	BUG-62052	Alert message cut off	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18076</a>	BUG-63955	JBehave and docker based Integration Test Framework for Log Search components	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18083</a>	BUG-64062	Service and component lists are not cut by max-height	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18089</a>	BUG-58747	Create Documentation Around All Options In ambari.properties	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18095</a>	BUG-63658	Use ZooKeeper *.log file instead of *.out (in Logfeeder too)	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18096</a>	BUG-66326	Revert - YARN config to fetch new HDFS delegation tokens is not enabled	Ambari, Spark, YARN
2.5.0.3	Other	<a href="#">AMBARI-18108</a>	BUG-65302	[BLUEPRINT] hive.metastore.uris contains single entry when deployed with Hive HA enabled	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.0.3	Other	<a href="#">AMBARI-18131</a>	BUG-64295	UI - atlas.rest.address needs to be recalculated whenever AtlasServer is added/moved/deleted	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18132</a>	BUG-61851	Remove FIFO and Normalizer in ams-env config.	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18148</a>	BUG-64359	Kerberos UI labels should be specific to differentiate between SPARK and SPARK2 properties	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18149</a>	BUG-64416	Config History: disable link to configs for deleted group	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18153</a>	BUG-63819	Spelling/Capitalization Change for Log Search Smart Configuration	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18154</a>	BUG-64253	Ambari Dashboard, Cluster load widget - Incorrect value in Nodes_avg metric	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18160</a>	BUG-64303	UI : Long HSI name goes out of the visual boundary created for HSI panel.	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18170</a>	BUG-64449	Kafka Metrics do not show up in AMS HA enabled cluster	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18171</a>	BUG-64182	AMS, Accumulo, Hive metrics do not show up in AMS HA clusters.	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18177</a>	BUG-64326	[UI] Atlas ZooKeeper properties should be updated on zookeeper add/remove operations	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18185</a>	BUG-64287	Selecting one host when topN is set, throws an error.	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18193</a>	BUG-64591	Zeppelin logs not picked up by logsearch after changing the log directory	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18196</a>	BUG-63961	REST API docs (use Swagger if possible)	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18200</a>	BUG-64567	Add Service button is not disabled if all services are installed	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18212</a>	BUG-64500	[Logsearch]Log entry missing in the preview log modal window	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18214</a>	BUG-63956	Restify Log Search endpoints	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18222</a>	BUG-64782	AMS service check failed after disabling kerberos	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18231</a>	BUG-64772	Error around ATLAS_SERVER version advertisement	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18236</a>	BUG-64249	Fix package structure in Logfeeder	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18246</a>	BUG-64939	Clean up Log Feeder	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18247</a>	BUG-63569	Capacity scheduler's dependent config suggestion is incomprehensible	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18250</a>	BUG-65017	Pig View Caching issue causes File does not exist: /user/pig/jobs/job_id/stdout and stderr	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18253</a>	BUG-64948	Fix LogSearch utility classes	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18254</a>	BUG-63433	DB consistency check should tolerate services with no configuration	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18255</a>	BUG-64915	Add unique constraint to host_version table	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18260</a>	BUG-65000	Journal node restart failing on RU from dergM10 to erie on Wire Encrypted cluster	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18263</a>	BUG-65026	Agent connection retry fails after one try	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.0.3	Other	<a href="#">AMBARI-18265</a>	BUG-65052	Make sure AMS embedded mode works after HA changes	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18266</a>	BUG-65056	Ambari Capacity Scheduler View fails to launch with 'Read Timeout' error	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18282</a>	BUG-65220	Disable 2.3.ECS stack by default for HDP	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18286</a>	BUG-65282	Processes children are not killed on timeout	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18287</a>	BUG-63188	status commands get all the *-env files irrespective of a service exists or not	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18289</a>	BUG-56608	Invalid negative values for some AMS metrics	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18290</a>	BUG-67762	Patch request for AMBARI-18290	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18295</a>	BUG-65290	Dependent Configurations popup isn't changed after the subsequent property changes	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18302</a>	BUG-65435	Desired state of client component should not be changed on "Restart"	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18307</a>	BUG-65316	Add sqlline capability to AMS collector to help debugging	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18319</a>	BUG-65438	Next button on Customize Services page is in invalid state after canceling move to next page	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18320</a>	BUG-64946	Frequently getting an Ambari consistency check error when changing configuration	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18322</a>	BUG-62433	Add per host dashboard for NiFi in grafana	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18323</a>	BUG-65513	Cluster creation complete is missing from ambari-server log	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18326</a>	BUG-65295	Add custom jdbc path to ambari-server classpath	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18328</a>	BUG-65393	Blueprints: Log "setting" section of blueprint in ambari server log file	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18332</a>	BUG-65394	Blueprints: API should make available "setting" property from blueprint	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18348</a>	BUG-62557	Ranger audit log collection is not used in Log Search (managed by ambari)	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18350</a>	BUG-64258	Declare URL uniqueness in repoinfo.xml	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18363</a>	BUG-65024	Ambari authentication with Kerberos token	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18369</a>	BUG-65835	Make Execute timeout to be able to kill process trees which doesn't respond to SIGTERM	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18372</a>	BUG-65846	Audit logs should not be filtered by Log Feeder	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18377</a>	BUG-63309	Retry Installing Kerberos Clients skips hosts were it failed (if lost heartbeat)	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18387</a>	BUG-63580	Unable to delete Hive view	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18393</a>	BUG-64459	Hive Interactive fails to start with Permission denied for User Hive if HSI starts before HS2	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18394</a>	BUG-65934	Blueprint-deployed cluster with NameNode HA out-of-the-box fails when starting Namenode during EU/RU	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.0.3	Other	<a href="#">AMBARI-18397</a>	BUG-65925	Update version-builder to include unique element	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18408</a>	BUG-63883	Configuration Groups popup: tooltip over properties number has too much content	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18413</a>	BUG-65364	RecoveryManager may be logging too often	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18415</a>	BUG-64064	Stack definition: service component 'cardinality' inheritance not working properly	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18417</a>	BUG-66044	Improve agent logging to add more relevant message	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18433</a>	BUG-66222	Enforce granular role-based access control for custom actions	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18438</a>	BUG-64984	Support sysprepped images and copy tarballs to HDFS	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18444</a>	BUG-64963	On restarting service using APIs in Ambari, Ambari still says that service needs to be restarted on the UI	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18445</a>	BUG-62067	SmartSense error during host assignment	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18446</a>	BUG-62168	Review necessity of xmllint and remove libxml2-utils package from Oozie manifest	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18450</a>	BUG-66340	Putting a service or process in Maintenance Mode doesn't take it off of the "Restart All Required" list	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18451</a>	BUG-66339	Aborting one running operation in Ambari cancels ALL running operations	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18453</a>	BUG-64681	Ignore mounts that are read-only	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18456</a>	BUG-55792	Refactor Unnecessary In-Memory Locks Around Business Objects	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18467</a>	BUG-66334	Ambari server does not come up after restart if cluster install fails.	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18470</a>	BUG-66385	RU/EU cannot start because ServiceCheckValidityCheck incorrectly calculates Service Checks that ran	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18472</a>	BUG-66158	Can't switch to not current version for not default config group	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18474</a>	BUG-66231	Kerberos wizard loses request id on server restart	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18481</a>	BUG-66470	Fix Authentication data is not available error in ConfigGroupResourceProviderTest	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18482</a>	BUG-66067	MapReduce is showing incorrect component version in HDP 2.5	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18483</a>	BUG-66492	Revert db optimization in UT	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18503</a>	BUG-66677	MapReduce is showing incorrect component version in HDP 2.6	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18505</a>	BUG-66662	Ambari Status commands should enforce a timeout < heartbeat interval	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18510</a>	BUG-66730	Use logsearch truststore to look for credential in case of external authentication	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.0.3	Other	<a href="#">AMBARI-18512</a>	BUG-66290	Ambari-Server restart causes all host components to go in Heartbeat Lost state indefinitely.	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18514</a>	BUG-66639	Graph details popup: file formats dropdown isn't collapsed on text link click	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18515</a>	BUG-66762	Write unittests for configs.py	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18516</a>	BUG-66113	Add ability to have services declare itself as tech-preview or mandatory	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18518</a>	BUG-66782	Sinks should not try to read collector hosts from Zk if AMS is in embedded mode	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18528</a>	BUG-66864	Need a way to escape config values that contain \$	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18534</a>	BUG-65037	Advanced storm-atlas-application.properties panel is not opened by default upon filtering	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18535</a>	BUG-65252	Ambari is not picking up the latest repo for HDP-2.4	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18537</a>	BUG-66824	Update Microsoft R version in mpack	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18545</a>	BUG-66233	Kerberos server action should not timeout in 10 mins	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18546</a>	BUG-66194	BP format does not generate property oozie.service.JPAservice.jdbc.url	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18550</a>	BUG-66776	hueambarimigration fails to build	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18551</a>	BUG-66891	Berkeley db jar is not present in falcon classpath - Falcon Multi Cluster installation	Ambari,Falcon
2.5.0.3	Other	<a href="#">AMBARI-18553</a>	BUG-67321	Provision actions to happen based only on specified dependencies	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18560</a>	BUG-67132	Add more logging to track what condition resulted in skipping agent commands	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18562</a>	BUG-66641	Cannot update repository on the UI	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18567</a>	BUG-67322	Cannot start Oozie if WebHDFS is disabled	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18568</a>	BUG-67172	Hive shows restart indicator after RU	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18576</a>	BUG-65832	When multiple requests are running, aborting any will incorrectly abort all requests instead the desired one	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18581</a>	BUG-67323	Oozie start script ignores sysprep_skip_copy_oozie_share_lib_to_hdfs flag	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18594</a>	BUG-67339	AMBARI-18051 Breaks Stack Upgrade Checks	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18595</a>	BUG-67350	Icons don't display in Windows 10 Microsoft Edge or Internet Explorer 11	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18596</a>	BUG-67247	rpm command broken on utility project	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18605</a>	BUG-62062	Hive Settings Page: Mouse-over on "HiveServer2 Interactive host" label repeats same message twice	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18616</a>	BUG-67557	Log Search User Config UI screen does not offer the chance to modify the filter settings	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.0.3	Other	<a href="#">AMBARI-18619</a>	BUG-67157	Regression in server/agent scheduling doesn't optimize host to run Service Check	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18623</a>	BUG-67428	NPE when a non-existent host is provided as part of the host filter	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18627</a>	BUG-67203	Add service wizard hung at Choose services page as no ClusterStackVersion is available with state=CURRENT	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18631</a>	BUG-67317	Incorporate database consistency check into main Ambari process	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18636</a>	BUG-67721	Remove "hbase.rpc.controllerfactory.class" from hbase-site.xml	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18639</a>	BUG-67686	Ambari UI does not allow to modify EMPTY threshold text of 'OK' and 'WARNING'	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18647</a>	BUG-67753	Topology info written to site configs by UI	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18648</a>	BUG-67718	There were no labels on fields on step "Configure Kerberos" after clicking back	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18650</a>	BUG-64462	Specification document for credential store support in Ambari	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18651</a>	BUG-66632	HDP-2.5 installation allows ZKFC to advertise version	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18652</a>	BUG-67348	Alert Targets Cannot Be Updated Due To Transaction / Cache Timing Issues	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18655</a>	BUG-67739	Metric level hadoop metrics2 filter is incompatible with AMS HadoopTimelineMetricsSink.	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18659</a>	BUG-67757	Renavigating back to "Customize Services" page from "Review" page on installer/ASW loses all static attributes of properties	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18660</a>	BUG-67838	Log Search schema metadata loader fix	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18664</a>	BUG-67767	While syncing with LDAP, username collisions should be handled based on configuration value	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18671</a>	BUG-66325	KMS should inherit Hadoop proxy users OR allow users yarn and livy as super users	Ambari, Ranger, Spark, YARN, Zeppelin
2.5.0.3	Other	<a href="#">AMBARI-18675</a>	BUG-64789	Need to inform user that Atlas requires Ambari Infra	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18684</a>	BUG-67464	Webhcat server start failed during EU with BindException	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18693</a>	BUG-67995	get_sysprep_skip_copy_tarballs_hdfs() always returns False	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18694</a>	BUG-68011	DataNode JVM heap settings should include CMSInitiatingOccupancy	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18704</a>	BUG-68066	Add code to improve debugging of ambari-agent related problems.	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18706</a>	BUG-64916	Ranger Audit Handler not working as expected as NN HA wizard does not set a few properties correctly	Ambari, Ranger
2.5.0.3	Other	<a href="#">AMBARI-18712</a>	BUG-68009	compare functionality between config versions is not working	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.0.3	Other	<a href="#">AMBARI-18713</a>	BUG-64684	Use exclude list of mount device types on docker containers	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18722</a>	BUG-65852	Post user creation hook - implement feature	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18728</a>	BUG-67964	During cluster install, Components get timed out icon while starting	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18732</a>	BUG-68184	Perf: Create PERF stack with mix of HDP core services and dummy services	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18733</a>	BUG-68185	Perf: Allow running multiple Ambari Agents on the same host	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18753</a>	BUG-68270	Host goes into HEARTBEAT_LOST state during cluster Install	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18754</a>	BUG-68273	Pig, Tez service checks getting timed out after Wire Encryption	Ambari,Spark
2.5.0.3	Other	<a href="#">AMBARI-18755</a>	BUG-68276	Deployment failing at creating principal	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18756</a>	BUG-68277	Grafana failed to start after enabling Wire Encryption	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18758</a>	BUG-68083	Zeppelin Fenton deployment failure due to failed spark service check	Ambari,Spark
2.5.0.3	Other	<a href="#">AMBARI-18760</a>	BUG-67899	Ambari UI accessible even when Ambari Server is reported as not running	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18788</a>	BUG-68433	Checkboxes for installed services aren't disabled in Add Service Wizard	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18803</a>	BUG-68489	Unit Tests On branch-2.5 Are Not Passing	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18807</a>	BUG-68562	Ambari-agent user home directory permissions changed to accumulo:accumulo in non-root	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18809</a>	BUG-68228	Filter Kerberos related properties in CreateConfigRequest	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18813</a>	BUG-68596	Optionally force username from LDAP authentication data to be lowercase in Ambari	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18827</a>	BUG-68422	Allow acceptor / selector configuration for API and agent connectors	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18840</a>	BUG-62086	ACID transactions is missing description in hive configs	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18841</a>	BUG-68729	Grafana fails to start	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18845</a>	BUG-68451	TestHeartbeatHandler .testRegistration RecoveryConfig is Flaky	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18847</a>	BUG-68638	Issues after fast switching service page tabs	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18851</a>	BUG-68722	Collector host refresh in Ambari Server is not working in single Metrics collector deployments.	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18855</a>	BUG-68847	Manage JournalNode Wizard: While assigning new JournalNodes, Current JournalNode selection value changes	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18857</a>	BUG-65630	Add Service wizard: Storm site configs related to Ambari metrics service are not displayed on ui	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18864</a>	BUG-68598	HDP 2.5 HDFS HA Cluster Installed From Blueprint Has ZKFC in UNKNOWN State	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.0.3	Other	<a href="#">AMBARI-18866</a>	BUG-67945	Stack advisor should limit call history it preserves	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18875</a>	BUG-65104	Cannot delete config groups with no hosts and some config changes	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18877</a>	BUG-67958	Ambari change hcat.proxy.hosts value during add service	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18878</a>	BUG-67791	After entering wrong admin kdc credentials UI does not handle it and shows HTTP error 500 (intermittent)	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18891</a>	BUG-68995	Oozie config not shown as stale upon changing DefaultFS	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18895</a>	BUG-65102	Cluster install fails if user accidentally creates a config group	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18897</a>	BUG-45032	HBase conf directory should not have a copy of core-site.xml and hdfs-site.xml	Ambari,Phoenix
2.5.0.3	Other	<a href="#">AMBARI-18898</a>	BUG-68703	Multiple kerberos name rules can not be set up for Ambari Infra Solr	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18900</a>	BUG-69032	ZooKeeper service checks fails after deployment	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18901</a>	BUG-67882	Use number of nodes as driving factor for LLAP calculations.	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18904</a>	BUG-68985	Multiple service check failures after wire encryption with timeout	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18907</a>	BUG-69058	Auto-start should respect maintenance mode on hosts and services	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18908</a>	BUG-69038	Ambari Kerberos Identity not displayed in the Configured Identities page of Enable Kerberos Wizard	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18911</a>	BUG-68761	Storm start is failing due to metrics initialization error	Ambari,Storm
2.5.0.3	Other	<a href="#">AMBARI-18920</a>	BUG-69057	Kerberos wizard: Show recommendation API failure message in a popup	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18922</a>	BUG-68803	Agent Auto Restart Doesn't Release Ping Port	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18924</a>	BUG-69163	testStaleConfigs UT failing as globals config handling was removed	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18927</a>	BUG-69110	Unit test failure: ServiceComponentHostTest	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18931</a>	BUG-68006	Can't change capacity-scheduler's queue capacity from the YARN config page, even though its shown as text box.	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18936</a>	BUG-69235	DataNode JVM heap settings should include CMSInitiatingOccupancy	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18938</a>	BUG-69255	NPE when authenticating via a Centrify LDAP proxy	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18940</a>	BUG-69253	Perf: Fix bugs in deploy-gce-perf-cluster.py to generate correct config file	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18941</a>	BUG-63323	When HS2Interactive is enabled, any hive config change results in a CS queue refresh	Ambari,YARN
2.5.0.3	Other	<a href="#">AMBARI-18942</a>	BUG-69172	Auto-start services: Avoid full page reload after "Save" / "Discard"	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18945</a>	BUG-70008	Allowing user to edit service name while enabling ranger plugin	Ambari,Ranger



Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.0.3	Other	<a href="#">AMBARI-18947</a>	BUG-66454	Infinite spinner displayed instead of some Flume Agent graphs	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18948</a>	BUG-68219	hive metrics : support hs2 with remote metastore	Ambari,Hive2
2.5.0.3	Other	<a href="#">AMBARI-18959</a>	BUG-69364	Remove outdated properties and add fsType exclusions to StackAdviser recommendations	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18963</a>	BUG-69190	hive.llap.io.memory.size being written to hive-site.xml needs to be bytes	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18965</a>	BUG-69176	Investigate and reduce AMS HA dependency on ZooKeeper.	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18968</a>	BUG-69341	Ambari Server Unit Test failure: org.apache.ambari.server.state.ServicePropertiesTest.validateProperty	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18970</a>	BUG-69412	Unable to load Grafana Graphs in IE11	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18974</a>	BUG-69343	A number of Ambari Server Unit Test failures on branch-2.5	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18975</a>	BUG-69438	Remove Zeppelin View from Ambari	Ambari,Zeppelin
2.5.0.3	Other	<a href="#">AMBARI-18976</a>	BUG-65060	Config History request execution time depends on config versions count	Ambari,HDFS
2.5.0.3	Other	<a href="#">AMBARI-18977</a>	BUG-67825	Ambari to configure whether a quicklink can be shown or hidden (filtered out) when Knox SSO or Knox proxying of UIs is enabled	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18981</a>	BUG-68964	Manage JournalNodes Wizard: Display only the steps needed for DELETE ONLY task	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18982</a>	BUG-69528	Failures due to timeout don't report any reason	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18988</a>	BUG-69422	[Intermittent]Ambari-server check-database command took longer (~3) minutes to complete	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18989</a>	BUG-59259	Log level filter labels not getting updated with the log count when filtered using host name search in service logs tab	Ambari
2.5.0.3	Other	<a href="#">AMBARI-18994</a>	BUG-68043	in HA cluster copy the hdfs-site.xml and hbase-site.xml to /etc/ranger/admin/conf	Ambari,Ranger
2.5.0.3	Other	<a href="#">AMBARI-19000</a>	BUG-69561	Ambari-server won't restart with -debug option if server is already started	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19001</a>	BUG-63960	Support Kafka output on ambari side	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19002</a>	BUG-69405	Ambari widgets and service checks to honor LLAP clusters with 100% allocation to LLAP daemons	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19003</a>	BUG-69395	Perf: Fix deploy-gce-perf-cluster.py to deploy separate server onto own cluster with different settings for more cores and MySQL DB	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19004</a>	BUG-69639	Logs tab in Host details page not populating any logs	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19005</a>	BUG-63404	conf.server' dir for HIVE1 and HIVE2 should have 700 permission and files in it should have 600 permission.	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19006</a>	BUG-68427	EU to message users to start YARN queues if work preserving recovery is disabled	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.0.3	Other	<a href="#">AMBARI-19009</a>	BUG-69615	Remove Spark History Server dependency Zeppelin	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19010</a>	BUG-69647	Logsearch login credential validation is broken	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19014</a>	BUG-69673	Add Service Wizard: error thrown during transition on deploy step	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19021</a>	BUG-69710	Ambari server java process died with exit code 134 after setting up Ambari kerberos JAAS configuration	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19022</a>	BUG-69714	Ambari-server: Remove credential store from KNOX stack definition since it does not support credential store	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19025</a>	BUG-69120	Add livy.spark.master to livy.conf and update spark-blacklist.conf	Ambari,Spark
2.5.0.3	Other	<a href="#">AMBARI-19027</a>	BUG-69712	Manage JournalNode tweaks	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19028</a>	BUG-69745	Ambari-web unit tests fail on branch-2.5	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19032</a>	BUG-69747	HDFS Metric alerts turns to UNKNOWN state with error "'NoneType' object has no attribute 'split'"	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19033</a>	BUG-69789	Cannot increase the number of shards per node for solr collections	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19041</a>	BUG-69842	Choose services page select/deselect all services not working while adding smartsense to the cluster	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19049</a>	BUG-69113	Alerts Popup displays full error stacktrace instead of minimal content	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19051</a>	BUG-69655	Deploy Job Failure due to " Command aborted. Reason: Stage timeout "	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19052</a>	BUG-69707	Re-arrange "Role Based Access Control" info table	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19054</a>	BUG-69824	Grafana failed to start at deployment	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19059</a>	BUG-69894	Falcon quicklinks combobox is absent	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19060</a>	BUG-63267	hive authorization should be set to false when "None" is chosen in the authorization dropdown	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19061</a>	BUG-69916	Ambari-server restart command not working. if any parameters are changed and reset to default.	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19063</a>	BUG-69871	Do not change timeline.metrics.service.webapp.address in move wizard	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19068</a>	BUG-69950	Logsearch has a 'required' property while adding Ranger which quickly goes off upon navigating to the tab	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19070</a>	BUG-69896	Incorrect version metadata for HDP 2.6	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19071</a>	BUG-69972	Ambari Server Unit Test failure on branch-2.5 and trunk: org.apache.ambari.server .state.ServicePropertiesTest .validateProperty	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19074</a>	BUG-69977	Host-Ordered: Empty groups are returned for Downgrade	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19078</a>	BUG-69996	Atlas service check reports false positive	Ambari,Atlas
2.5.0.3	Other	<a href="#">AMBARI-19080</a>	BUG-70003	Ambari stackadvisor failure while adding Knox service	Ambari,Knox

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.0.3	Other	<a href="#">AMBARI-19086</a>	BUG-69982	LDAP sync creates groups with "Local" type	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19087</a>	BUG-69983	Clean up how dfs.cluster.administrators is handled wrt user/group creation	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19088</a>	BUG-69638	Make sure AMS in embedded mode cannot have more than 1 deployed instance	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19089</a>	BUG-70036	Manage Journalnode Wizard is stuck at Add/Remove JournalNodes	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19101</a>	BUG-69949	Merge AMS service check support for HA from trunk	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19107</a>	BUG-68153	HDP install in Ambari wrongly warns about NTP not running on SUSE12	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19110</a>	BUG-69858	"Cluster Load" widget in ambari-dashboard, download as CSV is not working	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19112</a>	BUG-70084	Grafana start failing at create datasource step	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19115</a>	BUG-70138	Metrics Monitor start failed: ERROR: Cannot write pid /grid/0/pid/metric_monitor/ambari-metrics-monitor.pid	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19116</a>	BUG-67941	Hiveserver2 heap sizing based on number of concurrent queries	Ambari,Hive2
2.5.0.3	Other	<a href="#">AMBARI-19118</a>	BUG-70048	Ranger Admin Start failed while enabling NameNode HA	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19119</a>	BUG-70167	Fix hive-site.xml and hive-env.sh permissions for /etc/hive/conf (client) folder from 600 to 644.	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19120</a>	BUG-70168	Recommended values are not shown for LDAP/AD URL and Bind User in Ranger configs page	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19121</a>	BUG-70011	Add ability for users to provide mount exclusion list for UI deployment	Ambari,Storm
2.5.0.3	Other	<a href="#">AMBARI-19127</a>	BUG-70157	hbase_regionserver_shutdown_timeout should be editable all the time	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19129</a>	BUG-68707	Installer UI hangs when "Validation Issues" dialog is dismissed	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19130</a>	BUG-69781	Downgrade Can Create Multiple Mappings For Latest Configs	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19131</a>	BUG-70093	Manage Journalnode Wizard: incorrect number of installed JournalNodes	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19132</a>	BUG-70235	When disabling Kerberos, rm should be used when deleting the Ambari Server keytab file(s)	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19133</a>	BUG-70236	hadoop.proxyuser.HTTP.hosts should not be updated when Hive is installed unless WebHcat is installed	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19134</a>	BUG-70082	Storm start is failing due to ClassNotFoundException org.apache.hadoop .metrics2.sink.storm.StormTimelineMetricsReporter	Ambari,Storm
2.5.0.3	Other	<a href="#">AMBARI-19136</a>	BUG-70252	Ambari Server's response doesn't contain DRUID_ROUTER when POSTing a blueprint without master components	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.0.3	Other	<a href="#">AMBARI-19139</a>	BUG-70298	UI: Quick Link from Falcon has not correct name (Now: Falcon Dashboard), but before was 'Falcon Web UI'	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19142</a>	BUG-70314	Services page doesn't load after adding Host to existing config group	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19144</a>	BUG-70350	Add property existence check to druid stack advisor code	Ambari,Druid
2.5.0.3	Other	<a href="#">AMBARI-19145</a>	BUG-70363	Namenodes failed to start while adding a Journalnode	Ambari,Ranger
2.5.0.3	Other	<a href="#">AMBARI-19147</a>	BUG-62869	Enable wire-encryption on logsearch-solr-instance	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19150</a>	BUG-70263	Stack Advisor Throws Exception On ZooKeeper Configs	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19152</a>	BUG-70299	Perf: UI hangs after click on <Next> button, on <Assign Masters> step	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19153</a>	BUG-70090	"Create Principals" fails intermittently	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19155</a>	BUG-70404	Ambari Blueprint doesn't configure the SmartSense ActiveAnalysis Admin password	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19159</a>	BUG-70412	Namenode went down after enabling NNHA	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19161</a>	BUG-70234	Hadoop native library location need to be changed in mapred-site.xml for PPC	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19164</a>	BUG-70428	Add PK to hostcomponentdesiredstate Table To Support FK Relationships	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19165</a>	BUG-69739	Ambari-web unit tests cannot be run in Mac OS Sierra	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19168</a>	BUG-71464	Pig and Hive UDF migration	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19169</a>	BUG-69061	Add Service Page in Atlas doesn't show config on change	Ambari,Atlas
2.5.0.3	Other	<a href="#">AMBARI-19171</a>	BUG-70020	Configuring YARN with custom queues leads to misleading errors in Stack Advisor	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19172</a>	BUG-70182	Backup Oozie DB' message is masked when FixOozieAdminUsers code is invoked in EU wizard	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19173</a>	BUG-70444	zookeeper client install failed on attempt to reinstall	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19176</a>	BUG-70326	Perf: enable security fails	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19180</a>	BUG-70483	Service Flume failed to start with "cannot open /grid/0/log/flume/a1.out for reading: Permission denied"	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19182</a>	BUG-70497	Config Groups: Save button not enabled while trying to overwrite configs	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19183</a>	BUG-70496	Ambari allows creation of invalid config type	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19186</a>	BUG-69546	RU install_packages fails on suse	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19187</a>	BUG-70527	dekerberization hook	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19190</a>	BUG-70515	Remove UI logic to set or expect hive_server_interactive_host for hive-interactive-env	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19192</a>	BUG-70546	Use released Helix 0.6.6 instead of 0.7.1 beta as AMS dependency	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.0.3	Other	<a href="#">AMBARI-19193</a>	BUG-70566	Add common log rotation settings to YARN configs	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19194</a>	BUG-70464	Deployed Views Throw Exceptions On Ambari Server Startup	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19197</a>	BUG-70294	Kerberos advanced tab. Page wasn't refreshed after save changes. Save button is disabled.	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19198</a>	BUG-70369	Oozie Restart is not prompted on changing MapReduce2 properties	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19200</a>	BUG-70589	Turning OFF maintenance mode shows a popup on all hosts	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19201</a>	BUG-70639	Log size of status command queue size on Ambari agent	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19202</a>	BUG-70550	Devdeploy: Database check failed	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19203</a>	BUG-70643	LLAP app package cleanup fails after Hive Interactive start failure in non-root	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19204</a>	BUG-70664	Metrics monitor start failed after deleting AMS and reinstalling with different user	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19205</a>	BUG-70552	Technical Preview services should not be enabled by default	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19208</a>	BUG-70544	Manage Journalnode Wizard: error on step3	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19216</a>	BUG-70533	After rescanning yarn queue, Ambari still asks for RM to be restarted	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19220</a>	BUG-70547	Fix version of HDFS and YARN used by HDP 3.0 stack	Ambari,Spark
2.5.0.3	Other	<a href="#">AMBARI-19227</a>	BUG-68859	Expose Ranger Solr config content on Ambari	Ambari,Ranger
2.5.0.3	Other	<a href="#">AMBARI-19230</a>	BUG-70835	Ambari does not select correct heap size for HSIHS2	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19236</a>	BUG-63349	Stackadvisor: incorrect recommendations when only one of two dependencies was changed	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19239</a>	BUG-70487	Logs modal window in Host Details> Logs Tab not displayed properly with hidden modal-footer	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19240</a>	BUG-70772	Ambari UI should use "hosts_with_failures" from "host_resolution_check" in host check	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19242</a>	BUG-70144	Ambari Server hangs generating tasks for install+start when adding 600 hosts at a time	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19243</a>	BUG-70809	Metric monitor start command failed though the process started successfully.	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19245</a>	BUG-70988	SmartSense Install fails while installing cluster with Blueprint with Customized Service Users	Ambari, SmartSense
2.5.0.3	Other	<a href="#">AMBARI-19246</a>	BUG-70990	Ambari Agent start fails with local variable 'server_url' referenced before assignment	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19248</a>	BUG-72012	Add Livy to HDP 2.6 as slave component of Spark2	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.0.3	Other	<a href="#">AMBARI-19251</a>	BUG-67292	Ambari capacity queue manager only accepts values in integers i.e not decimal values like 0.5	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19252</a>	BUG-70810	Incorrect Method types displayed in the description of created Alert notification	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19257</a>	BUG-70719	BE changes needed for SNMP Ambari MIB support	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19259</a>	BUG-69302	When Updating An Alert Group a ConcurrentModificationException is Thrown	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19261</a>	BUG-71025	AMS: Cannot start after NN HA is enabled due to hbase.rootdir pointing to Standby NN	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19264</a>	BUG-71089	Zeppelin Notebook Component is not able start after reboot	Ambari,Zeppelin
2.5.0.3	Other	<a href="#">AMBARI-19265</a>	BUG-70817	Zeppelin fails to install when hive-site.xml does not exist in spark conf directory	Ambari,Zeppelin
2.5.0.3	Other	<a href="#">AMBARI-19276</a>	BUG-71360	Reset UI State does not clear "wizard running" state in the persist endpoint	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19278</a>	BUG-71080	All the component on the druid BI fail to start due to name node heap issue	Ambari,Druid
2.5.0.3	Other	<a href="#">AMBARI-19282</a>	BUG-71088	HA HDFS properties may be written in different case, which prevents operations	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19284</a>	BUG-71171	Zeppelin Notebook start fails after reboot	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19285</a>	BUG-70777	HOU pre-checks indicate HA as a requirement	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19286</a>	BUG-71062	Handle permissions for setting service auto start in FE	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19287</a>	BUG-71361	Adding custom property should trim white spaces in the prefix and suffix of the property name	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19293</a>	BUG-71094	Component install and after-install should not run in parallel	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19296</a>	BUG-56250	When adding service, custom core-site properties get reverted back	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19297</a>	BUG-69103	Decrease time it takes to run Oozie Service Check	Ambari,Oozie
2.5.0.3	Other	<a href="#">AMBARI-19299</a>	BUG-71258	Wrong number of filtered hosts	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19300</a>	BUG-71276	Zeppelin install fails if spark is installed	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19303</a>	BUG-71289	Dependent configurations are not loaded if value is set via "Set recommended" button	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19304</a>	BUG-71029	Host logs should not be visible for cluster user and service operator users	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19307</a>	BUG-68460	UI should validate Ranger user password be more than 8 chars	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19309</a>	BUG-71285	Stack advisor doesn't recommend distributed mode for AMS HA clusters	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19311</a>	BUG-70673	Required property 'yarn.nodemanager.linux-container-executor.cgroups.mount-path' while Adding ranger	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.0.3	Other	<a href="#">AMBARI-19316</a>	BUG-71333	Zeppelin stop failed during EU while deleting pid file with customized service user	Ambari,Zeppelin
2.5.0.3	Other	<a href="#">AMBARI-19318</a>	BUG-71388	Recommended configs changes are displayed twice before adding or deleting Nimbus	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19319</a>	BUG-71186	Disable auto start before RU/EU and enable during finalization phase	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19327</a>	BUG-71357	yarn.nodemanager.linux-container-executor.cgroups.mount-path need to be added to "Isolated" group on UI for yarn configs	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19329</a>	BUG-71389	Install Wizard cannot proceed beyond Select Services page	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19333</a>	BUG-71119	Log search portal truststore password in classpath	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19341</a>	BUG-71099	Not able to update the role for a given user	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19344</a>	BUG-71489	HOU Fails To Restart NameNode in non-HA Cluster	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19345</a>	BUG-71595	Storm REST metrics are not available when Storm UI is running in HTTPS	Ambari,Storm
2.5.0.3	Other	<a href="#">AMBARI-19346</a>	BUG-71492	Ambari trunk/branch-2.5 unit tests consistently failing on builds.apache.org (rat check failure)	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19356</a>	BUG-71563	Change type of fields for Ambari SNMP alert trap	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19363</a>	BUG-71593	LogSearch: Roles allowed property is hard coded	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19365</a>	BUG-71140	Executing ambari-server unit tests with JDK 1.8 results in unit test failures	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19374</a>	BUG-71645	solr_cloud_util.py should update solr data in ZK if it has changed	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19383</a>	BUG-71383	Configs changes after adding/deleting host component: value shouldn't be changed if it differs in host names order only	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19386</a>	BUG-71430	ATLAS service check should explicitly run against metadata server host	Ambari,Atlas
2.5.0.3	Other	<a href="#">AMBARI-19387</a>	BUG-71416	When deleting services UI shows a lot of configs to be changing but none changes	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19388</a>	BUG-71349	PERF: disabling security fails	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19389</a>	BUG-71686	Authentication negotiation HTTP response should be sent when Kerberos authentication is enabled	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19390</a>	BUG-71693	AMS Collector works in HTTP mode after setting ams-site/timeline.metrics.service.http.policy=HTTPS_ONLY to HTTPS_ONLY	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19392</a>	BUG-72977	Status command executor may use obsolete settings	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19393</a>	BUG-71343	Cluster User role is able to view auto start page	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.0.3	Other	<a href="#">AMBARI-19400</a>	BUG-71684	Reconfigure after adding/deleting ZooKeeper Server is not performed if Atlas is installed	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19402</a>	BUG-71578	dfs.exclude file doesn't exist when deploying cluster with NN HA + kerberos via BP	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19404</a>	BUG-71603	Warning by default by stack advisor	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19408</a>	BUG-71612	Ambari Server Unit Test failures on trunk/branch-2.5 for JMXPropertyProviderTest, timing out after 50ms	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19409</a>	BUG-71523	Auto refresh yarn queues when capacity scheduler config is changed from hive configs page	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19416</a>	BUG-71837	Ambari agents remain in heartbeat lost state after ambari server restart	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19423</a>	BUG-71852	Change HostStackVersionResourceProvider to be able to install packages on single host not belonging to any cluster	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19430</a>	BUG-71909	Use common property for principal name prefix to help with customization of unique principal names	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19435</a>	BUG-71037	NodeManager restart fails during HOU if it is on same host as RM	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19437</a>	BUG-68578	Remove anonymous bind option for Ranger	Ambari,Ranger
2.5.0.3	Other	<a href="#">AMBARI-19441</a>	BUG-71694	Ambari should add warning when LogSearch selected without Ambari-Infra	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19442</a>	BUG-71964	Ownership is changed before the creation of directory in ZEPPELIN master.py	Ambari,Zeppelin
2.5.0.3	Other	<a href="#">AMBARI-19444</a>	BUG-71971	Log Feeder should be restarted after configuration change	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19448</a>	BUG-71986	Role Command Order For HOU Is Different For Some Components	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19449</a>	BUG-72010	Enable cartesian product edge by default for hive interactive in HDP 2.6 stack	Ambari,Hive2
2.5.0.3	Other	<a href="#">AMBARI-19458</a>	BUG-72066	Compile error in RoleGraphTest	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19459</a>	BUG-68861	Optimizing services startup time when ranger admin is down	Ambari,Ranger
2.5.0.3	Other	<a href="#">AMBARI-19461</a>	BUG-70501	Log Search: default search ranges don't look right	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19463</a>	BUG-71381	Oozie Restart is not prompted on changing core-site.xml	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19464</a>	BUG-65751	Stack Downgrading Potentially Corrupts Kerberos Descriptor	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19465</a>	BUG-72068	JS error when user click Alert Link in the popup on the service summary page	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19466</a>	BUG-71638	Sqlite-thin is unable to connect to phoenix	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19468</a>	BUG-70185	Enable using ACLs for infra solr znode (Infra Solr, LogSearch) collections	Ambari



Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.0.3	Other	<a href="#">AMBARI-19469</a>	BUG-70503	Log Search: Calendar widget for setting the time range is confusing	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19471</a>	BUG-72029	Ambari-server: In HIVE and OOZIE configurations, annotate PASSWORD properties that need to be stored in a JCEKS provider	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19472</a>	BUG-72115	Service Checks getting timed out after Wire Encryption	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19519</a>	BUG-72208	Log Feeder should store keystore / truststore passwords in files	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19520</a>	BUG-72204	Ambari agents not recovering from heart beat lost state immediately after successful re-registering with server	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19521</a>	BUG-72272	Log Search Add 'last 24 hours' to the time picker buttons	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19524</a>	BUG-64936	Atlas - fix conf_dir to use correct symlink instead of /etc/atlas/conf in status_params.py	Ambari,Atlas
2.5.0.3	Other	<a href="#">AMBARI-19525</a>	BUG-72203	Unit Test failure caused by BUG-72029	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19526</a>	BUG-64912	Ambari should mark oozie servers to be restarted when atlas hook configs or jars change	Ambari,Atlas
2.5.0.3	Other	<a href="#">AMBARI-19529</a>	BUG-72223	Atlas service check should fail only if all metadata servers are down.	Ambari,Atlas
2.5.0.3	Other	<a href="#">AMBARI-19530</a>	BUG-71533	Deploy Job failed saying "Command aborted. Reason: 'Stage timeout'"	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19539</a>	BUG-72229	Spark2 Service check fails on WE enabled cluster	Ambari,Spark
2.5.0.3	Other	<a href="#">AMBARI-19540</a>	BUG-72070	Possibly too frequent calls to stack advisor as user changes sliders	Ambari,Phoenix
2.5.0.3	Other	<a href="#">AMBARI-19545</a>	BUG-70248	Ambari-agent: In HIVE and OOZIE stack scripts, copy JCEKS file to desired location	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19547</a>	BUG-72336	tez am memory is set to 0, queue parsing improvements, config name changes, non-llap queue handling	Ambari,Hive2
2.5.0.3	Other	<a href="#">AMBARI-19558</a>	BUG-72237	hivemetastore-report.json.tmp permission errors in hive metastore, HS2 logs	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19559</a>	BUG-72354	Log Namenode formatting output into ambari-agent command logs	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19564</a>	BUG-72187	Devdeploy: Hcat client install fails on sles	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19565</a>	BUG-72231	Ambari-agent: /var/lib/ambari-agent/cred/lib is not created and populated with credential store JARs and dependencies	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19567</a>	BUG-71438	NFS Gateway start fails during EU to HDP-2.5.3 with portmap error	Ambari,HDFS
2.5.0.3	Other	<a href="#">AMBARI-19569</a>	BUG-72382	Ambari trunk build failing due to checkstyle	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19575</a>	BUG-72442	Deploy failed as App Timeline server start failed after Wireencryption	Ambari,HDFS
2.5.0.3	Other	<a href="#">AMBARI-19578</a>	BUG-72444	Stack advisor enhancements for YARN min container size changes	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.0.3	Other	<a href="#">AMBARI-19585</a>	BUG-72485	Client config tags may not be saved by agent	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19593</a>	BUG-73400	Lone ZooKeeper install on fresh node does not install properly on Ubuntu 14.04	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19596</a>	BUG-71786	ZKFC version shows incorrect in DB tables upon downgrade	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19598</a>	BUG-72341	Non Ambari managed queues are not handled correctly for LLAP	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19608</a>	BUG-72578	Log Search support livy2 server logs	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19612</a>	BUG-72013	ambari-server setup failed	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19616</a>	BUG-72541	HSI start fails in Ambari-2.5 with HDP 2.5 for unrecognizable --slider-placement argument.	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19619</a>	BUG-71980	Ranger load balancer url needs to be updated for dependent properties during HA	Ambari,Ranger
2.5.0.3	Other	<a href="#">AMBARI-19623</a>	BUG-69654	Atlas startup fails with ZkTimeoutException	Ambari,Atlas
2.5.0.3	Other	<a href="#">AMBARI-19626</a>	BUG-68217	LLAP Startup: slider dependencies are not deployed by Ambari	Ambari,Slider
2.5.0.3	Other	<a href="#">AMBARI-19627</a>	BUG-72057	Cannot start Zeppelin notebook if Hive is not installed	Ambari,Zeppelin
2.5.0.3	Other	<a href="#">AMBARI-19629</a>	BUG-72789	Move out schemaTool invocation from configure method to hive_metastore start method	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19632</a>	BUG-72822	Ldap sync fails when there are special characters in distinguished names	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19633</a>	BUG-72791	accordion classname missed on configs page	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19634</a>	BUG-70504	Log Search: Service Logs -> Snapshot feature	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19637</a>	BUG-72181	No baseUrl field on Register Version page if repoinfo.xml contains only one baseurl	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19638</a>	BUG-70405	Improve delete logging for topology artifacts	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19639</a>	BUG-72710	Removing the hardcoding for LLAP app name in hive_server_interactive and read it from config.	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19642</a>	BUG-32916	Error during Alert: Unable to authenticate through LDAP for Hiveserver2 (also floods HS2 log with error messages)	Ambari,Hive
2.5.0.3	Other	<a href="#">AMBARI-19645</a>	BUG-72883	Log Search should use Credential Store API to store keystore/truststore passwords	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19648</a>	BUG-72558	Zeppelin Server Start Fails	Ambari,Zeppelin
2.5.0.3	Other	<a href="#">AMBARI-19649</a>	BUG-72460	Ambari Purge (db-cleanup) is not working	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19650</a>	BUG-72889	Remove hard coded smartsense Log Feeder config from Log Search stack	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.0.3	Other	<a href="#">AMBARI-19654</a>	BUG-72751	ambari-server –debug is failing with No such file or directory: '/var/log/ambari-server/ambari-server.out'	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19658</a>	BUG-70201	LogSearch Integration Cache Timeout should be configurable	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19659</a>	BUG-72580	Log Search should handle new services	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19661</a>	BUG-72943	Kafka Brokers go down after Wire Encryption	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19662</a>	BUG-72946	Unknown attributes should not be allowed in quick link filter definitions	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19670</a>	BUG-72794	Cluster Operator role is not able toggle auto-start at the cluster level	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19672</a>	BUG-72986	Alert Popup doesn't execute callback if it's closed without click on "Primary"	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19676</a>	BUG-72998	ZKFC start failed	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19677</a>	BUG-72885	Storm service check failed after HOU to HDP-2.5.3 due to CNF for StormAtlasHook	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19679</a>	BUG-72948	Dangling config-group hostmapping entries result in partial loading of config groups	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19681</a>	BUG-72951	Credential Store should add necessary property to all configuration type	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19682</a>	BUG-72827	Small fixes for common log rotation	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19683</a>	BUG-72566	Content of yarn-env.sh on host is not same as in the downloaded config file from Ambari UI	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19684</a>	BUG-72863	Agent registration fails as local OS is not compatible with primary OS family	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19686</a>	BUG-72964	llap daemons are consuming all available memory	Ambari,Hive
2.5.0.3	Other	<a href="#">AMBARI-19687</a>	BUG-72744	Support setting the logger for llap	Ambari,Hive2
2.5.0.3	Other	<a href="#">AMBARI-19690</a>	BUG-65094	NM Memory can end up being too high on nodes with many components	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19691</a>	BUG-72944	Validation errors are not shown if properties do not exist	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19692</a>	BUG-73109	LDAP regression in Ambari 2.4: Login alias is not resolved during authentication	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19693</a>	BUG-71421	Permission issues with conf.server/hive-site.xml across several hive components	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19695</a>	BUG-72892	Remove thrown exceptions while validating Kerberos Authentication configuration	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19696</a>	BUG-71930	Moving master component to another host does not install dependent components on the target host	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19697</a>	BUG-73201	Uninstalled services including Ganglia is coming up in Config History-Service dropdown	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19698</a>	BUG-73202	Author name in config history is not shown completely	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.0.3	Other	<a href="#">AMBARI-19699</a>	BUG-73146	Axis units and aggregators are wrong in some graphs of ambari grafana dashboards	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19702</a>	BUG-73126	Enable "exectype=tez" in pig.properties	Ambari,Pig
2.5.0.3	Other	<a href="#">AMBARI-19703</a>	BUG-73115	"Add Config Property" causes JS-error	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19704</a>	BUG-72516	Enable Group Sync when Incremental sync is enabled for Ranger Usersync in Ambari	Ambari,Ranger
2.5.0.3	Other	<a href="#">AMBARI-19706</a>	BUG-73104	Slider Client Install failed	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19708</a>	BUG-73233	Exception in agent logs	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19710</a>	BUG-72605	RU: NFS Gateway restart fails during RU to 2.4.3.0 with portmap error	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19711</a>	BUG-73031	Unable to register HDP version 2.6.0.0 on cluster with HDP 2.5.3.0	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19712</a>	BUG-73331	Cluster creation fails due to database exception	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19713</a>	BUG-72924	Styles for showing Config Changes need more polishing	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19716</a>	BUG-72340	CS queue refresh happens before the user clicks on the restart button	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19717</a>	BUG-73229	HDFS TopN Operations by User graph showing wrong data in grafana	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19719</a>	BUG-72464	Change RPC port for LLAP to 0	Ambari,Hive2
2.5.0.3	Other	<a href="#">AMBARI-19720</a>	BUG-72441	when restarting HSI, Ambari should not run slider stop and slider destroy (LLAP script already does that)	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19721</a>	BUG-69902	Ambari should use llapstatus tool's watch mode for starting llap	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19723</a>	BUG-73383	Log Search portal not working if only solr needs SSL connection	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19724</a>	BUG-73163	Refreshing the page (browser refresh) when on the tez view goes back to the main views page (non admin user)	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19725</a>	BUG-58475	Atlas deployment via Ambari should configure ZooKeeper ACLs and Auth scheme	Ambari,Atlas
2.5.0.3	Other	<a href="#">AMBARI-19726</a>	BUG-73323	Directory /user/\$username was not created in hdfs within Post-user-creation script hook execution after Ambari+LDAP sync	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19727</a>	BUG-73397	Extend security.json of Infra Solr as a configuration property in Ambari	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19731</a>	BUG-73404	Stack Advisor error while adding services in Add Service Wizard	Ambari,SmartSense
2.5.0.3	Other	<a href="#">AMBARI-19736</a>	BUG-73419	Format ZKFC commands failing while enabling NameNode HA	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19737</a>	BUG-73372	Add a message to the LLAP config page about CS pre-emption requirements	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19739</a>	BUG-73403	Ubuntu16: HSI failed to start after enabling security	Ambari,Ranger
2.5.0.3	Other	<a href="#">AMBARI-19741</a>	BUG-73396	Ambari Server Unit Test failure on branch-2.5/trunk for testUpdateConfigForceSecurityEnabled	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.0.3	Other	<a href="#">AMBARI-19743</a>	BUG-73409	Agent bootstrapping fails for non-root agent user	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19746</a>	BUG-73338	Ambari HDFS Metric alerts turns to UNKNOWN status with error "argument of type 'NoneType' is not iterable"	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19749</a>	BUG-73497	Run ru_set_all script after installing packages on single host not belonging to any cluster	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19751</a>	BUG-72936	Credential Store params should be in the command json for RESTART too	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19760</a>	BUG-70820	HSI: Fixes for smaller clusters - higher concurrency, min_node_size	Ambari,Hive2
2.5.0.3	Other	<a href="#">AMBARI-19762</a>	BUG-73411	Kerberizing PERF cluster fails since cannot find principal name config in dummy.py	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19764</a>	BUG-73556	yarn.min.container.size is read incorrectly on first load of the Hive config page	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19767</a>	BUG-73570	Inconsistent auth-to-local rules processing during Kerberos authentication	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19773</a>	BUG-73401	Ambari installation changes to enable incremental sync by default for fresh install cases	Ambari,Ranger
2.5.0.3	Other	<a href="#">AMBARI-19775</a>	BUG-74229	RU: Ambari-agent heartbeat lost after RU	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19776</a>	BUG-73599	Update slider tarball before uploading to DFS	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19777</a>	BUG-71379	Izo broken for hive on tez	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19778</a>	BUG-73601	For alerts, alert_hive_interactive_thrift_port.py script is reading "hive.server2.transport.mode" property from hive-site config, ideally it should be reading from hive-interactive-site config.	Ambari,Hive2
2.5.0.3	Other	<a href="#">AMBARI-19781</a>	BUG-73391	Reassign wizard erases config properties attributes	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19785</a>	BUG-71108	Need to have a flag from UI to show/hide ranger plugin configs (for cloud support)	Ambari,Ranger
2.5.0.3	Other	<a href="#">AMBARI-19786</a>	BUG-73602	Nimbus failed to start due to StringUtils ClassNotFound	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19787</a>	BUG-73661	Service Checks not being executed after Wire Encryption	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19796</a>	BUG-73726	Log Search portal date range picker - fix minor issues	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19797</a>	BUG-73227	ambari-server SuSE11 init script not working in certain environments	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19800</a>	BUG-73724	Add precheck for Auto-Start being disabled	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19802</a>	BUG-73237	Agent randomly lost heartbeat with the server	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19806</a>	BUG-70238	After setting up hadoop credential, can't start Hive Metastore	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19814</a>	BUG-72343	num_llap_nodes' should show up as non-editable property when non-ambari managed queue is selected	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.0.3	Other	<a href="#">AMBARI-19816</a>	BUG-73870	Heartbeat lost from one host during Wire Encryption	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19818</a>	BUG-73711	"Set version on all hosts" failed during EU	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19821</a>	BUG-73723	Recommendations for non-editable properties should be listed as 'Required Changes'	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19822</a>	BUG-73729	Add default permissions for Ambari-Infra (Log Search, Atlas, Ranger admin)	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19824</a>	BUG-73412	Add consistency checker/fixer for blueprint tables	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19825</a>	BUG-73722	Metrics data is not getting collected for different services when AMS HTTPS is enabled	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19827</a>	BUG-72027	HiveServer2 Interactive won't start in clusters with less memory	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19828</a>	BUG-71189	UI changes to resolve discrepancies between what the stack vs Ambari reports as "live" for NodeManagers	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19841</a>	BUG-73650	[Ambari] Add 'yarn.client.failover-proxy-provider' in yarn-site.xml by default for all HA enabled clusters	Ambari, YARN
2.5.0.3	Other	<a href="#">AMBARI-19845</a>	BUG-56072	Secure Ranger passwords in Ambari Stacks	Ambari, Ranger
2.5.0.3	Other	<a href="#">AMBARI-19847</a>	BUG-73845	Improve Log Feeder simulation to help scale testing	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19851</a>	BUG-73847	ambari-server start failed with exit code 1.	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19855</a>	BUG-71500	Stack advisor issues encountered	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19858</a>	BUG-72829	Add "nodeCount" metric in AMS	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19859</a>	BUG-73568	The user must be clearly communicated about YARN pre-emption requirements when Hive LLAP is enabled	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19860</a>	BUG-67697	storm topology worker log issue	Ambari, Storm
2.5.0.3	Other	<a href="#">AMBARI-19862</a>	BUG-73976	JS error on host configs page	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19863</a>	BUG-74086	Fix Log Search User Config bugs	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19865</a>	BUG-73968	500 Server Error due to NoSuchMethodError in javax.servlet	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19866</a>	BUG-73406	Scale requests are failing after removing services from original components of a hostgroup	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19871</a>	BUG-73988	Config version switch/compare/revert doesn't work	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19878</a>	BUG-74208	Log Search Portal time zone selection bug	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19884</a>	BUG-73346	Set a higher value for yarn.nodemanager.log-aggregation.num-log-files-per-app	Ambari, YARN
2.5.0.3	Other	<a href="#">AMBARI-19886</a>	BUG-73231	Integrate with CS changes for llap to start on a fragmented cluster	Ambari, Hive2
2.5.0.3	Other	<a href="#">AMBARI-19892</a>	BUG-74309	Ambari fails to build on 2.5.0.0 if version is not forced	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19893</a>	BUG-74292	Modify Druid description in HDP 2.6 to mention it as a technical preview.	Ambari, Druid

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.0.3	Other	<a href="#">AMBARI-19895</a>	BUG-74286	Firewall check during ambari-server setup fails on CentOS7	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19896</a>	BUG-74307	Unable to add ZooKeeper Server to host	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19897</a>	BUG-70638	Provide user-warning while upgrading clusters to move certificates/keystores/truststores out of conf folder	Ambari,Ranger
2.5.0.3	Other	<a href="#">AMBARI-19900</a>	BUG-74151	Ambari doesn't appear to configure logging correctly for LLAP	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19905</a>	BUG-74135	When submitting queries to a queue other than the configured default queues, additional AMs are launched for LLAP (Ambari)	Ambari,Hive2
2.5.0.3	Other	<a href="#">AMBARI-19907</a>	BUG-74026	On certain actions, there's no feedback from the UI when API takes a long time to respond - not reassuring and the user is encouraged to keep triggering the same heavy action to make the problem worse	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19908</a>	BUG-74316	Deploy job fails intermittent due to ambari metrics service check failure	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19909</a>	BUG-73785	Exported Blueprint does not include credential_store settings	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19912</a>	BUG-74364	Manage Config Group host list is not sorted	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19915</a>	BUG-74188	Add Ranger KMS SSL properties in ambari stack	Ambari,Ranger
2.5.0.3	Other	<a href="#">AMBARI-19923</a>	BUG-73902	Hive metastore restart failed after enabling credential store	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19924</a>	BUG-74221	Ranger Admin HA Wizard should show all configuration changes on Review step	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19927</a>	BUG-73842	Some services weren't started after adding in Kerberize cluster	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19929</a>	BUG-74436	TopologyRequest/TopologyLogicalRequest/TopologyHostRequest database inconsistency	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19930</a>	BUG-74442	The service check status was set to TIMEOUT even if service check was failed	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19933</a>	BUG-70588	HSI is not started with configured "Hiveserver2 heap size"	Ambari,Hive2
2.5.0.3	Other	<a href="#">AMBARI-19934</a>	BUG-74340	Confusing Auto Start settings page behavior when loading and API takes a while	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19937</a>	BUG-74461	Restart Indicator in Service > Config page does not disappear automatically - page refresh required	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19939</a>	BUG-74031	Service Config pages load very slowly	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19941</a>	BUG-74520	Hive start fails in non-root if agent previously ran as root	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19942</a>	BUG-74358	Unexpected paging behavior on Hosts page	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19943</a>	BUG-74531	Ambari-agent fails to restart in non-root if was running as root before	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19945</a>	BUG-73994	IE11 Layout for password widgets is broken	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.0.3	Other	<a href="#">AMBARI-19947</a>	BUG-74264	To make sure LLAP preemption happens correctly, should enable priority-utilization.underutilized-preemption.enabled=true when YARN preemption is enabled	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19948</a>	BUG-74547	Stale configs are present even after restarting with - 'Restart All required'	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19951</a>	BUG-74552	Set "yarn.scheduler.capacity.ordering-policy.priority-utilization.underutilized-preemption.enabled" property value during RU/EU to HDP2.6	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19957</a>	BUG-71959	Database schema not changing to ambari after restoring the ambari db.	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19959</a>	BUG-74648	Allow skipping view extraction in ambari-server setup	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19960</a>	BUG-74426	No config properties are changed after deleting service if it's performed after service page refresh	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19961</a>	BUG-74662	KERBEROS_CLIENT is not included automatically in all hostgroups when scaling a cluster after server restart	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19962</a>	BUG-74355	Clicking on the login button (or hitting page refresh) to seeing the dashboard takes a while on a 1000-node cluster	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19964</a>	BUG-73995	Set recommended tooltip appears in front of icon	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19967</a>	BUG-71514	Ambari Server Unit Test Failures	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19968</a>	BUG-73342	Control the debug level across all Hive components from a single place	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19970</a>	BUG-74676	AMS graphs are not present on cluster with SSL	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19971</a>	BUG-73557	When llap calculations reduce the node count for daemons below the value selected by users, the information is not propagated to the llap start command	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19972</a>	BUG-74675	Stop All services call failed to stop flume agent	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19977</a>	BUG-74039	Increase default timeout for RM	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19986</a>	BUG-74671	Post User Creation Hook Group Permission Changes	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19987</a>	BUG-74674	Oozie start failed after enabling credential store	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19992</a>	BUG-74813	Hive metrics are not collected if AMS HTTPS is enabled.	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19993</a>	BUG-74785	Update atlas log-4j.xml configurations in ambari	Ambari,Atlas
2.5.0.3	Other	<a href="#">AMBARI-19995</a>	BUG-74728	Changes to improve error reporting on LLAP startup failures, LLAP down	Ambari
2.5.0.3	Other	<a href="#">AMBARI-19997</a>	BUG-74807	Spark check fails because livy server is dead	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20002</a>	BUG-74829	UI on Admin page-> Auto Start tab is not consistent	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20006</a>	BUG-74874	Log Search should not hide external Solr button even if it's mandatory	Ambari



Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.0.3	Other	<a href="#">AMBARI-20008</a>	BUG-73651	"Manage alert notifications" does not appear in the authorization list	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20011</a>	BUG-74896	JS error in the "Supervisors Live" widget	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20014</a>	BUG-70300	Multiple unit tests accessing same table which causes lock issues	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20018</a>	BUG-74937	Document security issue related to setting security.agent.hostname.validate to false	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20020</a>	BUG-73657	Ambari-server restart –debug failed	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20024</a>	BUG-74939	Relax ranger config DB consistency check rules	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20028</a>	BUG-74721	Operations do not show up in the operations list without a refresh	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20032</a>	BUG-75027	HDFS service check fails after Stopping one Namenode in HA cluster	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20033</a>	BUG-74834	HDC 2.6 TP: LLAP not starting OOTB	Ambari,Hive2
2.5.0.3	Other	<a href="#">AMBARI-20034</a>	BUG-73525	USER to GROUP mapping (hdfs_user -> hadoop_group) should be stack driven	Ambari,Spark
2.5.0.3	Other	<a href="#">AMBARI-20037</a>	BUG-75076	Druid-superset install fails with ambari running on python 2.6.6	Ambari,Druid
2.5.0.3	Other	<a href="#">AMBARI-20044</a>	BUG-75083	NullPointerException after server restart in case not all hosts were joined	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20045</a>	BUG-75035	More than one version of jetty jars found in Ambari rpm	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20047</a>	BUG-72873	When enabling ranger plugin for HBase, Ranger repository config user is not set to customized service user	Ambari,Ranger
2.5.0.3	Other	<a href="#">AMBARI-20049</a>	BUG-74973	One way SSL fallback logic can cause some agents to be connected with 2-way SSL	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20051</a>	BUG-75067	Hosts filter component list is not sorted so it is difficult to use	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20052</a>	BUG-75146	Spark2 service check is failing in secure env	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20056</a>	BUG-73427	FIFO compaction resulting in too many store files on large cluster	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20057</a>	BUG-75069	"NodeManagers Status" is missing on YARN Summary page	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20058</a>	BUG-75166	Final' is not shown correctly in config diff tool and in older versions	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20059</a>	BUG-74767	Storm config change results in Consistency check failed	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20060</a>	BUG-74880	llap_headroom_space configuration	Ambari,Hive2
2.5.0.3	Other	<a href="#">AMBARI-20063</a>	BUG-75210	Removing secure ACLs from Kafka znodes during dekerberization	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20065</a>	BUG-74661	Livy server start failed after downgrade with missing livy.server.kerberos.keytab error	Ambari,Spark
2.5.0.3	Other	<a href="#">AMBARI-20066</a>	BUG-75065	"Install" button is shown in Admin > Stack and Versions > Version page for the original stack version installed via Install Wizard	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.0.3	Other	<a href="#">AMBARI-20067</a>	BUG-75225	Finalize Operations stage fails when Enabling Kerberos using the manual option	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20068</a>	BUG-74360	Getting Internal Server Error (500) on services API while trying to start all services with atleast one component in INSTALL_FAILED state	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20069</a>	BUG-74356	hive.enforce.bucketing=true	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20071</a>	BUG-75151	Hadoop metrics sink prints lots of logs if collector is unavailable	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20072</a>	BUG-75191	heap dump opts missing from tez.am.launch.cmd-opts	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20081</a>	BUG-75354	Install actions fail when switching from root to non-root.	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20085</a>	BUG-75032	Confusing AMS collector heap size validation loop	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20088</a>	BUG-75361	Log Search should handle turned off Credential Store too	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20103</a>	BUG-75463	Reduce AMS HBase metrics through whitelist.	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20104</a>	BUG-74784	Kafka Controller metrics are not being displayed.	Ambari,Kafka
2.5.0.3	Other	<a href="#">AMBARI-20106</a>	BUG-75513	Additional config changes for HSI	Ambari,Hive2
2.5.0.3	Other	<a href="#">AMBARI-20115</a>	BUG-75066	Ambari reports grafana service is down when its running causing other services to not start	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20116</a>	BUG-74769	Config changes in Kafka should be reflected in Atlas	Ambari,Atlas
2.5.0.3	Other	<a href="#">AMBARI-20119</a>	BUG-74775	"Use RedHat Satellite/Spacewalk" setting not working correctly in Ambari 2.4.2.0	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20120</a>	BUG-75094	Error during EU while updating Ranger Log4J service configs	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20123</a>	BUG-75180	Click feedback/disable toggle is missing for transition buttons in Kerberos Wizard - prone to various failures	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20124</a>	BUG-75590	Ranger Installation Scripts Use Python 2.7 Collection Classes	Ambari,Ranger
2.5.0.3	Other	<a href="#">AMBARI-20125</a>	BUG-75593	DataNode Storage alert is duplicated	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20136</a>	BUG-75624	Services should be able to specify that credential store is always enabled	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20145</a>	BUG-74752	Restart Kafka broker failed after enabling kerberos with "kinit(v5): No such file or directory while getting initial credentials"	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20147</a>	BUG-75748	Not able to delete custom property	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20148</a>	BUG-75501	"Set Version on All Hosts" Fails For Hosts Without Any Stack Components	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20151</a>	BUG-74186	Modify Hive log settings to integrate with tez reduced logging	Ambari,Tez
2.5.0.3	Other	<a href="#">AMBARI-20152</a>	BUG-75547	Audit entries are not getting logged for storm actions	Ambari,Ranger
2.5.0.3	Other	<a href="#">AMBARI-20154</a>	BUG-75503	Ensure all dependency jars and stack contents within /usr/lib/ambari-server are with permission 755	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.0.3	Other	<a href="#">AMBARI-20155</a>	BUG-75572	EU: Manual Step without any context after "All Service Checks" fail	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20158</a>	BUG-75478	Host filter is missing for admin user after upgrading to ambari 2.4.2 or above	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20159</a>	BUG-75471	Cluster deploy failed as install service failed with "Execution of 'zypper clean – all' returned 7. System management is locked by the application with pid ..."	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20169</a>	BUG-75539	Handle on UI error on services API while trying to start all services with atleast one component in INSTALL_FAILED state	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20170</a>	BUG-75332	ambari-server package size increased from 645MB to 1GB	Ambari, Ambari View
2.5.0.3	Other	<a href="#">AMBARI-20172</a>	BUG-75745	Manage Configuration Group Hosts popup is way too small to be useful when it is needed	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20176</a>	BUG-75847	Zeppelin Notebook fails to start without HDFS	Ambari, Zeppelin
2.5.0.3	Other	<a href="#">AMBARI-20178</a>	BUG-72786	Authorization failure during replaying persisted state	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20179</a>	BUG-75800	AMS Collector shuts down with Helix-Zk related exception.	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20185</a>	BUG-75909	Move spinner for Next and Back button in Kerberos Wizard	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20190</a>	BUG-75609	LogSearch Integration logs repeated WARN message that should be at DEBUG level	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20191</a>	BUG-75919	Remove command duplicate from log_process_information	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20193</a>	BUG-75786	Log Search Portal is not working with HTTPS with it's own created Key Store	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20194</a>	BUG-74673	Enable/Disable UI objects related to managing alert targets based on user's privileges	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20196</a>	BUG-75234	SmartSense HST Server needs JCE unlimited policy even if cluster is not Kerberized	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20198</a>	BUG-75799	[UT parallel tests] ambari maven execution needs external variable for forkcount in docker image	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20201</a>	BUG-75744	Config Groups are shown twice after creation	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20210</a>	BUG-75953	[BE] "refresh yarn queue" takes 20 minutes to fail, instead it should fail after a fixed numbers of the attempts within 2 minutes	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20211</a>	BUG-75946	UI asking user to "refresh yarn queue" on stopped yarn service, which results to infinite refresh time as yarn is stopped	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20212</a>	BUG-68381	Remove HDP version check in KAFKA service	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20214</a>	BUG-75944	Strange UI behavior on editing property	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20217</a>	BUG-75895	Services fail to start as calls to webhdfs are hitting GSEException	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20218</a>	BUG-75922	Set mode 644 for all ambari jars	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.0.3	Other	<a href="#">AMBARI-20219</a>	BUG-76017	Grafana Start Failed on HDF cluster	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20220</a>	BUG-75469	Ambari Server Startup Takes Too Long And Returns An Error Code	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20235</a>	BUG-76016	While enabling Ranger Plugins, Improper formatting of recommended configs in the popup	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20242</a>	BUG-76109	Ranger Admin start timedout	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20245</a>	BUG-76074	Setup tez ats related parameters	Ambari,Tez
2.5.0.3	Other	<a href="#">AMBARI-20249</a>	BUG-76149	Stopping spark2 doesn't generate any alerts	Ambari,Spark
2.5.0.3	Other	<a href="#">AMBARI-20258</a>	BUG-75963	[INTERMITTENT] Null pointer Exception when modifying configs of services	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20264</a>	BUG-76164	HiveServer2 Interactive start failed after WE enable	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20265</a>	BUG-76029	Blueprint deployment with auto-restart settings enabled, auto-restart UI is incomplete.	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20267</a>	BUG-75288	HSI doesnt not start for the below scenario after kerberization.	Ambari,Hive2
2.5.0.3	Other	<a href="#">AMBARI-20270</a>	BUG-76353	NPE thrown if downscale is performed before all hosts registered with cluster.	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20271</a>	BUG-76262	Call to fetch Quick Links host fails	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20279</a>	BUG-76209	During RU, restarting HSI failed	Ambari
2.5.0.3	Other	<a href="#">AMBARI-20282</a>	BUG-76395	Set tez task listener thread count to 1 by default for hive interactive in HDP 2.6 stack	Ambari,Hive2
2.5.0.3	Other	<a href="#">AMBARI-20285</a>	BUG-76146	Spark2 Thrift Server stopped due to incompletely uploaded tar.gz	Ambari,Spark
2.5.0.3	Other	<a href="#">AMBARI-20302</a>	BUG-76032	Despite user selecting not to apply Config Changes, Changes are being applied	Ambari
2.5.0.3	Performance	<a href="#">AMBARI-17889</a>	BUG-62132	Bad error message if user has not performed ambari-server setup for jdbc driver before configuring custom DB	Ambari
2.5.0.3	Performance	<a href="#">AMBARI-19023</a>	BUG-64191	After adding an Atlas server the first restart command fails since stop doesn't have any configs; if no pid dir exists during stop, perform no-op	Ambari,Atlas
2.5.0.3	Performance	<a href="#">AMBARI-19108</a>	BUG-70094	Perf: Web UI can't load json with host check info	Ambari
2.5.0.3	Performance	<a href="#">AMBARI-19224</a>	BUG-70101	Perf: Host Checks response is way too big (320MB for 1200 nodes)	Ambari
2.5.0.3	Performance	<a href="#">AMBARI-19714</a>	BUG-72620	Perf: start/stop all actions works much slower after few days of testing	Ambari
2.5.0.3	Performance	<a href="#">AMBARI-19881</a>	BUG-74058	Ambari Web UI is slow and unresponsive on a 1000-node perf cluster after changing configs since restart indicator loading is too heavy	Ambari
2.5.0.3	Security	<a href="#">AMBARI-17716</a>	BUG-58139	AMS HA not working in secure cluster	Ambari
2.5.0.3	Security	<a href="#">AMBARI-18448</a>	BUG-66282	NPE when installing secure cluster via Blueprints due to null logger	Ambari
2.5.0.3	Security	<a href="#">AMBARI-18463</a>	BUG-66346	Regression: krb5JAASLogin.conf is not updated during secure BP install	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.0.3	Security	<a href="#">AMBARI-18986</a>	BUG-69545	Ambari lost heartbeat from all cluster hosts on secure blueprint cluster	Ambari
2.5.0.3	Security	<a href="#">AMBARI-19029</a>	BUG-69777	Atlas web UI inaccessible alert after enabling security	Ambari,Atlas
2.5.0.3	Security	<a href="#">AMBARI-19675</a>	BUG-72685	Regenerate Keytabs action does not set cluster-env/security_enabled to true	Ambari
2.5.0.3	Security	<a href="#">AMBARI-19694</a>	BUG-72947	Directory /user/\$username was not created in hdfs within Post-user-creation script hook on secure cluster	Ambari
2.5.0.3	Security	<a href="#">AMBARI-19902</a>	BUG-74138	Ambari scripts have 777 permission which is a major security concern (change came from 2.4.x)	Ambari
2.5.0.3	Security	<a href="#">AMBARI-20013</a>	BUG-74421	Ambari-Infra Changes - handle custom principals, secure znode, retain user changes to security.json	Ambari
2.5.0.3	Security	<a href="#">AMBARI-20261</a>	BUG-76251	Unexpected popup after disable kerberos "You are in the process of disabling security on your cluster"	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-18048</a>	BUG-62837	ambari-server upgrade should report all the config properties it added/modified	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-18285</a>	BUG-65248	Ambari upgrade from 2.4.0.x version fails.	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-18305</a>	BUG-65219	(2.5.0 fix) Ambari server upgrade script deletes all .pyc files	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-18396</a>	BUG-65953	Upgrade: "org.apache.atlas.hive.hook.HiveHook" class is added by default to hive.exec.post.hooks property, which results in service check failure while upgrade	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-18434</a>	BUG-64959	ambari-server principal issue on upgraded Ambari Server	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-18506</a>	BUG-65234	Ambari should present message if stack upgrade path is not available	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-18517</a>	BUG-64844	Changes in upgrade path for Kafka metrics collector hosts config	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-18521</a>	BUG-66801	Stack upgrade fix for Ranger in secure env	Ambari,Ranger
2.5.0.3	Upgrade	<a href="#">AMBARI-18575</a>	BUG-67212	Fix for improving time taken by 'ExecutionScheduleManagerTest' and 'UpgradeCatalog221Test' java tests.	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-18590</a>	BUG-67210	RegionServer Registration Checks Fail During Upgrade If rDNS is Not Enabled	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-18682</a>	BUG-67930	ZooKeeper Is Invoking hdp-/conf-select Outside Of Upgrades	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-18747</a>	BUG-68178	Ambari Upgrade Failed from 2.4.1 to 2.5	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-18780</a>	BUG-68618	Fix livy configuration upgrade from HDP 2.5 to HDP 2.6	Ambari,Spark
2.5.0.3	Upgrade	<a href="#">AMBARI-18786</a>	BUG-67984	HDP Upgrade fails when the cluster size is large	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-18800</a>	BUG-68398	Rolling Upgrade From HDP 2.5.x to 2.5.y Doesn't hdp-select ZKFC	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-18822</a>	BUG-68645	Upgrade from 2.4.2 to 2.5 fails with DB consistency check	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.0.3	Upgrade	<a href="#">AMBARI-18863</a>	BUG-68870	Upgrade Type Is Incorrectly Quoted When Serialized	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-18899</a>	BUG-66687	Post Upgrade to Ambari 2.4.1 from 2.2.2 -> All stack component prompted for restart	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-18937</a>	BUG-69031	Allow generic Service Upgrade Packs for all targets	Ambari,SmartSense
2.5.0.3	Upgrade	<a href="#">AMBARI-18951</a>	BUG-68500	Cannot upgrade from 2.2.2.7 to 2.4.2 due to FK error (MyISAM, MySQL 5.1)	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19016</a>	BUG-69580	RegionServer Restart During Upgrade Fails Because of Missing Import When Formatting PID	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19030</a>	BUG-69684	Service Auto Start operations are permitted during Upgrade	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19034</a>	BUG-68806	Upgrade History Displays Wrong Upgrade Type	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19040</a>	BUG-69841	Fix NPE in UpgradeCatalog250Test .testExecuteDML	Ambari Updates
2.5.0.3	Upgrade	<a href="#">AMBARI-19044</a>	BUG-72546	Ambari Server Unit Test Failure on branch-2.5 and trunk: test_upgrade_restart_eu_with_ranger (test_namenode.TestNamenode)	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19055</a>	BUG-69784	Removing Tasks From host_role_command Causes Upgrades To Show As PENDING	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19082</a>	BUG-67874	Ambari Server upgrade from 2.0.2 to 2.2.2 changed the following configs and added a port of -1	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19083</a>	BUG-69947	After ambari only upgrade Enable security(Configure Ambari Identity) was failed because could not run "ambari-sudo.sh"	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19085</a>	BUG-69868	Host Ordered upgrade should not show as an Upgrade option in UI	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19148</a>	BUG-70316	Wrong filter groups names "Missing translation" on "Upgrade history" tab of Stack and Versions	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19162</a>	BUG-70103	Created a new property("logsearch.spnego.kerberos.host ") with value(" localhost ") after ambari only upgrade from 2.4.1/2.4 to 2.5.0.0	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19170</a>	BUG-70430	NPE during Ambari server schema upgrade	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19175</a>	BUG-70441	DB configs consistency check failed after disable kerberos or Ambari upgrade	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19199</a>	BUG-70125	AMS config types created by upgrade were never marked as selected	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19234</a>	BUG-70297	ATS reports as down in Ambari UI after upgrade	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19235</a>	BUG-70260	Cluster User' role issue after Ambari 2.4.2.0 upgrade	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19268</a>	BUG-71068	ulimit override missing from upgrade catalogs	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19330</a>	BUG-69692	LogSearch upgrade support 2.4 -> 2.5	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.0.3	Upgrade	<a href="#">AMBARI-19347</a>	BUG-71185	Previous Upgrade In Progress Pre-Req Check Incorrectly Detects ABORTED Upgrade	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19348</a>	BUG-71440	Version number is incorrect when upgrade wizard is opened from Upgrade History	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19397</a>	BUG-71581	Infra Solr Upgrade support 2.4 -> 2.5	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19456</a>	BUG-71260	RU: Falcon LR job failed (upgrade-downgrade)	Ambari,Falcon
2.5.0.3	Upgrade	<a href="#">AMBARI-19473</a>	BUG-70759	Add Downgrade request validation to avoid accidental double-upgrades	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19533</a>	BUG-72283	Host-Ordered Upgrade packs are named incorrectly	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19560</a>	BUG-72273	Timezone for timestamps in Upgrade History not consistent with Background Operations	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19561</a>	BUG-72224	After ambari only upgrade Property:"yarn.nodemanager.linux-container-executor.cgroups.mount-path" become required	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19576</a>	BUG-72327	Downgrade request fails as existing Upgrade request is considered 'in progress'	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19601</a>	BUG-69317	Warnings on ambari server upgrade related to HDF paths	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19617</a>	BUG-67376	Restarting Some Components During a Suspended Upgrade Fails Due To Missing Upgrade Parameters	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19643</a>	BUG-72776	Not completed Upgrade History items show End Time as "Not started"	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19740</a>	BUG-72075	Ambari upgrade to Ambari 2.5 causes start DB check failure on Zeppelin configs	Ambari,Zeppelin
2.5.0.3	Upgrade	<a href="#">AMBARI-19758</a>	BUG-73511	Post Ambari upgrade AMS config properties changes are marking HDFS/YARN/Hive/HBase with restart required	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19761</a>	BUG-73519	HSI start fails after Ambari upgrade with Unrecognized option: -skiphadoopversion	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19789</a>	BUG-73658	RU: One step of upgrade failed with "Could not find desired config type with name llap-daemon-log4j" (HDP 2.3.6 to HDP 2.4.3)	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19795</a>	BUG-72995	Created a new property("zookeeper.connect") with value("localhost:2181") after ambari only upgrade from 2.4.2.0/2.1.2.1/2.2.2.0 to 2.5.0.0	Ambari,Ranger
2.5.0.3	Upgrade	<a href="#">AMBARI-19810</a>	BUG-73373	Remove upgrade logic in UpdateCatalog250 for tez-interactive-site io.sort.mb, buffer.size	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19903</a>	BUG-74342	LLAP daemon failed to start after Ambari upgrade	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19904</a>	BUG-58155	Upgrade: Package Install stuck in "Installing" state forever	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-19984</a>	BUG-74474	ambari-server upgrade is not idempotent	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.5.0.3	Upgrade	<a href="#">AMBARI-20010</a>	BUG-73837	Critical alert: 'Percent JournalNodes Available' appears after upgrade from ambari 2.2.2.0 to 2.5.0.0	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-20030</a>	BUG-74930	Zeppelin and Atlas Service Checks Are Missing During Express Upgrades	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-20062</a>	BUG-74932	StackAdvisor reports error for missing YARN,MR,Hive queues while adding services post upgrade	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-20070</a>	BUG-75131	[Upgrade] Ambari-agent that is running on the same host with ambari-server lost heartbeat after upgrade	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-20126</a>	BUG-75412	Add support for Spark2 upgrade from HDP-2.5	Ambari,Spark
2.5.0.3	Upgrade	<a href="#">AMBARI-20140</a>	BUG-75053	RU: After Ambari Upgrade SPARK2 history server start failed with "/usr/bin/kinit -kt /etc/security/keytabs/spark2.headless.keytab spark@EXAMPLE.COM;" returned 1"	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-20225</a>	BUG-74933	Stackadvisor reported Consistency check failed error upon adding new services to upgrade cluster	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-20229</a>	BUG-75587	Entries in columns 'Current Value' and 'Resulting Value' are same in Upgrade pre-checks screen	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-20237</a>	BUG-76001	After regenerate keytabs post Ambari upgrade yarn.nodemanager.linux-container-executor.cgroups.mount-path property got added with blank value	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-20244</a>	BUG-76054	HBase indicates restart required after upgrade from Amabri-2.4+HDP-2.5	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-20257</a>	BUG-76066	LogSearch stop failed after upgrade to Ambari-2.5 from Amabri-2.4+HDP-2.5	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-20269</a>	BUG-76249	Failed task during EU is not reported upfront causing Upgrade to show 'Aborted' after Finalize step	Ambari
2.5.0.3	Upgrade	<a href="#">AMBARI-20280</a>	BUG-76280	Pre-Upgrade check message for disabling Auto Start is difficult to understand and take action on	Ambari
2.5.0.3	Usability	<a href="#">AMBARI-20016</a>	BUG-74267	Hosts page moving through pages gets progressively slower to the point of being unusable	Ambari
2.5.0.3	Usability	<a href="#">AMBARI-19528</a>	BUG-70271	Added new FileSystem support for Ambari Views	Ambari, Views
2.5.0.3	Usability	N/A	BUG-66287	Hive View fails when username starts with a number	Ambari Views
2.5.0.3	Usability	<a href="#">AMBARI-17547</a>	BUG-59157	Provide support for VoprFS filesystem in Ambari views	Ambari
2.5.0.3	Usability	<a href="#">AMBARI-17589</a>	BUG-68724	Capture & visualize metrics for Ambari Server	Ambari