

# Hortonworks Data Platform

## Apache Ambari Release Notes

(October 30, 2017)

## Hortonworks Data Platform: Apache Ambari Release Notes

Copyright © 2012-2017 Hortonworks, Inc. All rights reserved.

The Hortonworks Data Platform, powered by Apache Hadoop, is a massively scalable and 100% open source platform for storing, processing and analyzing large volumes of data. It is designed to deal with data from many sources and formats in a very quick, easy and cost-effective manner. The Hortonworks Data Platform consists of the essential set of Apache Hadoop projects including MapReduce, Hadoop Distributed File System (HDFS), HCatalog, Pig, Hive, HBase, ZooKeeper and Ambari. Hortonworks is the major contributor of code and patches to many of these projects. These projects have been integrated and tested as part of the Hortonworks Data Platform release process and installation and configuration tools have also been included.

Unlike other providers of platforms built using Apache Hadoop, Hortonworks contributes 100% of our code back to the Apache Software Foundation. The Hortonworks Data Platform is Apache-licensed and completely open source. We sell only expert technical support, [training](#) and partner-enablement services. All of our technology is, and will remain free and open source. Please visit the [Hortonworks Data Platform](#) page for more information on Hortonworks technology. For more information on Hortonworks services, please visit either the [Support](#) or [Training](#) page. Feel free to [Contact Us](#) directly to discuss your specific needs.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# Table of Contents

- 1. Release Notes Ambari - 2.6 ..... 1
  - 1.1. New Features ..... 1
  - 1.2. Behavioral Changes ..... 1
  - 1.3. Patch Information ..... 3
  - 1.4. Known Issues ..... 4
  - 1.5. Fixed Issues ..... 5

# List of Tables

- 1.1. Core Ambari ..... 1
- 1.2. Apache Ambari 2.6 Patches ..... 3
- 1.3. Ambari 2.6 Known Issues ..... 4

# 1. Release Notes Ambari - 2.6

## RELEASE NOTES: Apache Ambari 2.6

The Ambari 2.6 Release Notes summarize and describe the following information released in Ambari 2.6:

- [New Features \[1\]](#)
- [Behavioral Changes \[1\]](#)
- [Patch Information \[3\]](#)
- [Known Issues \[4\]](#)
- [Fixed Issues \[5\]](#)

## 1.1. New Features

The Ambari 2.6 release includes the following new features:

**Table 1.1. Core Ambari**

Feature	Description
Ambari Metrics System - Distributed mode with multiple Collectors (General Availability) <a href="#">AMBARI-15901</a>	The Ambari Metrics System now supports multiple Metrics Collector instances, providing High Availability and better scalability. <a href="#">AMS High Availability</a>
Solr Data Manager script to easily delete, archive, or save index data <a href="#">AMBARI-21810</a>	The Solr Data Manager script allows operators to easily archive and purge logs and audit data stored in the Ambari Infra Solr Instance. <a href="#">Archiving and Purging Data</a>

## 1.2. Behavioral Changes

Ambari 2.6 introduces the following change in behavior as compared to previous Ambari versions:

### Ambari Blueprint Stack & Repository Version Behavior Change

In Ambari 2.6.0, the Ambari upgrade framework has been updated to set the stage for automated patch application and management. This feature will be available in future versions of Ambari. Due to these changes, the logic used to identify the repo version to be used during a Blueprint install has changed. This change only impacts Blueprint deployments. To ensure that Ambari uses the intended version of the repository for your install it's recommended first to register the desired version of HDP using a VDF file, and second to specify the version in your Blueprint explicitly.

If you do not register a VDF file and specify the `repository_version_id`, or `repository_version` during blueprint creation, Ambari uses the default repository version defined in the stack versions included with Ambari 2.6.0. Ambari identifies the default repository version using the `hdp_urlinfo.json`'s "latest-vdf" if that is available and defined. Otherwise, Ambari uses

the stack metainfo.xml to identify the default repository version based on the stack\_version defined in your Blueprint.

To register a VDF file and specify the repository\_version\_id, or repository\_version during blueprint creation:

### Registering a VDF file

The version\_definitions API should be used when registering a VDF file. The example command below shows how to register the 2.6.3.0-235 version of HDP using the publicly available VDF file:

```
curl -v -k -u admin:admin -H "X-Requested-By:ambari" -X POST
http://ambari.server:8080/api/v1/version_definitions \
-d '{
  "VersionDefinition": {
    "version_url":
"http://public-repo-1.hortonworks.com/HDP/centos6/2.x/updates/2.6.3.0/HDP-2.6.
3.0-235.xml"
  }
}'
```

If the publicly available VDF file is not reachable from your installation, you can use a VDF file that has been downloaded to the local file system of the Ambari Server:

```
>curl -v -k -u admin:admin -H "X-Requested-By:ambari" -X POST
http://ambari.server:8080/api/v1/version_definitions \
-d '{
  "VersionDefinition": {
    "version_url": "file:/tmp/HDP-2.6.3.0-235.xml"
  }
}'
```

The response from this request will give you a unique id for the version that has been registered. For example:

```
{
  "resources" : [
    {
      "href" :
"http://ambari.server:8080/api/v1/version_definitions/51",
      "VersionDefinition" : {
        "id" : 51,
        "stack_name" : "HDP",
        "stack_version" : "2.6"
      }
    }
  ]
}
```

### Specifying Registered Versions in Blueprint Cluster Creation

When using a Blueprint, to ensure the cluster install uses the version referenced in the previously registered VDF, either reference the id, or the specific version in the cluster creation request.

Blueprint repository version reference by id:

```
...
{
  "blueprint": "<blueprint name>",
  "repository_version_id": 1,
  "default_password": "password",
  "host_groups": [ ... ]
}
...
```

Blueprint repository version reference by version:

```
...
{
  "blueprint": "<blueprint name>",
  "repository_version": "2.6.3.0-235",
  "default_password": "password",
  "host_groups": [ ... ]
}
...
```

### Specifying registered versions when pre-installing from local yum repositories

A local repository configured from a yum repository is not "managed" by Ambari.

With Ambari 2.6, a custom yum repo file name (HDP-2.x.x.x.repo) does not have to match the Ambari yum repo file name (ambari-hdp-1.repo), but *the format of the repo names in the yum repo file changes*. For example, the following repo name format is no longer recognized by Ambari,

```
[HDP-2.6.4.0]
name=HDP Version - HDP-2.6.4.0-91
```

and has to be changed to the repo name format which Ambari 2.6.x now expects,

```
[HDP-2.6-repo-1]
name=HDP-2.6-repo-1
```

and which the Ambari install wizard local repo option uses when it creates the ambari-hdp-1.repo file.

IF you are pre-installing HDP packages using a local yum repository, make sure that the local repository name is recognized by Ambari-2.6.x.

## 1.3. Patch Information

Ambari 2.6 is based on Apache Ambari 2.6.0.0 and the following patches.

**Table 1.2. Apache Ambari 2.6 Patches**

Apache Jira	Description
<a href="#">AMBARI-22299</a>	Storm View: Update Node version for PPC support
<a href="#">AMBARI-22306</a>	Set versionAdvertised to false for tech preview and add superset definition
<a href="#">AMBARI-22312</a>	Downgrade From HDP 2.6 to 2.5 Leaves 2.6 Hosts as CURRENT Instead of INSTALLED
<a href="#">AMBARI-22318</a>	NN Restart failed during IOP-HDP Migration in IBM PPC

Apache Jira	Description
<a href="#">AMBARI-22321</a>	Add Registry StackFeatures to HDP StackFeatures

## 1.4. Known Issues

Ambari 2.6 has the following known issues, scheduled for resolution in a future release. Also, refer to the [Ambari Troubleshooting Guide](#) for additional information.

**Table 1.3. Ambari 2.6 Known Issues**

Apache Jira	HWX Jira	Problem	Solution
<a href="#">AMBARI-24536</a>	BUG-109839	When SPNEGO is enabled ( <code>`ambari-server setup-kerberos`</code> ), the SSO ( <code>`ambari-server setup-sso`</code> ) redirect no longer works.	No known workaround. Do not enable both kerberos and SSO using ambari-server setup.
<a href="#">AMBARI-22469</a>	BUG-91993	Ambari Sever 2.5.x set up as an Ambari Views Server (standalone server with a second Ambari Server registered as a remote server) fails when upgraded to version 2.6.0.  <pre> ERROR: Error executing schema upgrade, please check the server logs. ERROR: Error output from schema upgrade command: ERROR: Exception in thread "main" org.apache.ambari.server. AmbariException: Unable to find any CURRENT repositories.     at org.apache.ambari.server. upgrade.SchemaUpgradeHelper. executeUpgrade(SchemaUpgradeHelper. java:203)     at org.apache.ambari.server. upgrade.SchemaUpgradeHelper. main(SchemaUpgradeHelper.java:418) Caused by: org.apache.ambari. server.AmbariException: Unable to find any CURRENT repositories.     at org.apache.ambari.server. upgrade.UpgradeCatalog260. getCurrentVersionID(UpgradeCatalog260. java:510)     at org.apache.ambari.server. upgrade.UpgradeCatalog260. executeDDLUpdates(UpgradeCatalog260. java:194)     at org.apache.ambari.server. upgrade.AbstractUpgradeCatalog. upgradeSchema(AbstractUpgradeCatalog. java:923)     at org.apache.ambari.server. upgrade.SchemaUpgradeHelper. executeUpgrade(SchemaUpgradeHelper. java:200)     ... 1 more  ERROR: Ambari server upgrade failed. Please look at /var/log/ ambari-server/ambari-server.log, for more details. ERROR: Exiting with exit code 11. REASON: Schema upgrade failed. </pre>	No known workaround. Please contact Hortonworks Customer Support for assistance.
<a href="#">AMBARI-22323</a>	BUG-90852	If IOP Migration documentation is not followed closely, the "Remove IOP Select" button may not be available in the Ambari UI.	If that has happened to you, you must run the following command on all hosts in the cluster:  <pre>rpm -e --nodeps iop-select</pre>



## 1.5. Fixed Issues

The following table lists selected issues resolved in Ambari 2.6:

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.6.0.0	Other	<a href="#">AMBARI-22056</a>	BUG-88647	Solr Data Manager script should use gzip compression type	Ambari
2.6.0.0	Other	<a href="#">AMBARI-19135</a>	BUG-70336	AMS build artifacts are not uploaded to maven central	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21076</a>	BUG-81231	Move Superset as a top-level project in HDP	Ambari,Druid
2.6.0.0	Other	<a href="#">AMBARI-21169</a>	BUG-80194	Service and Patch Upgrade Catalog Changes for 2.6.0	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21173</a>	BUG-82102	HDP 3.0 - [AMBARI-21173] Not able to start Yarn services after restoring the configs to initial value	Ambari,YARN
2.6.0.0	Other	<a href="#">AMBARI-21253</a>	BUG-82564	On RM restart, LLAP app starts up after many failed application attempts	Ambari,Hive2
2.6.0.0	Other	<a href="#">AMBARI-21450</a>	BUG-84204	Backport PU Effort to branch-2.x	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21483</a>	BUG-84563	Add BUG-10271 related issue	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21580</a>	BUG-82328	Replace Hard Coded stack-select Structures	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21581</a>	BUG-84950	Replace Hard Coded conf-select Structures	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21602</a>	BUG-89518	After DLM installation on a fresh cluster, most of the services require restart	Ambari,Data Lifecycle Manager
2.6.0.0	Other	<a href="#">AMBARI-21602</a>	BUG-85133	Pre-configure services when Kerberos is enabled to reduce number of core service restarts when services are added	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21609</a>	BUG-82737	Unable to view HDP or HDF stack version.	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21619</a>	BUG-85203	More ResourceManager HA host group placeholders in blueprints	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21648</a>	BUG-85504	Do not use 'dbo' schema name in idempotent Ambari DDL generator for AzureDB.	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21657</a>	BUG-85555	Ambari does not display metric data on widgets when the JMX path contains the '-' character.	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21660</a>	BUG-84952	Stack selection page does not load the HDP stacks [Intermittent]	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21682</a>	BUG-85434	Patched Service Doesn't Display Correct Hadoop Version on Stacks Page	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21684</a>	BUG-85747	ambari-server upgrade process still puts the new views jar to default location even if views.dir is customized in ambari.properties	Ambari,Ambari View
2.6.0.0	Other	<a href="#">AMBARI-21706</a>	BUG-85876	Cluster installation stuck on Customize Services Page	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21713</a>	BUG-85993	Python tests started under uid=0 and uid > 0 works differently	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21714</a>	BUG-86074	Intermittent unit test failure in ExecutionCommandWrapperTest	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21719</a>	BUG-85815	Result of install_packages uses version string instead of repo_version_id	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21733</a>	BUG-86295	spark.master config missing from spark-defaults.conf	Ambari,Spark

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.6.0.0	Other	<a href="#">AMBARI-21737</a>	BUG-85576	Ambari should expose whether a service is able to rolling-restart instead of hard coding service name	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21744</a>	BUG-86358	package_regex in get_package_from_available() can match wrong pkg	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21745</a>	BUG-84523	UI: remove code which adds EExtension properties while adding Falcon	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21755</a>	BUG-86267	Unexpected Package Names in CentOS Cause Installation Failures	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21759</a>	BUG-86595	yumrpm provider doesn't parse installed packages in a same way on different CentOS versions	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21777</a>	BUG-86086	Remove Ambiguous Repository Version When Creating Clusters via Blueprints	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21779</a>	BUG-86725	Storm should not have configuration dependencies of 'ranger-admin-site' and 'ranger-ugsync-site'	Ambari,Ranger
2.6.0.0	Other	<a href="#">AMBARI-21784</a>	BUG-86746	Ambari server log is constantly populated with 'Config inconsistency exists: unknown configType=solr-site' even after Solr deletion due to existence of config group	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21785</a>	BUG-86760	Component restart instructions in case of OUT_OF_SYNC	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21795</a>	BUG-86301	Auto fix service config mapping issue discovered during ambari-upgrade	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21797</a>	BUG-86638	Patch / Maint UI Minor Style Adjustments	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21798</a>	BUG-86812	Oozie server stopped due to incorrect config being set on Regenerate keytabs post IOP stack upgrade	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21806</a>	BUG-79514	Repository Entities Which Can't Be Removed Should Be Hide-able	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21809</a>	BUG-85134	Pre-configure services during stack upgrade if Kerberos is enabled to reduce number of core service restarts when services are added	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21810</a>	BUG-85596	Create Utility Script to support Solr Collection Data Retention/Purging/Archiving	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21832</a>	BUG-85287	Reject PATCH VDFs with Services that are not Included in the Cluster	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21835</a>	BUG-86805	Make notebook to be stored by default in HDFS (Ambari)	Ambari,Zeppelin
2.6.0.0	Other	<a href="#">AMBARI-21837</a>	BUG-87009	Admin Versions page is missing repository URL	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21839</a>	BUG-87142	METRICS_MONITOR start is failing due to "ImportError: cannot import name _common"	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21844</a>	BUG-86755	JN Wizard fails if there is an issue with Datanode start.	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21850</a>	BUG-87127	Backport <a href="#">AMBARI-21850: Keep Hive/LLAP log4j properties file in sync</a>	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21856</a>	BUG-83142	Service repoinfo.xml needs to expose component for Ubuntu repos	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21865</a>	BUG-87284	NullPointerException during blueprint generation	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.6.0.0	Other	<a href="#">AMBARI-21866</a>	BUG-86967	ATS Applications Do Not Move From Active to Done After Upgrade	Ambari,YARN
2.6.0.0	Other	<a href="#">AMBARI-21876</a>	BUG-89479	<a href="#">AMBARI-21867- Rename hive.custom-extensions.root</a>	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21876</a>	BUG-87372	Remove hive.custom-extensions.root from Hive Properties.	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21877</a>	BUG-86843	Spark Service check failure in Ambari 2.4.1.0 with kerberos enabled	Ambari,Spark
2.6.0.0	Other	<a href="#">AMBARI-21882</a>	BUG-86781	Throw an error if unsupported database JDBC driver is configured for HDP services	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21884</a>	BUG-85985	Installation should ignore OS that are not managed by Ambari	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21888</a>	BUG-87466	Upgrade History Should Show Advertised Versions	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21891</a>	BUG-87523	Fix AmbariServerTest	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21892</a>	BUG-87445	Unable to proceed to Choose services step	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21893</a>	BUG-86928	NameNode Heap Usage (Daily) metric alert status flips to UNKNOWN intermittently when AMS HTTPS is enabled	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21897</a>	BUG-87554	Fix NPE in InstallHostTask	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21902</a>	BUG-87593	Ambari is setting "atlas.graph.storage.hostname" to hbase hostname, instead it should set the zookeeper quorum.	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21904</a>	BUG-37593	Remove redundant smokeuser entry from Ranger KMS Kerberos descriptor	Ambari,Ranger
2.6.0.0	Other	<a href="#">AMBARI-21906</a>	BUG-87483	Consider Not Scheduling ConfigureAction Tasks During PATCH/MAINT Upgrades	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21909</a>	BUG-84672	LLAP concurrency max calculated value should not be less than its current value	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21916</a>	BUG-73631	Shut down LLAP when HSI startup fails	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21919</a>	BUG-87665	Kerberos identity references should use the "reference" attribute	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21920</a>	BUG-87762	next button does not enable if we go back to Assign master page	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21928</a>	BUG-87675	In case if component package doesn't advertise his version, Ambari silently failing on deploy stack steps	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21932</a>	BUG-87825	Some clients are being additionally installed via Add service wizard	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21939</a>	BUG-86778	Ambari HDFS Heatmaps are not showing data (Not Applicable) for bytes read, bytes written & DataNode Process Network I/O Utilization	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21942</a>	BUG-87922	Upgrade to IOP 4.2.5 from IOP 4.1 failed with combined Solr host names longer than item_text column size in table upgrade_item	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21947</a>	BUG-87567	Ambari updates database/tables location from intended remote HDFS to local HDFS	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21951</a>	BUG-85421	Last Run Service Check for SPARK Picks up SPARK2	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21952</a>	BUG-86291	Refine AMS heap recommendations in stack advisor	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.6.0.0	Other	<a href="#">AMBARI-21958</a>	BUG-88003	Fix broken zeppelin python unit test	Ambari,Zeppelin
2.6.0.0	Other	<a href="#">AMBARI-21959</a>	BUG-87592	Clicking Next from Customize Services -> Misc tab does not load the Review page while installation of Perf stack	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21960</a>	BUG-87972	Cluster provision should allow repo version and repo version id be null to allow default stack version deployment	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21961</a>	BUG-87995	UI showing confirmation when no services will be installed.	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21964</a>	BUG-86795	branch-2.6 Builds Fail With Forked VM Error On Tests	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21965</a>	BUG-87130	Tez UI: DAG - All Task Attempts displays no records available	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21968</a>	BUG-88145	Log Feeder should not support german month names	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21970</a>	BUG-88166	Enable sticky bit for curl_krb_cache	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21973</a>	BUG-85698	Set tez.runtime.shuffle.ssl.enable=false in Ambari for HSI	Ambari,Hive2
2.6.0.0	Other	<a href="#">AMBARI-21993</a>	BUG-88282	Pre upgrade check dialog style issues	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21994</a>	BUG-88284	Upgrade history view style issue	Ambari
2.6.0.0	Other	<a href="#">AMBARI-21997</a>	BUG-88328	Unsupported major.minor version 52.0 when using com.networknt:json-schema-validator	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22000</a>	BUG-88355	Select Hosts page while enabling HSI does not load	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22005</a>	BUG-88326	Add host through blueprint failed	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22007</a>	BUG-88311	Addition of service component after patching a service still keeps the component at base version	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22011</a>	BUG-88303	Could not copy tez tarball to HDFS during prepare upgrade (EU)	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22012</a>	BUG-88098	BP deploys failing intermittently with error "Stack features not defined by stack"	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22015</a>	BUG-87039	livy2 interpreter errors (unable to impersonate users/ LLAP or Hive CNF issue) due to missing proxy configs	Ambari,Spark
2.6.0.0	Other	<a href="#">AMBARI-22018</a>	BUG-88289	Stack list in the ambari UI select stack page goes out of bounds when HDF is installed with HDP	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22023</a>	BUG-88283	Upgrade dialog style issues	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22024</a>	BUG-88281	Stack and versions view style issues	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22025</a>	BUG-88528	Service auto start broken due to incomplete execution command	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22026</a>	BUG-88140	Restart of all components on host operation failed with 500 status code	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22029</a>	BUG-88365	Download Client Configs fails	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22039</a>	BUG-88530	File "hdfs.headless.keytab" has incorrect permission	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22049</a>	BUG-88648	Solr Data Manager should use --line-delimited option by default	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22056</a>	BUG-88773	Solr Data Manager script should provide non-destructive archive download option	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22058</a>	BUG-88304	Dashboard heatmaps tab loading stuck	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.6.0.0	Other	<a href="#">AMBARI-22066</a>	BUG-88906	Update unit tests to test recursive variable replacements using VariableReplacementHelper	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22072</a>	BUG-88971	Allow for backward compatibility in how identity references are specified	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22075</a>	BUG-88980	Use symlinks for Solr Data Manager	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22083</a>	BUG-88221	Wrong Hadoop Home Directory Is Being Picked Up on MAINT/PATCH Upgraded Clusters	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22085</a>	BUG-88993	Zeppelin start failed	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22086</a>	BUG-89063	Make dfs.permissions.superusergroup as group property	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22092</a>	BUG-88858	Blueprint Created Cluster Is Throwing Constant Exceptions	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22100</a>	BUG-87877	Devdeploy: HiveServer2 Interactive Start failed	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22110</a>	BUG-88723	ResourceProviders Are Not Transactional	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22113</a>	BUG-89200	ambari-server/agent python UT fails	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22122</a>	BUG-89193	ambari server silent setup for embedded database option fails sometime	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22127</a>	BUG-89308	Package install fails on Debian7 with 'EMPTY_FILE' global variable not defined	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22159</a>	BUG-89573	Replace hostgroup vars for Druid	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22160</a>	BUG-89460	hadooplzo package installation failed on devdeploys	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22162</a>	BUG-89560	Fix ambari defaults for property hive.druid.indexer.segments.granularity	Ambari,Druid
2.6.0.0	Other	<a href="#">AMBARI-22165</a>	BUG-89637	Hbase Client install fails	Ambari,HDFS,Ranger
2.6.0.0	Other	<a href="#">AMBARI-22176</a>	BUG-89562	Ambari deploy fails on secure cluster with incorrect KERBEROS_KEYTAB/PRINCIPAL on setting INSTALL_DRUID	Ambari,Druid
2.6.0.0	Other	<a href="#">AMBARI-22188</a>	BUG-89592	HSI and Hive Metastore Start failed because permission denied "/apps/hive/cmroot" directory	Ambari,Data Lifecycle Manager,Hive2
2.6.0.0	Other	<a href="#">AMBARI-22199</a>	BUG-89754	Zeppelin Notebook Start after kerberos enabled	Ambari,Zeppelin
2.6.0.0	Other	<a href="#">AMBARI-22203</a>	BUG-89825	ZKFC start failed due to hadoop-hdfs-zkfc is not supported	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22205</a>	BUG-89910	Install Version Fails On IOP Cluster Due To Missing stack_packages Structure	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22224</a>	BUG-90096	host and hostname built-in variables are not populated when performing Kerberos-related operations	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22225</a>	BUG-90101	Cluster created using Blueprints rejects hosts even though their host_name matches host predicate	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22232</a>	BUG-90051	Need to add a new property to support proxy users for Atlas service	Ambari,Atlas
2.6.0.0	Other	<a href="#">AMBARI-22235</a>	BUG-89841	Remove unnecessary identity blocks from the Druid Kerberos descriptor file	Ambari,Druid
2.6.0.0	Other	<a href="#">AMBARI-22237</a>	BUG-90184	Restarting Storm Supervisor from Ambari always fails while Stop and Start works fine	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.6.0.0	Other	<a href="#">AMBARI-22238</a>	BUG-90180	Maven cleanup of ambari utility and ambari metrics modules	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22241</a>	BUG-90185	Accumulo install fails	Accumulo,Ambari
2.6.0.0	Other	<a href="#">AMBARI-22242</a>	BUG-90176	Express Upgrade from IOP 4.2 to HDP 2.6.2 AMS failed to start before finalizing	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22243</a>	BUG-90154	Apache Hive 2 LLAP cluster doesn't have the metastore warehouse directory	Ambari,Cloudbreak,Hive2
2.6.0.0	Other	<a href="#">AMBARI-22245</a>	BUG-90097	YARN Service Checks Fails Because of Old hadoop-client Classpath Entry	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22250</a>	BUG-90198	After installation of 2.6.2 version during IOP migration it's showing Installed not upgrade in UI	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22256</a>	BUG-90282	Smartsense requires HDFS to be always present while installing	Ambari,SmartSense
2.6.0.0	Other	<a href="#">AMBARI-22257</a>	BUG-90299	Metrics collector fails to stop/start after WE in a HDP + HDF integration on SLES12	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22268</a>	BUG-90417	Remove "Hotfix" from Admin Register Version	Ambari
2.6.0.0	Other	<a href="#">AMBARI-22272</a>	BUG-90086	HDP + HDF integration fails as some symlinks could not be created	Ambari
2.6.0.0	Other	<a href="#">HIVE-17721</a>	BUG-89522	Check Hive failed on Sles12	Ambari,Hive
2.6.0.0	Other	<a href="#">RANGER-1788</a>	BUG-88535	Ranger Admin Start fails on Ubuntu 16	Ambari,Ranger
2.6.0.0	Other	<a href="#">ZEPPELIN-2742</a>	BUG-88175	Ambari Ci failing due to Zeppelin service check failure	Ambari,Zeppelin
2.6.0.0	Performance	<a href="#">AMBARI-21898</a>	BUG-87545	Property provider in-memory maps are refreshed too slowly after config updates	Ambari
2.6.0.0	Performance	<a href="#">AMBARI-21944</a>	BUG-86349	Batch requests(Rolling Restart, HSI enable/disable, decommission/recommission) not working when Ambari is configured with Knox proxy	Ambari
2.6.0.0	Performance	<a href="#">AMBARI-21945</a>	BUG-87459	Refresh Include/Exclude breaks parallel operations and can't be turned off	Ambari
2.6.0.0	Security	<a href="#">AMBARI-21418</a>	BUG-83779	Ambari rebuilds custom auth_to_local rules changing its case sensitiveness option (/L) depending on the case_insensitive_username_rules.	Ambari
2.6.0.0	Security	<a href="#">AMBARI-21757</a>	BUG-30865	Allow for keytab regeneration to be filtered for hosts	Ambari
2.6.0.0	Security	<a href="#">AMBARI-21788</a>	BUG-86156	Ensure topology_mappings.data has 0644 permissions	Ambari
2.6.0.0	Security	<a href="#">AMBARI-21873</a>	BUG-60662	authorization.Idap.adminGroupMappingRules not working	Ambari
2.6.0.0	Security	<a href="#">AMBARI-21896</a>	BUG-87552	Ambari should honor permissions specified for dfs.datanode.data.dir.perm when creating datanode dir's	Ambari
2.6.0.0	Security	<a href="#">AMBARI-21938</a>	BUG-87916	Validate kerberos.json files to ensure they meet the expected schema	Ambari
2.6.0.0	Security	<a href="#">AMBARI-22273</a>	BUG-90503	Disable xmlparser and configEdit API in Solr by default	Ambari
2.6.0.0	Stability	<a href="#">AMBARI-21649</a>	BUG-84999	application log size is growing in GB's for atlas	Ambari,Atlas
2.6.0.0	Stability	<a href="#">AMBARI-21687</a>	BUG-85771	User can't add node via Ambari UI when being part of both "cluster user" and "cluster admin" roles.	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.6.0.0	Stability	<a href="#">AMBARI-21852</a>	BUG-86306	Add Host wizard breaks on large clusters when persisting data in localStorage	Ambari
2.6.0.0	Stability	<a href="#">AMBARI-21935</a>	BUG-86377	Improve fix DB operation works consistently so it can be widely used	Ambari
2.6.0.0	Stability	<a href="#">AMBARI-22020</a>	BUG-78622	ATS crash due to OOM because LLAP sending too many events.	Ambari,Hive2,Tez
2.6.0.0	Upgrade	<a href="#">AMBARI-21398</a>	BUG-82538	Backend and UI need to distinguish repo_version records by using the Stack Name	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21525</a>	BUG-82963	EU failure: Oozie service check fails if Falcon is not installed	Ambari,Oozie
2.6.0.0	Upgrade	<a href="#">AMBARI-21532</a>	BUG-83695	Namenode restart for large cluster needs longer sleep after stop and longer retries	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21549</a>	BUG-83794	Ambari upgrade should update unique constraints	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21580</a>	BUG-81025	Installing a Component on a Host With Mixed Repos Invokes stack-select For All	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21595</a>	BUG-84930	Ambari Server Setup Code Fails Because of Missing Stack Upgrade	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21612</a>	BUG-85000	PATCH version should be attached right next to the STANDARD	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21615</a>	BUG-85002	Add confirmation when installing PATCH version	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21617</a>	BUG-84943	Function ru_set_all is not working correctly due to changed command structure	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21618</a>	BUG-84996	Admin View - Register Version should correctly display PATCH version	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21626</a>	BUG-85316	Configs For Target Stack Are Not Created During Upgrade	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21627</a>	BUG-85248	Cross-stack upgrade from IOP to HDP, ranger audit properties need to be deleted	Ambari,Ranger
2.6.0.0	Upgrade	<a href="#">AMBARI-21639</a>	BUG-85025	When Adding a New Service the Repository ID is Required	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21643</a>	BUG-66219	Annotate upgrade packs for scope	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21647</a>	BUG-85001	PATCH upgrade with version less than current should be displayed	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21651</a>	BUG-84568	Backport AMBARI-12556 UI Work For Patch/Service Upgrades	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21652</a>	BUG-85435	Upgrade History Page Doesn't Display After Performing a PATCH Upgrade	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21653</a>	BUG-85437	Create VDF and xsd to support MAINT upgrades	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21668</a>	BUG-85518	PATCH Repositories Not Visible in Web Client	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21671</a>	BUG-85439	Expose via API whether a service will participate in an upgrade	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21672</a>	BUG-85438	Update Orchestration to support MAINT	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21677</a>	BUG-79325	Upgrade Pre-Checks Should Take PATCH/SERVICE Types Into Account	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21679</a>	BUG-78072	Service Checks Will Run Multiple Times In Patch/Service Upgrades	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21693</a>	BUG-85126	Can't register multiple PATCH versions	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21700</a>	BUG-84738	Expose Patch Reversion in the Web Client	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.6.0.0	Upgrade	<a href="#">AMBARI-21703</a>	BUG-85440	UI must consume API to show whether a service will be upgraded	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21704</a>	BUG-85523	Upgrade Wizard Has Incorrect Title	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21709</a>	BUG-85525	Finalize Warns that it is Permanent Even For PATCH Upgrades	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21715</a>	BUG-85541	Upgrade History Is too Verbose	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21721</a>	BUG-85081756	Use latest-vedf for default when version is unspecified	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21725</a>	BUG-85994	Web Client Doesn't Display MAINT Repos Correctly	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21728</a>	BUG-85921	Service and Patch Upgrade Catalog Changes for 2.6 - additional fixes	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21734</a>	BUG-86246	Upgrade Associated Repository is Wrong for Downgrades and Patches	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21739</a>	BUG-86244	Patch Reversion Dialog Has Some Clipping	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21742</a>	BUG-86243	Usability and Style Changes For Upgrade History	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21754</a>	BUG-84450	/v1/persist API call is made 1000 times per minute after Ambari upgrade	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21758</a>	BUG-86460	Prevent New Clusters from Being Provisioned With PATCH/MAINT Repos	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21772</a>	BUG-86606	zeppelin proxy user settings are not configured in core-site.xml on upgraded cluster from Ambari 2.4.2 -and HDP 2.5.2	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21773</a>	BUG-86675	Ambari HDP upgrade validation	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21778</a>	BUG-86637	Patch Confirmation Message Incorrectly Lists All Hosts	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21791</a>	BUG-86752	Incorrect 'End Time' and 'Duration' shown in Upgrade History	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21800</a>	BUG-868251825	Some Services had issue coming up after express upgrade on IOP clusters	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21813</a>	BUG-86835	Finalize for MAINT upgrade should not mention revert	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21815</a>	BUG-86891	Repository Version Listing Has Alignment Problems if Display Name is Too Long	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21817</a>	BUG-86827	Icon for Revert should not be a trash can	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21818</a>	BUG-86865	Styling for the Stacks and Versions Page Repo Isn't Centered	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21819</a>	BUG-86828	Info icon for services should not show for CURRENT repos	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21831</a>	BUG-86817	Allow Hiding of PATCH Repository	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21836</a>	BUG-87005	2.6.0 Upgrade Fails Because Of Missing Table	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21838</a>	BUG-87014	Revert Icon Is Cutoff On Stacks and Versions Page	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21841</a>	BUG-86863	Green Version Bubbles Are Selected Multiple Times For Patched Services	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21842</a>	BUG-87072	PATCH and MAINT Orchestrations Should Only Invoke stack-select On Specific Packages	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21843</a>	BUG-86952	Database consistency check fails after upgrade to ambari 2.6.0	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21847</a>	BUG-87088	Refactor stack version column view	Ambari



Version	Category	Apache Jira	HWX Jira	Summary	Components
2.6.0.0	Upgrade	<a href="#">AMBARI-21851</a>	BUG-86892	Allow Hidden Repos To Become Visible So They Can Be Made Visible Permanently	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21853</a>	BUG-86973	Adapt Repository Files For Existing Deployments	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21859</a>	BUG-85746	Pre-upgrade check option well before starting upgrade process	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21874</a>	BUG-87383	Change Patch/Maint Bubbles To Type Columns	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21879</a>	BUG-87288	Cluster version showing as Upgrade when INSTALL_FAILED	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21883</a>	BUG-87364	Upgrade to Ambari 2.6.0 fails with DB constraint violation on fk_sc_history_upgrade_id	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21894</a>	BUG-87309	PATCH and MAINT Repositories Should Indicate that they can be Reverted	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21895</a>	BUG-86257	Upgrades: Ranger & KMS should be stopped before backup	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21900</a>	BUG-87571	Upgrade History Style Changes	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21911</a>	BUG-84524	"Retry" upgrade doesn't work if a server action times out	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21914</a>	BUG-83555	Agent on ambari-server host does not start when server is not upgraded	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21923</a>	BUG-87457	Web Client Should Only Show Revert Action On Revertable Repositories	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21931</a>	BUG-85665	Use Correct Packages For Clients Where Stack Tools Support It	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21937</a>	BUG-87856	Ambari server schema upgrade failed while creating DRUID_SUPERSET component	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21940</a>	BUG-87855	Ambari schema upgrade from any version older than 2.5.1 fails due to incorrect version check	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21943</a>	BUG-84176	LLAP: Daemon is hung when task is killed in the middle of orc tail reads (org.apache.hadoop.hdfs.shortcircuit.DfsClientShmManager.allocSlot)	Ambari,Hive2
2.6.0.0	Upgrade	<a href="#">AMBARI-21948</a>	BUG-87308	Final flag is available for a property which is 'Undefined' in Default config group	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21949</a>	BUG-87844	Stacks And Versions Page Displays Wrong Version For Service	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21950</a>	BUG-87885	Package Installation is failing If Patch-VDF contain service that is not installed in the cluster.	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21957</a>	BUG-87426	UI should handle rejection of PATCH VDF	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21978</a>	BUG-87994	UI need to add new fields to Repositories	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21981</a>	BUG-87186	Repository versions written differently from base install and register version	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21982</a>	BUG-87305	Configs in Hosts page shows 'switch to <conf_group>' even though <conf_group> is already selected	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21991</a>	BUG-88234	Clarify MAINT Upgrade Message About Existing Services	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21992</a>	BUG-87570	Update Already Installed Icon Appears On Old Repo	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-21998</a>	BUG-84580	Ambari upgrade don't delete stale constraints	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.6.0.0	Upgrade	<a href="#">AMBARI-21999</a>	BUG-88253	Always Take Target Read-Only Properties On Stack Upgrade	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22003</a>	BUG-88325	Ambari schema upgrade failure as views destination path dir already exists	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22010</a>	BUG-88434	Incorrect symlink for storm after patch upgrade	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22014</a>	BUG-88400	Patch upgrade is going into incorrect state during package installation with invalid VDF	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22028</a>	BUG-88537	Downgrade button TypeError	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22030</a>	BUG-88306	OOZIE/OOZIE_SERVER restart failed saying AttributeError: 'NoneType' object has no attribute 'upper' during EU	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22031</a>	BUG-88549	Invalid error message on UI after performing downgrade - Before finalizing the upgrade	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22035</a>	BUG-8850208	Stack and Versions page is stuck while trying to install a new stack	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22047</a>	BUG-88644	Cannot upgrade stack due to "Version XXXXX does not contain services that are installed."	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22051</a>	BUG-88709	VDFs Which Are Correct Never Get Resolved	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22060</a>	BUG-84612	Fail to restart Ranger Admin during HDP downgrade.	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22070</a>	BUG-88877	Install Page Version Dropdown Clipped/ Making Scrollbar	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22071</a>	BUG-88890	During Upgrade the Icons Showing Required Services Is Wrong	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22084</a>	BUG-88875	Upgrade Wizard Expand Details Does Not Work	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22097</a>	BUG-89167	Revert option is missing when MAINT type PU is done	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22099</a>	BUG-89181	Patch Upgrade UI Change: Exclamation Icon's Center shouldn't be transparent	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22105</a>	BUG-89185	Upgrades Do Not Finalize If Other Host Versions Are Out of Sync	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22111</a>	BUG-89168	UI displays Patch version even after full stack upgrade	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22116</a>	BUG-89190	You should not be able to "Ignore and Proceed" to finalize	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22123</a>	BUG-89207	Adding Components On Patched Clusters Can Result In Symlink Issues With conf Directories	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22133</a>	BUG-89204	Repositories With No Components On Them Are Shown as Upgradeable	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22134</a>	BUG-89360	UI Fixes for Maint Repo Version Display	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22139</a>	BUG-89189	CURRENT cluster Shows Upgrade If Component Didn't Report Version	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22146</a>	BUG-89449	New stack versions shown as "Not installed" on 0 hosts	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22152</a>	BUG-89520	Service check failures for Yarn and MR after patch upgrade	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22154</a>	BUG-8952178	Install and upgrade options are shown for current and already upgraded stack versions	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22157</a>	BUG-89511	Web Client Should Never List Any Upgrade Actions On Only Stack In System	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.6.0.0	Upgrade	<a href="#">AMBARI-22158</a>	BUG-89497	Ambari schema upgrade fails when upgrading ambari from 2.5.1.0 to 2.6.0.0 and using oracle as database	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22161</a>	BUG-89523	Unable to ignore service check failures during Upgrade	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22166</a>	BUG-89677	Not able to perform revert after deleting the upgraded service	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22167</a>	BUG-89679	Ambari schema upgrade failed for Postgres DB with PSQLErrorException for column "legacy"	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22170</a>	BUG-89529	Background in Repo Column is Too Short	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22194</a>	BUG-89827	Prevent Patch Upgrades With Known Service Incompatibilities	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22204</a>	BUG-89740	RU: "Preparing Ranger Admin" step failed on RU	Ambari,Ranger
2.6.0.0	Upgrade	<a href="#">AMBARI-22206</a>	BUG-89906	Downgrade UI shown Null when on Patch revert.	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22211</a>	BUG-89826	RU was not started on Oracle due to missing table	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22213</a>	BUG-89947	"ambari-server upgrade" failed on db schema	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22216</a>	BUG-89348	Ambari Schema Upgrade Failed during Ambari Upgrade	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22219</a>	BUG-89766	Set current_version for Backward Compatibility	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22226</a>	BUG-90079	RU: Downgrade is failed ZKFC	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22233</a>	BUG-90099	Zeppelin service check failed during EU from 2.5 to 2.6 as ZeppelinServer can not be instantiated	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22235</a>	BUG-90107	Druid service check failed during EU	Ambari,Druid
2.6.0.0	Upgrade	<a href="#">AMBARI-22240</a>	BUG-90074	Restart of random service could fail during express downgrade	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22246</a>	BUG-89946	Restart HDFS/JOURNALNODE failed on revert patch upgrade.	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22254</a>	BUG-90080	RU: RU failed on "Updating configuration sqoop-atlas-application.properties"	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22267</a>	BUG-90435	Version registration failure during patch upgrade + Debian + Oracle run	Ambari
2.6.0.0	Upgrade	<a href="#">AMBARI-22279</a>	BUG-90389	Knox upgrade failed when migrating from IOP-4.2.0.0 to 2.6.3.0	Ambari,Knox
2.6.0.0	Upgrade	RANGER-1820	BUG-88728	Ranger Admin restart failed during EU with SQLIntegrityConstraintViolationException	Ambari,Ranger
2.6.0.0	Usability	<a href="#">AMBARI-21718</a>	BUG-84513	Unable to remove ZooKeeper on heartbeat lost hosts	Ambari
2.6.0.0	Usability	<a href="#">AMBARI-21784</a>	BUG-878231908	Unable to Add a Service after deleting a service which had custom config group	Ambari
2.6.0.0	Usability	<a href="#">AMBARI-21834</a>	BUG-86645	UI changes for Moving Masters	Ambari
2.6.0.0	Usability	<a href="#">AMBARI-21848</a>	BUG-87016	Ambari Replaces the Value of Undefined Service Configuration Properties with "Undefined" in Default Config Group If the Same Property is Defined in Different Config Group	Ambari
2.6.0.0	Usability	<a href="#">AMBARI-21862</a>	BUG-87164	Unable to remove override from config group	Ambari
2.6.0.0	Usability	<a href="#">AMBARI-21868</a>	BUG-86136	Implement host recovery - backend changes	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.6.0.0	Usability	<a href="#">AMBARI-21871</a>	BUG-87486	Add new graphs to HBase RegionServer dashboard in Grafana.	Ambari
2.6.0.0	Usability	<a href="#">AMBARI-21885</a>	BUG-87203	Config group filter in Dashboard page shows 'All' even if you choose a config group	Ambari
2.6.0.0	Usability	<a href="#">AMBARI-21886</a>	BUG-87196	Unable to add a property to Default conf group which has same property name as in custom config group	Ambari
2.6.0.0	Usability	<a href="#">AMBARI-21908</a>	BUG-87546	Server returns 500 error for create config group request	Ambari
2.6.0.0	Usability	<a href="#">AMBARI-21913</a>	BUG-87663	UI part: Server returns 500 error for create config group request	Ambari
2.6.0.0	Usability	<a href="#">AMBARI-21929</a>	BUG-86642	UI task for Host Recovery	Ambari
2.6.0.0	Usability	<a href="#">AMBARI-21934</a>	BUG-87316	All config versions for a config group are disabled right after renaming the config group	Ambari
2.6.0.0	Usability	<a href="#">AMBARI-21962</a>	BUG-87303	Components Filter has a preselected component from a deleted conf group while adding hosts to a new conf group. Hosts listed are not correct either	Ambari
2.6.0.0	Usability	<a href="#">AMBARI-21965</a>	BUG-87854	"Next" button on "Assign Masters" page gets disabled when installing Ambari	Ambari
2.6.0.0	Usability	<a href="#">AMBARI-21969</a>	BUG-87331	Manage config groups at Add Service Wizard doesn't show host with selected components from filter	Ambari
2.6.0.0	Usability	<a href="#">AMBARI-21990</a>	BUG-88243	Unable to add hosts to Config Groups	Ambari
2.6.0.0	Usability	<a href="#">AMBARI-22033</a>	BUG-88557	LLAP log level control is broken	Ambari
2.6.0.0	Usability	<a href="#">AMBARI-22040</a>	BUG-88340	configs.py does not work properly when dealing with files	Ambari
2.6.0.0	Usability	<a href="#">AMBARI-22042</a>	BUG-88581	Final Properties filter does not work for Config Groups	Ambari
2.6.0.0	Usability	<a href="#">AMBARI-22074</a>	BUG-88970	Confusing AMS collector heap size validation loop	Ambari
2.6.0.0	Usability	<a href="#">AMBARI-22098</a>	BUG-89184	UI Change: Rename "Rerun Checks" button to "Rerun Pre-Upgrade Checks"	Ambari
2.6.0.0	Usability	<a href="#">AMBARI-22101</a>	BUG-89112	After enabling NameNode HA, Yarn and MapReduce2 shows stale configs	Ambari
2.6.0.0	Usability	<a href="#">AMBARI-22107</a>	BUG-88483	Enable new Log Aggregation format for Yarn default configuration in Ambari	Ambari, YARN
2.6.0.0	Usability	<a href="#">AMBARI-22108</a>	BUG-89220	Dismissing Enable Kerberos wizard initiates Disable kerberos call	Ambari
2.6.0.0	Usability	<a href="#">AMBARI-22169</a>	BUG-89343	On Chrome, Service separating lines are off by a pixel	Ambari
2.6.0.0	Usability	<a href="#">AMBARI-22171</a>	BUG-89718	Wrong progress bar positioning during maintenance packages installing	Ambari
2.6.0.0	Usability	<a href="#">AMBARI-22207</a>	BUG-89678	While moving master, a manual commands wizard came in between	Ambari
2.6.0.0	Usability	<a href="#">AMBARI-22212</a>	BUG-83279	Remove /etc/zeppelin/conf/external-dependency-conf/ and put /etc/hadoop/conf and /etc/hbase/conf under classpath	Ambari, Zeppelin
2.6.0.0	Usability	<a href="#">AMBARI-22258</a>	BUG-90333	Stack Advisor script error while saving changes via Ambari UI	Ambari
2.6.0.0	Usability	<a href="#">AMBARI-22274</a>	BUG-90487	"META DATA STORAGE CONFIG" tab is disabled where druid db text box is available when superset is installed.	Ambari, Druid

---

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.6.0.0	Usability	<a href="#">AMBARI-22275</a>	BUG-90498	Timeline server failed to load TimelineCachePluginImpl	Ambari, YARN