

Hortonworks Data Platform

Apache Solr Search Installation

(October 19, 2018)

Hortonworks Data Platform: Apache Solr Search Installation

Copyright © 2012-2018 Hortonworks, Inc. Some rights reserved.

The Hortonworks Data Platform, powered by Apache Hadoop, is a massively scalable and 100% open source platform for storing, processing and analyzing large volumes of data. It is designed to deal with data from many sources and formats in a very quick, easy and cost-effective manner. The Hortonworks Data Platform consists of the essential set of Apache Hadoop projects including MapReduce, Hadoop Distributed File System (HDFS), HCatalog, Pig, Hive, HBase, ZooKeeper and Ambari. Hortonworks is the major contributor of code and patches to many of these projects. These projects have been integrated and tested as part of the Hortonworks Data Platform release process and installation and configuration tools have also been included.

Unlike other providers of platforms built using Apache Hadoop, Hortonworks contributes 100% of our code back to the Apache Software Foundation. The Hortonworks Data Platform is Apache-licensed and completely open source. We sell only expert technical support, [training](#) and partner-enablement services. All of our technology is, and will remain free and open source.

Please visit the [Hortonworks Data Platform](#) page for more information on Hortonworks technology. For more information on Hortonworks services, please visit either the [Support](#) or [Training](#) page. Feel free to [Contact Us](#) directly to discuss your specific needs.



Except where otherwise noted, this document is licensed under
Creative Commons Attribution ShareAlike 4.0 License.
<http://creativecommons.org/licenses/by-sa/4.0/legalcode>

Table of Contents

1. Introduction	1
2. HDP Search 4.0	2
2.1. HDP Search 4.0 Release Notes	2
2.1.1. HDP Search 4.0 New Features	2
2.1.2. HDP Search 4.0 Behavioral Changes	2
2.1.3. HDP Search 4.0 Apache Solr Version Information	3
2.1.4. HDP Search 4.0 Known Issues	3
2.2. HDP Search 4.0 - Getting Ready	3
2.2.1. HDP Search 4.0 Minimum System Requirements	4
2.2.2. Using a Local Repository	4
2.3. Installing HDP Search 4.0 Management Pack	7
2.4. Installing HDP Search 4.0 Manually	8
3. HDP Search 3.0	9
3.1. HDP Search 3.0 Release Notes	9
3.1.1. HDP Search 3.0 New Features	9
3.1.2. HDP Search 3.0 Behavioral Changes	9
3.1.3. HDP Search 3.0 Apache Solr Version Information	9
3.1.4. HDP Search 3.0 Known Issues	10
3.2. HDP Search 3.0 - Getting Ready	10
3.2.1. HDP Search 3.0 Minimum System Requirements	10
3.2.2. Using a Local Repository	11
3.3. Installing HDP Search 3.0 Management Pack	15
3.4. Installing HDP Search 3.0 Manually	16
4. Upgrading HDP Search	19

List of Tables

- 2.1. HDP Search 2
- 2.2. HDP Search 2
- 3.1. HDP Search 9
- 3.2. HDP Search 9

1. Introduction

HDP Search is a full-text search server, designed for enterprise-level performance, flexibility, scalability, and fault-tolerance. HDP Search exposes REST-like HTTP/XML and JSON APIs for use with a wide range of programming languages.

HDP Search includes:

- Apache Solr 7.4.0 (for HDP Search 4.0)
- Banana 1.6.12
- JARs for integration with Hadoop, Hive, and Pig
- Software development kit for Spark



Note

HDP Search is a separate product, not packaged with the HDP platform.

The high-level steps for using HDP search are as follows:

1. Install and deploy HDP Search, either manually or by using Ambari.
2. Ingest documents from sources such as HDFS.
3. Index the data. Documents, and updates to documents, will be available for search almost immediately after being indexed.
4. Perform a wide range of basic and advanced operations on the indexed documents.

Resources:

- This document describes software requirements for HDP Search, followed by installation instructions for specific operating systems.
- For information about configuring indexes, ingesting documents, and searching indexed documents, see [Getting Started with Solr](#).
- For detailed information about connecting to data sources and ingesting data on secure and non-secure clusters, see the [Connector User Guide](#).
- For detailed information on using Banana with Solr, see [Banana](#).
- For help troubleshooting issues with HDP Search, see [Troubleshooting HDP Search](#).

2. HDP Search 4.0

- [HDP Search 4.0 Release Notes \[2\]](#)
- [HDP Search 4.0 - Getting Ready \[3\]](#)
- [Installing HDP Search 4.0 Management Pack \[7\]](#)
- [Upgrading HDP Search \[19\]](#)

2.1. HDP Search 4.0 Release Notes

The HDP Search 4.0 Release Notes summarize and describe the following information released in HDP Search 4.0:

- [HDP Search 4.0 New Features \[2\]](#)
- [HDP Search 4.0 Behavioral Changes \[2\]](#)
- [HDP Search 4.0 Apache Solr Version Information \[3\]](#)
- [HDP Search 4.0 Known Issues \[3\]](#)



Note

HDP Search is a separate product and does NOT come with the HDP platform.

2.1.1. HDP Search 4.0 New Features

HDP 4.0 includes the following new feature:

Table 2.1. HDP Search

Feature	Description
Apache Solr 7.4	Upgraded Solr to Solr 7.4
Updated Hadoop Solr connectors to support HDP 3.0	<ul style="list-style-type: none"> • HDFS (updated to support Hadoop 3.1.0) • Hive (updated to support Hive 3.0) • Spark (updated to support Spark 2.3.1)

2.1.2. HDP Search 4.0 Behavioral Changes

HDP Search 4.0 introduces the following change in behavior as compared to previous HDP Search versions:

Table 2.2. HDP Search

Description	Reference
Add HBase Solr Connector	The HBase Solr connector from Lucidworks is no longer supported, and has not been included in this release.

More Information

[Ambari 2.7.0 Behavioral Changes](#)

2.1.3. HDP Search 4.0 Apache Solr Version Information

HDP Search 4.0 is based on Apache Solr 7.4 ([Apache Solr Release Notes](#)).

2.1.4. HDP Search 4.0 Known Issues

Issue Description:

When Serde jar is added using ADD JAR command in Hive CLI/Beeline, External table created in Hive for Solr stores NULL in place of all data inserted. ie; Select query on this external table returns NULL.

Workaround:

To get around this issue, you must add Serde jar in Hive's class path. This can be done in multiple ways. The one we recommend is :

- create an "auxlib" directory in /usr/hdp/current/hive-server2
- cp serde jar (/opt/lucidworks-hdpsearch/hive/solr-hive-serde-4.0.0.jar) to auxlib directory
- Restart Hive

Issue Description:

- On kerberized clusters, accessing the Banana UI gives a Kerberos Replay Error and fails to load.

Workaround:

- Disable the jvm kerberos replay cache for the solr process instance. Note this does not affect the global kerberos replay cache for the KDC, and therefore other services.

To accomplish this:

Go to Ambari UI -> Solr -> Configs -> Advanced solr-config-env -> solr.in.sh.template, then add:

```
SOLR_OPTS="$SOLR_OPTS -Dsun.security.krb5.rcache=none"
```

Then restart the Solr service.

2.2. HDP Search 4.0 - Getting Ready

This section describes information and materials that you should get ready before installing HDP Search 4.0.

- [HDP Search 4.0 Minimum System Requirements \[4\]](#)

- [Using a Local Repository \[4\]](#)

2.2.1. HDP Search 4.0 Minimum System Requirements

To use HDP Search, your system must meet the following minimum requirements.

2.2.1.1. HDP Search 4.0 Operating System Requirements

HDP Search 4.0 is supported on the following operating systems:

- 64-bit CentOS 7
- 64-bit Red Hat Enterprise Linux (RHEL) 7

2.2.1.2. JDK Requirements - HDP Search 4.0

HDP Search 4.0 requires Oracle or OpenJDK Java 1.8 or higher.

Make sure your `$JAVA_HOME` and `$PATH` variables are set to the correct version; for example:

```
export JAVA_HOME=/usr/java/default
export PATH=$JAVA_HOME/bin:$PATH
```

2.2.1.3. HDP Search 4.0 HDP Requirements

HDP Search 4.0 is tested and certified with HDP 3.0.x and the following HDP components.

Component	Version
Apache Hadoop	3.1.0
Apache Hive*	3.0.0
Apache Pig	0.16.0
Apache Spark	2.3.1

* We have certified Hive with Tez only and not Map Reduce.

2.2.2. Using a Local Repository

Local repositories are frequently used in enterprise clusters that have limited outbound internet access. In these scenarios, local packages provide more governance and better installation performance. Local repositories are used during installation and for post-installation cluster operations such as service start and restart operations.

The following sections describe steps for setting up and using a local repository for HDP Search.



Important

The following instructions assume that you have already obtained and prepared the appropriate Ambari repository and other HDP Stack repositories as described in [Using a Local Repository](#) in the *Ambari Installation Guide*.

2.2.2.1. Obtaining the HDP Search 4.0 Repository

Use the link appropriate for your OS family to download or reposync the HDP Search 4.0 repository.

OS	Format	URL
RedHat or CentOS 7	Repo File	https://archive.cloudera.com/p/HDP-SOLR/4.0.0-400/repos/centos7/hdp-solr.repo
	Tarball	https://archive.cloudera.com/p/HDP-SOLR/4.0.0-400/repos/centos7/HDP-SOLR-4.0.0-400-centos7.tar.gz (asc,md5)

2.2.2.2. Setting Up the HDP Search 4.0 Local Repository

The following instructions assume that you have obtained the appropriate HDP Search repository for your operating system, and that you have created an HTTP server and a web server directory as described in [Getting Started Setting Up a Local Repository](#) in the *Ambari Installation Guide*.

Based on your Internet access, choose one of the following options:

- **No Internet Access:** This option involves downloading the repository tarball, moving the tarball to the selected mirror server in your cluster, and extracting files to create the repository.
- **Temporary Internet Access:** This option involves using your temporary Internet access to synchronize (using reposync) the software package to your selected mirror server and creating the repository.

The following subsections describe how to set up each option.

2.2.2.2.1. Setting Up a Local Repository with No Internet Access

If you are setting up a local repository with no internet access, complete the following steps:

1. Copy the repository tarball to the web server directory, and untar the file.

a. Browse to the web server directory you created.

- **For RHEL/CentOS Linux:**

```
cd /var/www/html/
```

- **For SLES:**

```
cd /srv/www/htdocs/rpms
```

- **For Debian/Ubuntu:**

```
cd /var/www/html/
```

b. Untar the repository tarballs to the following location:

```
<web.server.directory>/HDP-SOLR-<latest.version>/repos/<OS>
```

where `<web.server.directory>`, `<OS>`, and `<latest.version>` represent the web server document root directory, the latest version of HDP-SOLR, the operating system type, and the release version, respectively.

2. Confirm that you can browse to the newly created local repository:

```
http://<web.server>/HDP-SOLR-<latest.version>/<OS>/
```

where `<web.server>` is the fully-qualified domain name of your web server host, and `<OS>` is `centos6`, `centos7`, `sles11`, `ubuntu12`, `ubuntu14`, `debian6`, or `debian7`.

Important: Be sure to record this URL. You will need it when installing HDP Search.

3. Optional: If you have multiple repositories configured in your environment, deploy the following plug-in on all nodes in your cluster.

- a. Install the plug-in.

For RHEL and CentOS 7:

```
yum install yum-plugin-priorities
```

- b. Edit the `/etc/yum/pluginconf.d/priorities.conf` file to add the following:

```
[main]
enabled=1
gpgcheck=0
```

2.2.2.2.2. Setting up a Local Repository With Temporary Internet Access

If you are setting up a local repository with temporary internet access, complete the following steps:

1. Put the repository configuration files for HDP Search in place on the host.
2. Confirm availability of the repositories.

For RHEL/CentOS 7:

```
yum repolist
```

3. Synchronize the repository contents to your mirror server.

- a. Browse to the web server directory:

For RHEL/CentOS 7:

```
cd /var/www/html
```

- b. Create a directory for HDP Search, and then change to the new directory:

```
mkdir -p hdp-solr/<OS>
cd hdp-solr/<OS>
```

<OS> is centos7 or RHEL 7

- c. reposync the directory:

```
reposync -r HDP-SOLR-<latest.version>
```

4. Generate the repository metadata for HDP Search:

```
createrepo <web.server.directory>/HDP-SOLR-<latest.version>/  
<OS>/
```

5. Using the following URL, confirm that you can browse to the newly created repository:

```
http://<web.server>/HDP-SOLR-<latest.version>/<OS>/
```

where <web.server> is the fully-qualified domain name of the web server host, and <OS> is centos7 or RHEL7.

Important: Be sure to record the Base URL. You will need it when installing HDP Search.

6. Optional: If you have multiple repositories configured in your environment, deploy the following plug-in on all the nodes in your cluster.

- Install the plug-in.

```
yum install yum-plugin-priorities
```

- Edit the `/etc/yum/pluginconf.d/priorities.conf` file to add the following:

```
[main]  
enabled=1  
gpgcheck=0
```

2.2.2.3. Installing, Configuring, and Deploying HDP Search 4.0

When finished with the preceding steps, run the Ambari Install Wizard to install, configure, and deploy HDP Search. For more information, refer to the HDP Search Ambari Installation Guide.

For information about the HDP Search Directory Layout, refer to the HDP Search Directory Layout.

2.3. Installing HDP Search 4.0 Management Pack

Prerequisites

Before installing HDP Search 4.0, you must disable the yum repo priorities plug-in on all hosts that will have the HDP Search Solr component installed, as follows:

```
# vi /etc/yum/pluginconf.d/priorities.conf  
[main]  
enabled = 0
```

Complete the following steps to download and install the HDP Search 4.0 Management Pack.

1. Download the Ambari management pack to the Ambari Server host.

In this example, `/tmp` is a temporary directory that stores the management pack before it is installed.

```
cd /tmp
wget https://archive.cloudera.com/p/HDP-SOLR/hdp-solr-ambari-mp/solr-
service-mpack-4.0.0.tar.gz
```

2. Install the management pack on the Ambari Server host, using the following command:

```
# ambari-server install-mpack --mpack=/tmp/solr-service-mpack-4.0.0.tar.gz
```

You should see the following output:

```
Using python /usr/bin/python
Installing management pack
Ambari Server 'install-mpack' completed successfully.
```

The management pack has now been added to Ambari.

3. Restart Ambari server.

```
# ambari-server restart
```

4. Add the Solr service, either during initial cluster installation using the Ambari installation wizard or after cluster deployment.

For information about Solr configuration options, refer to the Startup Option Reference section of the *Lucidworks Ambari Installation Guide*.

2.4. Installing HDP Search 4.0 Manually

HDP Search 4.0 packages are located in the HDP-SOLR 4.0 repository.

To install HDP Search 4.0, run the appropriate commands for your operating system on all cluster nodes that will run Solr.



Note

RPM packages for CentOS/RHEL Linux are signed, so you will need to add the gpg key to your server. That step is included in the following instructions.

CentOS/RHEL Linux 7:

```
rpm --import https://archive.cloudera.com/p/HDP-SOLR/4.0.0-400/repos/centos7/
RPM-GPG-KEY/RPM-GPG-KEY-Jenkins
cd /etc/yum.repos.d/
wget https://archive.cloudera.com/p/HDP-SOLR/4.0.0-400/repos/centos7/hdp-solr.
repo
yum install lucidworks-hdpsearch
```

3. HDP Search 3.0

- [HDP Search 3.0 Release Notes \[9\]](#)
- [HDP Search 3.0 - Getting Ready \[10\]](#)
- [Installing HDP Search 3.0 Management Pack \[15\]](#)
- [Upgrading HDP Search \[19\]](#)

3.1. HDP Search 3.0 Release Notes

The HDP Search 3.0 Release Notes summarize and describe the following information released in HDP Search 3.0:

- [HDP Search 3.0 New Features \[9\]](#)
- [HDP Search 3.0 Behavioral Changes \[9\]](#)
- [HDP Search 3.0 Apache Solr Version Information \[9\]](#)
- [HDP Search 3.0 Known Issues \[10\]](#)



Note

HDP Search is a separate product and does NOT come with the HDP platform.

3.1.1. HDP Search 3.0 New Features

HDP 3.0 includes the following new feature:

Table 3.1. HDP Search

Feature	Description
Apache Solr 6.6.2	Support for Apache Solr 6.6.2 has been added to the Management Pack

3.1.2. HDP Search 3.0 Behavioral Changes

HDP Search 3.0 introduces the following change in behavior as compared to previous HDP Search versions:

Table 3.2. HDP Search

Description	Reference
Storm Solr Connector	The Storm Solr connector from Lucidworks is no longer supported, and has not been included in this release.

More Information

[Ambari 2.6.0 Behavioral Changes](#)

3.1.3. HDP Search 3.0 Apache Solr Version Information

HDP Search 3.0 is based on Apache Solr 6.6.2 ([Apache Solr Release Notes](#)).

3.1.4. HDP Search 3.0 Known Issues

Issue Description:

Please choose Map Reduce as the execution engine for Hive queries related to the Solr index. Tez will NOT work because Lucidwork's Hive SerDe does not yet support Hive 2 officially. It has been roadmapped for a future release. Currently, only Tez on Hive 1.x is supported.

Issue Description:

- On kerberized clusters, accessing the Banana UI gives a Kerberos Replay Error and fails to load.

Workaround:

- Disable the jvm kerberos replay cache for the solr process instance. Note this does not affect the global kerberos replay cache for the KDC, and therefore other services.

To accomplish this:

Go to Ambari UI -> Solr -> Configs -> Advanced solr-config-env -> solr.in.sh.template, then add:

```
SOLR_OPTS="$SOLR_OPTS -Dsun.security.krb5.rcache=none"
```

Then restart the Solr service.

3.2. HDP Search 3.0 - Getting Ready

This section describes information and materials that you should get ready before installing HDP Search 3.0.

- [HDP Search 3.0 Minimum System Requirements \[10\]](#)
- [Using a Local Repository \[11\]](#)

3.2.1. HDP Search 3.0 Minimum System Requirements

To use HDP Search, your system must meet the following minimum requirements.

3.2.1.1. HDP Search 3.0 Operating System Requirements

HDP Search 3.0 is supported on the following operating systems:

- 64-bit CentOS 6 and 7
- 64-bit Red Hat Enterprise Linux (RHEL) 6 and 7
- 64-bit Oracle Linux 6 and 7
- 64-bit SUSE Linux Enterprise Server (SLES) 11, SP3/SP4
- 64-bit SUSE Linux Enterprise Server (SLES) 12

- 64-bit Debian 7
- 64-bit Ubuntu 12 and 14

3.2.1.2. JDK Requirements - HDP Search 3.0

HDP Search 3.0 requires Oracle or OpenJDK Java 1.8 or higher.

Make sure your `$JAVA_HOME` and `$PATH` variables are set to the correct version; for example:

```
export JAVA_HOME=/usr/java/default
export PATH=$JAVA_HOME/bin:$PATH
```

3.2.1.3. HDP Search 3.0 HDP Requirements

HDP Search 3.0 is tested and certified with HDP 2.6.x and the following HDP components.

Component	Version
Apache Hadoop	2.7.3
Apache HBase	1.1.2
Apache Hive	1.2.1
Apache Pig	0.16.0
Apache Spark	2.2.0

3.2.2. Using a Local Repository

Local repositories are frequently used in enterprise clusters that have limited outbound internet access. In these scenarios, local packages provide more governance and better installation performance. Local repositories are used during installation and for post-installation cluster operations such as service start and restart operations.

The following sections describe steps for setting up and using a local repository for HDP Search.



Important

The following instructions assume that you have already obtained and prepared the appropriate Ambari repository and other HDP Stack repositories as described in [Using a Local Repository](#) in the *Ambari Installation Guide*.

3.2.2.1. Obtaining the HDP Search 3.0 Repository

Use the link appropriate for your OS family to download or reposync the HDP Search 3.0 repository.

OS	Format	URL
RedHat 6, CentOS 6, or Oracle Linux 6	Repo File	https://archive.cloudera.com/p/HDP-SOLR/3.0.0-100/repos/centos6/hdp-solr.repo
	Tarball	https://archive.cloudera.com/p/HDP-SOLR/3.0.0-100/repos/centos6/HDP-SOLR-3.0.0-100-centos6.tar.gz

OS	Format	URL
		(md5, asc)
RedHat 7, CentOS 7, or Oracle Linux 7	Repo File	https://archive.cloudera.com/p/HDP-SOLR/3.0.0-100/repos/centos7/hdp-solr.repo
	Tarball	https://archive.cloudera.com/p/HDP-SOLR/3.0.0-100/repos/centos7/HDP-SOLR-3.0.0-100-centos7.tar.gz (md5, asc)
SLES 11 SP3/SP4	Repo File	https://archive.cloudera.com/p/HDP-SOLR/3.0.0-100/repos/suse11sp3/hdp-solr.repo
	Tarball	https://archive.cloudera.com/p/HDP-SOLR/3.0.0-100/repos/suse11sp3/HDP-SOLR-3.0.0-100-suse11sp3.tar.gz (md5, asc)
Ubuntu 12	Repo File	https://archive.cloudera.com/p/HDP-SOLR/3.0.0-100/repos/ubuntu12/hdp-solr.list
	Tarball	https://archive.cloudera.com/p/HDP-SOLR/3.0.0-100/repos/ubuntu12/HDP-SOLR-3.0.0-100-ubuntu12.tar.gz (md5, asc)
Ubuntu 14	Repo File	https://archive.cloudera.com/p/HDP-SOLR/3.0.0-100/repos/ubuntu14/hdp-solr.list
	Tarball	https://archive.cloudera.com/p/HDP-SOLR/3.0.0-100/repos/ubuntu14/HDP-SOLR-3.0.0-100-ubuntu14.tar.gz (md5, asc)
Debian 6	Repo File	https://archive.cloudera.com/p/HDP-SOLR/3.0.0-100/repos/debian6/hdp-solr.list
	Tarball	https://archive.cloudera.com/p/HDP-SOLR/3.0.0-100/repos/debian6/HDP-SOLR-3.0.0-100-debian6.tar.gz (md5, asc)
Debian 7	Repo File	https://archive.cloudera.com/p/HDP-SOLR/3.0.0-100/repos/debian7/hdp-solr.list
	Tarball	https://archive.cloudera.com/p/HDP-SOLR/3.0.0-100/repos/debian7/HDP-SOLR-3.0.0-100-debian7.tar.gz (md5, asc)

3.2.2.2. Setting Up the HDP Search 3.0 Local Repository

The following instructions assume that you have obtained the appropriate HDP Search repository for your operating system, and that you have created an HTTP server and a web server directory as described in [Getting Started Setting Up a Local Repository](#) in the *Ambari Installation Guide*.

Based on your Internet access, choose one of the following options:

- **No Internet Access:** This option involves downloading the repository tarball, moving the tarball to the selected mirror server in your cluster, and extracting files to create the repository.
- **Temporary Internet Access:** This option involves using your temporary Internet access to synchronize (using reposync) the software package to your selected mirror server and creating the repository.

The following subsections describe how to set up each option.

3.2.2.2.1. Setting Up a Local Repository with No Internet Access

If you are setting up a local repository with no internet access, complete the following steps:

1. Copy the repository tarball to the web server directory, and untar the file.

a. Browse to the web server directory you created.

- **For RHEL/CentOS/Oracle Linux:**

```
cd /var/www/html/
```

- **For SLES:**

```
cd /srv/www/htdocs/rpms
```

- **For Debian/Ubuntu:**

```
cd /var/www/html/
```

b. Untar the repository tarballs to the following location:

```
<web.server.directory>/HDP-SOLR-<latest.version>/repos/<OS>
```

where `<web.server.directory>`, `<OS>`, and `<latest.version>` represent the web server document root directory, the latest version of HDP-SOLR, the operating system type, and the release version, respectively.

2. Confirm that you can browse to the newly created local repository:

```
http://<web.server>/HDP-SOLR-<latest.version>/<OS>/
```

where `<web.server>` is the fully-qualified domain name of your web server host, and `<OS>` is `centos6`, `centos7`, `sles11`, `ubuntu12`, `ubuntu14`, `debian6`, or `debian7`.

Important: Be sure to record this URL. You will need it when installing HDP Search.

3. Optional: If you have multiple repositories configured in your environment, deploy the following plug-in on all nodes in your cluster.

a. Install the plug-in.

- **For RHEL and CentOS 7:**

```
yum install yum-plugin-priorities
```

- **For RHEL and CentOS 6:**

```
yum install yum-plugin-priorities
```

- b. Edit the `/etc/yum/pluginconf.d/priorities.conf` file to add the following:

```
[main]
enabled=1
gpgcheck=0
```

3.2.2.2.2. Setting up a Local Repository With Temporary Internet Access

If you are setting up a local repository with temporary internet access, complete the following steps:

1. Put the repository configuration files for HDP Search in place on the host.
2. Confirm availability of the repositories.

- **For RHEL/CentOS/Oracle Linux:**

```
yum repolist
```

- **For SLES:**

```
zypper repos
```

- **For Debian/Ubuntu:**

```
Dpkg-list
```

3. Synchronize the repository contents to your mirror server.

- a. Browse to the web server directory:

- **For RHEL/CentOS/Oracle Linux:**

```
cd /var/www/html
```

- **For SLES:**

```
cd /srv/www/htdocs/rpms
```

- **For Debian/Ubuntu:**

```
cd /var/www/html
```

- b. Create a directory for HDP Search, and then change to the new directory:

```
mkdir -p hdp-solr/<OS>
cd hdp-solr/<OS>
```

<OS> is centos6, centos7, sles11, sles12, ubuntu12, ubuntu14, or debian7.

- c. `reposync` the directory:

```
reposync -r HDP-SOLR-<latest.version>
```

4. Generate the repository metadata for HDP Search:

```
createrepo <web.server.directory>/HDP-SOLR-<latest.version>/  
<OS>/
```

5. Using the following URL, confirm that you can browse to the newly created repository:

```
http://<web.server>/HDP-SOLR-<latest.version>/<OS>/
```

where `<web.server>` is the fully-qualified domain name of the web server host, and `<OS>` is `centos6`, `centos7`, `sles11`, `sles12`, `ubuntu12`, `ubuntu14`, or `debian7`.

Important: Be sure to record the Base URL. You will need it when installing HDP Search.

6. Optional: If you have multiple repositories configured in your environment, deploy the following plug-in on all the nodes in your cluster.

- Install the plug-in.

- **For RHEL and CentOS 7:**

```
yum install yum-plugin-priorities
```

- **For RHEL and CentOS 6:**

```
yum install yum-plugin-priorities
```

- Edit the `/etc/yum/pluginconf.d/priorities.conf` file to add the following:

```
[main]  
enabled=1  
gpgcheck=0
```

3.2.2.3. Installing, Configuring, and Deploying HDP Search 3.0

When finished with the preceding steps, run the Ambari Install Wizard to install, configure, and deploy HDP Search. For more information, refer to the HDP Search Ambari Installation Guide.

For information about Solr configuration options, refer to the Startup Option Reference section of the HDP Search *Ambari Installation Guide*.

3.3. Installing HDP Search 3.0 Management Pack

Prerequisites

Before installing HDP Search 3.0, you must disable the yum repo priorities plug-in on all hosts that will have the HDP Search Solr component installed, as follows:

```
# vi /etc/yum/pluginconf.d/priorities.conf  
[main]  
enabled = 0
```

Complete the following steps to download and install the HDP Search 3.0 Management Pack.

1. Download the Ambari management pack to the Ambari Server host.

In this example, `/tmp` is a temporary directory that stores the management pack before it is installed.

```
cd /tmp
wget https://archive.cloudera.com/p/HDP-SOLR/hdp-solr-ambari-mp/solr-
service-mpack-3.0.0.tar.gz
```

2. Install the management pack on the Ambari Server host, using the following command:

```
# ambari-server install-mpack --mpack=/tmp/solr-service-mpack-3.0.0.tar.gz
```

You should see the following output:

```
Using python /usr/bin/python
Installing management pack
Ambari Server 'install-mpack' completed successfully.
```

The management pack has now been added to Ambari.

3. Restart Ambari server.

```
# ambari-server restart
```

4. Add the Solr service, either during initial cluster installation using the Ambari installation wizard or after cluster deployment.

For information about Solr configuration options, refer to the Startup Option Reference section of the *Lucidworks Ambari Installation Guide*.

3.4. Installing HDP Search 3.0 Manually

HDP Search 3.0 packages are located in the HDP-SOLR 3.0 repository.

To install HDP Search 3.0, run the appropriate commands for your operating system on all cluster nodes that will run Solr.



Note

RPM packages for CentOS/RHEL/Oracle Linux are signed, so you will need to add the gpg key to your server. That step is included in the following instructions.

- CentOS/RHEL/Oracle Linux 6:

```
rpm --import https://archive.cloudera.com/p/HDP-SOLR/3.0.0-100/repos/
centos6/RPM-GPG-KEY/RPM-GPG-KEY-Jenkins
cd /etc/yum.repos.d/
wget https://archive.cloudera.com/p/HDP-SOLR/3.0.0-100/repos/centos6/hdp-
solr.repo
yum install lucidworks-hdpsearch
```

- CentOS/RHEL/Oracle Linux 7:

```
rpm --import https://archive.cloudera.com/p/HDP-SOLR/3.0.0-100/repos/centos7/RPM-GPG-KEY/RPM-GPG-KEY-Jenkins
cd /etc/yum.repos.d/
wget https://archive.cloudera.com/p/HDP-SOLR/3.0.0-100/repos/centos7/hdp-solr.repo
yum install lucidworks-hdpsearch
```

- SUSE11SP3/SP4:

```
cd /etc/zypp/repos.d/
wget https://archive.cloudera.com/p/HDP-SOLR/3.0.0-100/repos/susel1sp3/hdp-solr.repo
zypper install lucidworks-hdpsearch
```

- Ubuntu12:

```
cd /etc/apt/sources.list.d
wget https://archive.cloudera.com/p/HDP-SOLR/3.0.0-100/repos/ubuntu12/hdp-solr.list
apt-get update
apt-get install lucidworks-hdpsearch
```

- Ubuntu14:

```
cd /etc/apt/sources.list.d
wget https://archive.cloudera.com/p/HDP-SOLR/3.0.0-100/repos/ubuntu14/hdp-solr.list
apt-get update
apt-get install lucidworks-hdpsearch
```

- Debian6:

```
cd /etc/apt/sources.list.d
wget https://archive.cloudera.com/p/HDP-SOLR/3.0.0-100/repos/debian6/hdp-solr.list
apt-get update
apt-get install lucidworks-hdpsearch
```

- Debian7:

```
cd /etc/apt/sources.list.d
wget https://archive.cloudera.com/p/HDP-SOLR/3.0.0-100/repos/debian7/hdp-solr.list
apt-get update
apt-get install lucidworks-hdpsearch
```



Important

For Debian or Ubuntu, if you see the following error during `apt-get update`:

```
W: GPG error: https://archive.cloudera.com HDP-SOLR Release: The following signatures couldn't be verified because the public key is not available: NO_PUBKEY B9733A7A07513CAD
```

Run the following commands:

```
apt-key adv --keyserver keyserver.ubuntu.com --recv-keys  
B9733A7A07513CAD  
apt-get update
```

4. Upgrading HDP Search

This chapter describes prerequisites required to upgrade HDP Search 3.0 to HDP Search 4.0.

Prerequisites

Before upgrading HDP Search, you should ensure that all indexing has stopped for Solr and all connectors, including Hadoop, Hive, and via Pig.



Important

Do not attempt to upgrade a cluster with HDP Search 3.0 to Ambari 2.7.x and HDP 3.x without first following the steps below to prepare your cluster for HDP Search 4.0.

1. Stop Solr service by removing `.pid` file.
2. Remove Solr service from Ambari.
3. Upgrade Ambari to 2.7.3
4. Verify that Ambari upgrade succeeded.
5. Upgrade Ambari Metrics, Smartsense, and Infra Solr.
6. Upgrade the Stack.
7. Upgrade the HDPSearch mpack.
8. Follow Lucidworks instructions to upgrade HDPSearch.
9. Add the Solr service to your cluster, using the Ambari Web UI.